

PHYSICIAN, HOSPITAL
OR FUNERAL HOME RECORD

MISSOURI

VITAL STATISTICS

CERTIFICATE OF LIVE BIRTH

124

CERTIFICATE OF FETAL DEATH

1971

CERTIFICATE OF DEATH

Physician or Hospital Record

CERTIFICATE OF LIVE BIRTH

124

Division of Health

PUBLIC HEALTH STATISTICS

**MISSOURI
PUBLIC HEALTH STATISTICS
VITAL STATISTICS**

1971

**Prepared by
Bureau of Statistical Services
June, 1972**

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI

**DIVISION OF HEALTH
BROADWAY STATE OFFICE BUILDING
JEFFERSON CITY, MISSOURI 65101**

PREFACE

This is the final tabulation of statistical data relating to vital events in Missouri during 1971. Data for the year of the report is accepted through March 15 of the following year before it is cut off, allowing information reflecting events in that year to be as complete as possible.

In order to have all vital event data available by counties, we have added two new tables to this publication:

“Reported Marriages by County of Recording with Rates” and

“Reported Divorces and Annulments by County of Recording with Rates.”

The annual report of Missouri Vital Statistics was compiled for use in public health and related fields as an aid for studying births, deaths, marriages, and divorces. This publication is part of the Public Health Statistics series which also includes the publication Monthly Vital Statistics.

BUREAU OF STATISTICAL SERVICES

JUNE 1972

BACKGROUND

RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates.

VITAL RECORDS

Vital Statistics in Missouri are compiled from five basic records which are filed with the Division of Health by State Law. These records are: (1) live birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, and deaths to include in resident data events occurring to Missouri residents in other states.

The data within this report represents the 1971 calendar year of events. Records have been accepted through March 15 of 1972 before cut-off, allowing 1971 events to be as complete as possible.

POPULATION

Population data in this report is a Provisional Estimate of Population, July 1, 1971; provided by the DEMOGRAPHIC UNIT, Office of Administrative Services, Division of Budget and Comptroller, 14th floor, Jefferson Building, Jefferson City, Missouri.

RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Death rates from all causes and live birth rates are expressed in terms of 1,000 estimated population; deaths from a specific cause are based on 100,000 estimated population (excluding maternal and infant causes); maternal deaths calculated per 10,000 live births; infant, neonatal and fetal deaths stated per 1,000 live births.

COLOR

The term "color" refers to the division of population into two groups, white and nonwhite.

The color group designated as "nonwhite" consists of such races as the Negro, American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian, and Malayan races. Persons of Mexican birth or ancestry who are not definitely of Indian or other nonwhite race are classified as white.

Persons of mixed racial parentage are classified according to the race of the nonwhite parent.

TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here are classified in accordance with the Eighth Revision of the International Classification of Diseases, Adapted, 1967; Public Health Service Publication No. 1693, from the U. S. Government Printing Office.

The specific causes of death in this report are shown in groupings of 41 causes. Where the leading causes were selected, it was done so from a further consolidation of these 41 causes.

RATES AND WHOLE NUMBERS

Rates are rounded to the nearest tenth. When the rate or percent is less than one-tenth, the entry is left blank.

In the case of whole numbers, if a blank or dash (—) is shown, this means none or zero.

TABLE OF CONTENTS

BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS

Table/Graph		Page
A	Trends in Live Birth and Death Rates, 1911–1971	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911–1944	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945–1971	4
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1971	5
4	Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1971	8
5	Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1971	12
6	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1971	17
B	Trends in Fetal Death Rates by Color, 1932–1971	18
7	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1971	19
8	Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1971	20
9	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1971	26
10	Five Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1971	27
C	Trends in Maternal Death Rates by Color, 1932–1971	29
11	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1971	30
12	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1971	31
13	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1971	35
14	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1971	39
D	Trends in Infant Death Rates by Color, 1932–1971	44
15	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1971	45
16	Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1971	46
17	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1971	136
MARRIAGES		
E	Trends in Marriage Rates, 1949–1971	138
18	Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1971	139
19	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1971 ...	141
20	Reported Marriages by Marital Status, Missouri: 1971	142
21	Reported Marriages by Color of Groom, by Color of Bride, Missouri: 1971	142
22	Reported Marriages by County of Record with Rates, Missouri: 1971	143
DIVORCES		
F	Trends in Divorce Rates, 1949–1971	145
23	Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1971	146
24	Reported Divorces and Annulments by Duration of Marriages, Missouri: 1971	147
25	Reported Divorces and Annulments by Number of Children Affected, Missouri: 1971	148
26	Reported Divorces and Annulments by Complainant by to Whom Decree Granted, Missouri: 1971	148
27	Reported Divorces and Annulments by Complainant by Disposition of Children, Missouri: 1971	148
28	Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1971	149
29	Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1971	149
30	Reported Divorces and Annulments by Color, Husband by Wife, Missouri: 1971	150
31	Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1971	150
32	Reported Divorces and Annulments by County of Record with Rates, Missouri: 1971	151


MISSOURI



**BIRTHS, FETAL DEATHS,
DEATHS, INFANT DEATHS,
MATERNAL DEATHS,
ACCIDENTS**

GRAPH A.

LIVE BIRTH AND DEATH RATES 1911-1971
(per 1,000 population)



Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates 1911 to 1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1969 as computed by the Division of Health of Missouri; 1960 and 1970, taken from the United States Census of Population. July 1, 1971 provisional estimate—see page iv. Recorded data 1911 to 1944 and Resident data 1945 to date.

Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1926	18.7	10.0	1941	17.4	11.4	1956	23.1	10.7
1912	22.6	12.6	1927	18.6	11.4	1942	19.0	11.0	1957	23.1	11.3
1913	22.1	12.4	1928	17.6	12.6	1943	20.2	12.0	1958	22.8	11.0
1914	21.3	12.0	1929	16.8	12.2	1944	19.7	11.9	1959	23.3	11.0
1915	20.5	11.7	1930	17.0	11.8	1945	18.7	12.1	1960	22.6	11.2
1916	20.8	12.7	1931	16.2	11.9	1946	21.5	11.3	1961	22.3	10.8
1917	19.3	13.1	1932	16.0	11.7	1947	23.4	11.6	1962	21.3	11.1
1918	19.2	15.6	1933	15.3	11.5	1948	22.1	11.1	1963	20.3	11.4
1919	18.2	11.7	1934	15.9	12.3	1949	21.5	11.1	1964	19.7	11.1
1920	19.2	12.5	1935	15.1	11.4	1950	21.6	11.0	1965	18.0	11.1
1921	19.5	10.6	1936	14.7	12.8	1951	22.5	11.0	1966	17.2	11.4
1922	18.7	11.2	1937	15.1	11.9	1952	22.4	11.2	1967	16.4	11.1
1923	19.3	12.1	1938	15.7	11.3	1953	22.5	11.1	1968	16.2	11.3
1924	19.7	11.5	1939	15.8	11.3	1954	22.8	10.7	1969	16.9	11.3
1925	19.4	11.7	1940	16.5	11.6	1955	22.7	10.4	1970	17.2	11.0
									1971	16.5	10.7

TABLE 1
POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2

POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1971

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,366	101,462	23.2	47,933	11.0	97,321	22.3	47,303	10.8	50,018
1962	4,408	97,658	22.2	49,685	11.3	93,879	21.3	49,016	11.1	44,863
1963	4,447	93,545	21.0	51,159	11.5	90,363	20.3	50,538	11.4	39,825
1964	4,483	90,918	20.3	50,271	11.2	88,335	19.7	49,617	11.1	38,718
1965	4,512	84,162	18.7	51,101	11.3	81,216	18.0	50,249	11.1	30,967
1966	4,539	80,750	17.8	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,566	77,940	17.1	51,245	11.2	74,823	16.4	50,544	11.1	24,279
1968	4,596	77,028	16.8	52,834	11.5	74,304	16.2	52,019	11.3	22,285
1969	4,631	81,313	17.6	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,677	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.0	28,964
1971	4,749*	81,409	17.1	51,810	10.9	78,375	16.5	50,811	10.7	27,564

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-1969 as computed by the Missouri Division of Health; 1960 and 1970 taken from the United States Census of Population. *July 1, 1971 provisional estimate—see page iv.

TABLE 3

**SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1971**

	NUMBER			PERCENTAGES		
LIVE BIRTHS	STATE TOTAL	URBAN	RURAL	STATE TOTAL	URBAN	RURAL
SEX-COLOR						
GRAND TOTAL	78,375	39,022	39,353	100.0	100.0	100.0
TOTAL MALE	40,177	20,012	20,165	51.3	51.3	51.2
TOTAL FEMALE	38,198	19,010	19,188	48.7	48.7	48.8
WHITE TOTAL	65,526	28,032	37,494	100.0	100.0	100.0
MALE	33,719	14,486	19,233	51.5	51.7	51.3
FEMALE	31,807	13,546	18,261	48.5	48.3	48.7
NONWHITE TOTAL	12,849	10,990	1,859	100.0	100.0	100.0
MALE	6,458	5,526	932	50.3	50.3	50.1
FEMALE	6,391	5,464	927	49.7	49.7	49.9
ATTENDANT-COLOR						
GRAND TOTAL	78,375	39,022	39,353	100.0	100.0	100.0
M. D.	69,677	36,494	33,183	88.9	93.5	84.3
D. O.	8,524	2,484	6,040	10.9	6.4	15.3
MIDWIFE	103	27	76	.1	.1	.2
OTHER	71	17	54	.1		.1
WHITE TOTAL	65,526	28,032	37,494	100.0	100.0	100.0
M. D.	57,432	25,805	31,627	87.6	92.1	84.4
D. O.	7,989	2,217	5,772	12.2	7.9	15.4
MIDWIFE	46	2	44	.1		.1
OTHER	59	8	51	.1		.1
NONWHITE TOTAL	12,849	10,990	1,859	100.0	100.0	100.0
M. D.	12,245	10,689	1,556	95.3	97.3	83.7
D. O.	535	267	268	4.2	2.4	14.4
MIDWIFE	57	25	32	.4	.2	1.7
OTHER	12	9	3	.1	.1	.2

PERCENTAGES ARE COMPUTED ON THE BASIS OF TOTAL WHITE AND NONWHITE LIVE BIRTHS.
URBAN AREAS INCLUDE CITIES OVER 10,000 POP. ACCORDING TO 1970 CENSUS.
ALL OTHER AREAS ARE INCLUDED IN 'RURAL'.

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1971

	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
LIVE BIRTHS												
LEGITIMACY-COLOR												
LIVE BIRTH TOTAL	65,526	12,849	28,032	10,990	37,494	1,859	100.0	100.0	100.0	100.0	100.0	100.0
LEGITIMATE	61,806	6,932	26,134	5,843	35,672	1,089	94.3	53.9	93.2	53.2	95.1	58.6
ILLEGITIMATE	3,657	5,886	1,874	5,123	1,783	763	5.6	45.8	6.7	46.6	4.8	41.0
NOT STATED	63	31	24	24	39	7	.1	.2	.1	.2	.1	.4
DEFORMITY-COLOR												
LIVE BIRTH TOTAL	65,526	12,849	28,032	10,990	37,494	1,859	100.0	100.0	100.0	100.0	100.0	100.0
DEFORMED TOTAL	984	226	399	193	585	33	1.5	1.8	1.4	1.8	1.6	1.8
NOT DEFORMED TOTAL	63,420	12,554	26,949	10,734	36,471	1,820	96.8	97.7	96.1	97.7	97.3	97.9
NOT STATED/UNKNOWN	1,122	69	684	63	438	6	1.7	.5	2.4	.6	1.2	.3
BIRTH WGT-ATTENDANT												
OVER 5.5 LBS TOTAL	61,230	11,119	26,096	9,462	35,134	1,657	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	53,709	10,576	24,029	9,199	29,680	1,377	87.7	95.1	92.1	97.2	84.5	83.1
D. O.	7,432	482	2,058	234	5,374	248	12.1	4.3	7.9	2.5	15.3	15.0
MIDWIFE	46	52	2	23	44	29	.1	.5		.2	.1	1.8
OTHER	43	9	7	6	36	3	.1	.1		.1	.1	.2
UNDER 5.5 LBS TOTAL	4,207	1,722	1,906	1,523	2,301	199	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	3,666	1,661	1,750	1,485	1,916	176	87.1	96.5	91.8	97.5	83.3	88.4
D. O.	531	53	155	33	376	20	12.6	3.1	8.1	2.2	16.3	10.1
MIDWIFE		5		2		3		.3		.1		1.5
OTHER	10	3	1	3	9		.2	.2	.1	.2	.4	
NOT STATED TOTAL	89	8	30	5	59	3	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	57	8	26	5	31	3	64.0	100.0	86.7	100.0	52.5	100.0
D. O.	26		4		22		29.2		13.3		37.3	
MIDWIFE												
OTHER	6				6		6.7				10.2	
DELIVERIES BY PLACE												
PLACE OF BIRTH TOTAL	65,526	12,849	28,032	10,990	37,494	1,859	100.0	100.0	100.0	100.0	100.0	100.0
HOSPITAL	64,492	12,577	27,901	10,923	36,591	1,654	98.4	97.9	99.5	99.4	97.6	89.0
CLINIC	802	177	89	15	713	162	1.2	1.4	.3	.1	1.9	8.7
RESIDENCE	195	88	35	48	160	40	.3	.7	.1	.4	.4	2.2
OTHER	37	7	7	4	30	3	.1	.1			.1	.2

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1971

LIVE BIRTHS	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
MONTH OF OCCURRENCE												
TOTAL	65,526	12,849	28,032	10,990	37,494	1,859	100.0	100.0	100.0	100.0	100.0	100.0
JANUARY	5,889	1,202	2,612	1,022	3,277	180	9.0	9.4	9.3	9.3	8.7	9.7
FEBRUARY	5,219	1,064	2,210	918	3,009	146	8.0	8.3	7.9	8.4	8.0	7.9
MARCH	5,630	1,058	2,467	910	3,163	148	8.6	8.2	8.8	8.3	8.4	8.0
APRIL	5,133	976	2,254	830	2,879	146	7.8	7.6	8.0	7.6	7.7	7.9
MAY	5,160	942	2,212	817	2,948	125	7.9	7.3	7.9	7.4	7.9	6.7
JUNE	5,240	1,020	2,222	873	3,018	147	8.0	7.9	7.9	7.9	8.0	7.9
JULY	5,531	1,136	2,361	962	3,170	174	8.4	8.8	8.4	8.8	8.5	9.4
AUGUST	5,873	1,172	2,500	1,004	3,373	168	9.0	9.1	8.9	9.1	9.0	9.0
SEPTEMBER	5,710	1,101	2,384	947	3,326	154	8.7	8.6	8.5	8.6	8.9	8.3
OCTOBER	5,664	1,105	2,398	931	3,266	174	8.6	8.6	8.6	8.5	8.7	9.4
NOVEMBER	5,280	1,033	2,241	885	3,039	148	8.1	8.0	8.0	8.1	8.1	8.0
DECEMBER	5,197	1,040	2,171	891	3,026	149	7.9	8.1	7.7	8.1	8.1	8.0

TABLE 4

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1971

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
STATE TOTAL	4,748,588	78,375	983	81,409	1,006	16.5	12.5	17.1	12.4
COUNTIES INCLUDING CITIES									
ADAIR	22,852	425	6	689	12	18.6	14.1	30.2	17.4
ANDREW	12,050	160	1	1		13.3	6.3	.1	
ATCHISON	9,292	152	3	225	1	16.4	19.7	24.2	4.4
AUDRAIN	25,415	426	6	507	5	16.8	14.1	19.9	9.9
BARRY	19,764	273	7	233	4	13.8	25.6	11.8	17.2
BARTON	10,420	153		119		14.7		11.4	
BATES	15,499	222	6	215	4	14.3	27.0	13.9	18.6
BENTON	9,848	120	1	9		12.2	8.3	.9	
BOLLINGER	8,838	135	4	1		15.3	29.6	.1	
BOONE	84,459	1,360	19	2,226	33	16.1	14.0	26.4	14.8
BUCHANAN	87,001	1,478	23	1,980	28	17.0	15.6	22.8	14.1
BUTLER	33,590	587	9	1,067	13	17.5	15.3	31.8	12.2
CALDWELL	8,354	107	2	1		12.8	18.7	.1	
CALLAWAY	26,292	381	4	154	1	14.5	10.5	5.9	6.5
CAMDEN	13,910	204	1	25		14.7	4.9	1.8	
CAPE GIRARDEAU	50,388	752	5	1,409	8	14.9	6.6	28.0	5.7
CARROLL	12,517	201	3	66	1	16.1	14.9	5.3	15.2
CARTER	3,894	64	1	1		16.4	15.6	.3	
CASS	40,778	775	10	714	4	19.0	12.9	17.5	5.6
CEDAR	9,497	120	1	153		12.6	8.3	16.1	
CHARITON	10,980	117				10.7			
CHRISTIAN	15,507	293	3			18.9	10.2		
CLARK	8,264	119	1	1		14.4	8.4	.1	
CLAY	128,621	2,179	15	1,641	7	16.9	6.9	12.8	4.3
CLINTON	12,623	163		106		12.9		8.4	
COLE	47,054	761	5	1,412	13	16.2	6.6	30.0	9.2
COOPER	14,735	203	2	117		13.8	9.9	7.9	
CRAWFORD	15,141	269	2	375	4	17.8	7.4	24.8	10.7
DADE	6,806	88				12.9			
DALLAS	10,179	131		4		12.9		.4	
DAVIESS	8,367	111	1	29		13.3	9.0	3.5	
DE KALB	7,338	91	1	2		12.4	11.0	.3	
DENT	11,612	186	4	36	1	16.0	21.5	3.1	27.8

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1971 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1971

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
DOUGLAS	9,279	124	6	4		13.4	48.4	.4	
DUNKLIN	33,414	612	6	545	7	18.3	9.8	16.3	12.8
FRANKLIN	56,594	1,080	15	541	7	19.1	13.9	9.6	12.9
GASCONADE	11,896	154	2	132	1	12.9	13.0	11.1	7.6
GENTRY	8,043	115	1	156	1	14.3	8.7	19.4	6.4
GREENE	156,694	2,802	23	4,218	35	17.9	8.2	26.9	8.3
GRUNDY	11,826	160	2	188	5	13.5	12.5	15.9	26.6
HARRISON	10,180	124	2	72		12.2	16.1	7.1	
HENRY	18,473	288	4	393	5	15.6	13.9	21.3	12.7
HICKORY	4,505	60	1	9	2	13.3	16.7	2.0	222.2
HOLT	6,566	83				12.6			
HOWARD	10,581	141	2	144		13.3	14.2	13.6	
HOWELL	23,807	423	8	619	10	17.8	18.9	26.0	16.2
IRON	9,740	178	1	137	1	18.3	5.6	14.1	7.3
JACKSON	661,282	11,823	203	14,740	222	17.9	17.2	22.3	15.1
JASPER	80,372	1,303	15	1,582	23	16.2	11.5	19.7	14.5
JEFFERSON	110,748	2,176	24	503	4	19.6	11.0	4.5	8.0
JOHNSON	34,907	658	3	671	4	18.9	4.6	19.2	6.0
KNOX	5,639	77	1	1		13.7	13.0	.2	
LACLEDE	20,140	353	4	424	4	17.5	11.3	21.1	9.4
LAFAYETTE	26,912	398	4	334	3	14.8	10.1	12.4	9.0
LAWRENCE	24,845	385	3	342	5	15.5	7.8	13.8	14.6
LEWIS	11,043	153	3			13.9	19.6		
LINCOLN	18,501	272	2	179	2	14.7	7.4	9.7	11.2
LINN	15,039	189	2	251	2	12.6	10.6	16.7	8.0
LIVINGSTON	15,406	264	1	396	3	17.1	3.8	25.7	7.6
MC DONALD	12,488	195	6	1		15.6	30.8	.1	
MACON	15,406	206	4	190	2	13.4	19.4	12.3	10.5
MADISON	8,620	137	2	42	1	15.9	14.6	4.9	23.8
MARIES	6,836	109	4			15.9	36.7		
MARION	28,131	472	7	677	11	16.8	14.8	24.1	16.2
MERCER	4,857	50		43		10.3		8.9	
MILLER	15,228	257	3	105	2	16.9	11.7	6.9	19.0

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1971 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1971

COUNTIES	POPULATION	NUMBER		RATES					
		RESIDENT		RECORDED					
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS				
				RESIDENT		RECORDED			
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
MISSISSIPPI	16,356	351	5	182	1	21.5	14.2	11.1	5.5
MONITEAU	10,815	163	1			15.1	6.1		
MONROE	9,483	124	2	6		13.1	16.1	.6	
MONTGOMERY	11,039	157	3			14.2	19.1		
MORGAN	10,058	108	3			10.7	27.8		
NEW MADRID	22,850	435	6	19	2	19.0	13.8	.8	105.3
NEWTON	33,365	552	9	592	10	16.5	16.3	17.7	16.9
NODAWAY	22,614	318	1	296	1	14.1	3.1	13.1	3.4
OREGON	9,165	123	2	31		13.4	16.3	3.4	
OSAGE	11,056	180	1	2		16.3	5.6	.2	
OZARK	6,201	85	1	5		13.7	11.8	.8	
PEMISCOT	25,536	571	7	637	8	22.4	12.3	24.9	12.6
PERRY	14,448	236	1	187	1	16.3	4.2	12.9	5.3
PETTIS	34,212	498	5	603	8	14.6	10.0	17.6	13.3
PHELPS	30,164	544	5	749	8	18.0	9.2	24.8	10.7
PIKE	17,047	258	5	243	4	15.1	19.4	14.3	16.5
PLATTE	33,286	577	4			17.3	6.9		
POLK	15,665	272	5	23	1	17.4	18.4	1.5	43.5
PULASKI	55,033	423	7	1,170	20	7.7	16.5	21.3	17.1
PUTNAM	5,841	86	1	103	1	14.7	11.6	17.6	9.7
RALLS	7,783	93		1		11.9		.1	
RANDOLPH	22,599	328	5	290	4	14.5	15.2	12.8	13.8
RAY	17,857	270	2	228	1	15.1	7.4	12.8	4.4
REYNOLDS	6,234	87	2	2		14.0	23.0	.3	
RIPLEY	9,929	153	2	50	2	15.4	13.1	5.0	40.0
ST. CHARLES	98,818	1,972	22	1,407	16	20.0	11.2	14.2	11.4
ST. CLAIR	7,647	105	2	75	2	13.7	19.0	9.8	26.7
ST. FRANCOIS	37,044	641	8	993	13	17.3	12.5	26.8	13.1
STE. GENEVIEVE	13,018	205	1	170	1	15.7	4.9	13.1	5.9
ST. LOUIS CITY	613,835	11,548	178	15,626	222	18.8	15.4	25.5	14.2
ST. LOUIS COUNTY	985,459	14,378	139	13,843	145	14.6	9.7	14.0	10.5
SALINE	24,928	346	3	304	3	13.9	8.7	12.2	9.9
SCHUYLER	4,653	82	1	1		17.6	12.2	.2	

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,
POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1971 (SEE PP IV).

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1971

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
SCOTLAND	5,433	66	1	70	1	12.1	15.2	12.9	14.3
SCOTT	33,471	677	3	841	16	20.2	4.4	25.1	19.0
SHANNON	7,232	109	1	2		15.1	9.2	.3	
SHELBY	7,849	100		1		12.7		.1	
STODDARD	25,556	426	4	486		16.7	9.4	19.0	
STONE	10,166	150	1			14.8	6.7		
SULLIVAN	7,509	95	1	38		12.7	10.5	5.1	
TANEY	13,413	174	4	164	4	13.0	23.0	12.2	24.4
TEXAS	18,476	294	5	315	4	15.9	17.0	17.0	12.7
VERNON	19,022	228		212		12.0		11.1	
WARREN	9,848	172	1			17.5	5.8		
WASHINGTON	15,255	317	7	122	3	20.8	22.1	8.0	24.6
WAYNE	8,586	133	1	2		15.5	7.5	.2	
WEBSTER	15,829	279	4	6		17.6	14.3	.4	
WORTH	3,332	40				12.0			
WRIGHT	13,690	219	1	155	3	16.0	4.6	11.3	19.4

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1971 (SEE PP IV).

TABLE 5

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
TOTAL CITIES 2,500 POP. & OVER	47,723	646	76,146	924
TOTAL CITIES 10,000 POP. & OVER	39,022	543	57,548	758
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000	8,701	103	18,598	166
CITIES OVER 10,000 POP.				
BALLWIN	161	2		
BELLEFONTAINE NEIGHBORS	51	1		
BERKELEY	243	1		
BRENTWOOD	181	1		
BRIDGETON	268	2		
CAPE GIRARDEAU	440	3	1,409	8
CARTHAGE	173	1	305	3
CLAYTON	103	2	986	19
COLUMBIA	889	13	2,223	32
CRESTWOOD	91	1		
FERGUSON	340	4	1	
FLORISSANT	915	6	1,931	24
FULTON	119		154	1
GLADSTONE	331	1		
GRANDVIEW	405	7		
HANNIBAL	305	5	677	11
MARION CO. PART	304	5	677	11
RALLS CO. PART	1			
HAZELWOOD	262	4	1	
INDEPENDENCE	2,015	27	1,602	18
JEFFERSON CITY	486	5	1,411	13
JENNINGS	184	1		
JOPLIN	634	11	1,399	23
JASPER CO. PART	598	11	1,194	20
NEWTON CO. PART	36		205	3
KANSAS CITY	9,192	154	13,137	204
JACKSON CO. PART	7,866	145	13,136	204
CLAY CO. PART	1,108	9	1	
PLATTE CO. PART	218			
KIRKSVILLE	308	5	689	12

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES OVER 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
KIRKWOOD	386	5	1,460	19
LADUE	64	2		
LEE'S SUMMIT	321	3		
LIBERTY	204	1		
MAPLEWOOD	228	3		
MARSHALL	192	1	255	2
MEXICO	184	2	488	4
MOBERLY	191	2	288	4
OVERLAND	371	5	1	
POPLAR BLUFF	287	6	1,063	12
RAYTOWN	401	8	1	
RICHMOND HEIGHTS	170	3	2,499	25
ROLLA	217	2	745	7
ST. ANN	288			
ST. CHARLES	731	10	1,405	16
ST. JOSEPH	1,225	19	1,980	28
ST. LOUIS CITY	11,548	178	15,626	222
SEDALIA	327	4	602	8
SIKESTON	286	2	628	6
SCOTT CO. PART	284	2	628	6
NEW MADRID CO. PART	2			
SPRINGFIELD	2,221	18	4,215	35
UNIVERSITY CITY	594	10	1	
WARRENSBURG	189		366	1
WEBSTER GROVES	301	2		1
CITIES OVER 2,500 POP. LESS THAN 10,000 POP.				
AURORA	90		292	4
BEL-RIDGE	71			
BELTON	254	2	3	
BETHANY	33		72	
BLUE SPRINGS	182	5		
BOLIVER	64	2	1	
BONNE TERRE	48		199	4
BOONVILLE	113		117	
BOWLING GREEN	40	1		

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
BRECKENRIDGE HILLS	62	1		
BROOKFIELD	72	1	191	1
BUTLER	53	2	213	4
CALIFORNIA	47	1		
CAMERON	60		104	
CLINTON CO. PART	49		104	
DE KALB CO. PART	11			
CANTON	36			
CARROLLTON	84	2	65	1
CARUTHERSVILLE	170	1		
CENTRALIA	41	1		1
CHAFFEE	47		198	10
CHARLESTON	131	1	162	
CHILLICOTHE	153	1	395	3
CLINTON	108		318	4
CREVE COEUR	142	2	4,659	32
CRYSTAL CITY	47	1		
DELLWOOD	52	1		
DESOTO	54	3		
DES PERES	119	1		
DESLOGE	28			
DEXTER	99	2	481	
EAST PRAIRIE	66		17	
ELDON	67			
ELDORADO SPRINGS	38	1	153	
ELLISVILLE	56	1		
EXCELSIOR SPRINGS	177		201	
CLAY CO. PART	174		201	
RAY CO. PART	3			
FARMINGTON	112		791	8
FAYETTE	47	1	144	
FESTUS	131	1		
FLAT RIVER	77	3	1	
FREDERICKTOWN	47	1	42	1
FRONTENAC	13			
GLENDALE	80			
HARRISONVILLE	91	5	334	4

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
HAYTI	76		629	8
HERMANN	41		131	1
HIGGINSVILLE	53			
HILLSDALE VILLAGE	42			
JACKSON	107			
KENNETT	213	3	543	7
KINLOCH	122			
LAMAR	57		118	
LEBANON	158	2	422	4
LEXINGTON	90	1	202	2
LOUISIANA	65	1	233	4
MACON	94	2	188	2
MALDEN	93	2	1	
MANCHESTER	101	1		
MARCELINE	33		59	1
MARSHFIELD	48			
MARYVILLE	153	1	295	1
MOLINE ACRES	14			
MONETT	95	2	253	5
BARRY CO. PART	49	1	204	4
LAWRENCE CO. PART	46	1	49	1
MOUNTAIN GROVE	20			
MT. VERNON	41		47	
NEOSHO	114	2	250	1
NEVADA	102		212	
NEW MADRID	77	1	2	
NORMANDY	110		557	5
NORTH KANSAS CITY	80	3	1,027	4
NORTHWOODS	58			
ODESSA	58			
O'FALLON	126	4		
OLIVETTE	50	1		
PACIFIC	87			
FRANKLIN CO. PART	85			
ST. LOUIS CO. PART	2			
PAGEDALE	78	1		
PALMYRA	57			

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY INCORPORATED CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
PERRYVILLE	76	1	187	1
PINELAWN	89			
PLEASANT HILL	58			
PORTAGEVILLE	57	1	4	1
POTOSI	50			
RICHMOND	72		2	
RIVERVIEW	69	2		
ROCK HILL	88	1	1	
ST. CLAIR	74	1		
ST. JAMES	37			
ST. JOHN	115	1		
STE. GENEVIEVE	77		170	1
SALEM	76	2	8	
SAVANNAH	50		1	
SHREWSBURY	61			
SLATER	24	1		
SUGAR CREEK	98	1	1	
SULLIVAN	105	3	372	4
CRAWFORD CO. PART	23		372	4
FRANKLIN CO. PART	82	3		
SUNSET HILLS	8			
TOWN AND COUNTRY	10		1,739	12
TRENTON	88	1	186	5
TROY	44	1	177	2
UNION	82	1		
VALLEY PARK	71	2		
VANDALIA	58	1		
VINITA PARK	29			
WARSON WOODS	14			
WASHINGTON	141	2	540	7
WAYNESVILLE	88		264	5
WEBB CITY	94	1	82	
WELLSTON	189	2	1	
WENTZVILLE	58	1		
WEST PLAINS	126	4	466	5
WINDSOR	48	1	74	1
WOODSON TERRACE	62	1	1	


TABLE 6

RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,
SEX AND COLOR OF CHILD, MISSOURI 1971

AGE OF MOTHER

URBAN	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ALL AGES	39,022	14,486	13,546	5,526	5,464
10-14 YEARS	220	18	25	95	82
15-19 YEARS	8,271	2,439	2,263	1,832	1,737
20-24 YEARS	15,008	5,928	5,421	1,778	1,881
25-29 YEARS	9,377	3,838	3,649	966	924
30-34 YEARS	4,026	1,531	1,477	532	486
35-39 YEARS	1,644	591	543	244	266
40-44 YEARS	452	136	162	72	82
45-49 YEARS	19	2	5	7	5
50 YEARS AND OVER					
UNKNOWN	5	3	1		1
RURAL					
ALL AGES	39,353	19,233	18,261	932	927
10-14 YEARS	76	21	30	12	13
15-19 YEARS	7,166	3,356	3,249	288	273
20-24 YEARS	14,718	7,310	6,884	253	271
25-29 YEARS	10,248	5,034	4,858	175	181
30-34 YEARS	4,520	2,210	2,075	124	111
35-39 YEARS	2,039	1,023	898	63	55
40-44 YEARS	553	262	253	16	22
45-49 YEARS	23	12	10	1	
50 YEARS AND OVER					
UNKNOWN	10	5	4		1
COMBINED TOTALS					
ALL AGES	78,375	33,719	31,807	6,458	6,391
10-14 YEARS	296	39	55	107	95
15-19 YEARS	15,437	5,795	5,512	2,120	2,010
20-24 YEARS	29,726	13,238	12,305	2,031	2,152
25-29 YEARS	19,625	8,872	8,507	1,141	1,105
30-34 YEARS	8,546	3,741	3,552	656	597
35-39 YEARS	3,683	1,614	1,441	307	321
40-44 YEARS	1,005	398	415	88	104
45-49 YEARS	42	14	15	8	5
50 YEARS AND OVER					
UNKNOWN	15	8	5		2

GRAPH B.
FETAL DEATH RATES 1932-1971
(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1945	24.1	21.7	53.2	1958	16.1	14.7	24.8
1933	37.5	34.2	88.9	1946	23.6	21.4	51.2	1959	15.4	14.0	24.2
1934	33.9	31.3	73.9	1947	20.8	18.8	44.7	1960	15.2	13.8	24.3
1935	38.5	35.8	79.2	1948	20.7	18.7	42.7	1961	14.7	12.8	27.0
1936	36.0	33.4	74.7	1949	19.3	17.5	35.9	1962	15.1	13.2	26.5
1937	33.9	31.3	70.1	1950	19.2	17.2	37.2	1963	13.9	12.1	24.7
1938	35.0	32.0	76.4	1951	18.2	16.4	34.3	1964	15.5	13.3	28.7
1939	30.7	27.8	71.3	1952	17.5	16.1	29.7	1965	14.3	12.8	23.0
1940	32.5	29.8	69.5	1953	17.8	15.9	33.1	1966	13.3	11.7	21.7
1941	32.5	29.7	71.4	1954	17.2	15.9	27.7	1967	13.8	12.6	20.5
1942	28.9	26.2	65.0	1955	16.7	14.9	29.8	1968	15.1	13.4	24.9
1943	26.1	23.6	59.0	1956	16.6	15.4	25.4	1969	13.2	12.1	19.6
1944	26.1	23.3	59.8	1957	16.5	15.7	22.1	1970	13.8	12.7	19.8
								1971	12.5	11.8	16.2

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded data and 1945 to date are resident.

TABLE 7

RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI 1971

WEIGHT	RESIDENT			RECORDED		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
2 POUNDS 3 OUNCES OR LESS	209	148	61	208	152	56
2 POUNDS 4 OUNCES - 3 POUNDS 4 OUNCES	102	70	32	96	63	33
3 POUNDS 5 OUNCES - 4 POUNDS 6 OUNCES	82	55	27	86	56	30
4 POUNDS 7 OUNCES - 5 POUNDS 8 OUNCES	95	72	23	98	74	24
5 POUNDS 9 OUNCES - 6 POUNDS 9 OUNCES	89	61	19	87	65	22
6 POUNDS 10 OUNCES - 7 POUNDS 11 OUNCES	81	71	10	83	72	11
7 POUNDS 12 OUNCES - 8 POUNDS 13 OUNCES	43	35	8	44	36	8
8 POUNDS 14 OUNCES - 9 POUNDS 14 OUNCES	24	20	4	28	24	4
9 POUNDS 15 OUNCES OR MORE	21	18	3	22	19	3
UNKNOWN OR NOT STATED	246	225	21	254	234	20
TOTALS	983	775	208	1,006	795	211

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1971

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
STATE TOTAL	78,375	65,526	61,806	94.3	3,657	5.6	12,849	6,932	53.9	5,886	45.8
CITIES OVER 10,000	39,022	28,032	26,134	93.2	1,874	6.7	10,990	5,843	53.2	5,123	46.6
RURAL	39,353	37,494	35,672	95.1	1,783	4.8	1,859	1,089	58.6	763	41.0
COUNTIES INCL.											
CITIES OVER 10,000											
ADAIR	425	414	398	96.1	16	3.9	11	10	90.9	1	9.1
ANDREW	160	158	155	98.1	3	1.9	2	2	100.0	-	-
ATCHISON	152	152	144	94.7	8	5.3	-	-	-	-	-
AUDRAIN	426	391	366	93.6	25	6.4	35	19	54.3	16	45.7
BARRY	273	273	258	94.5	13	4.8	-	-	-	-	-
BARTON	153	153	144	94.1	9	5.9	-	-	-	-	-
BATES	222	217	212	97.7	5	2.3	5	2	40.0	3	60.0
BENTON	120	118	111	94.1	7	5.9	2	2	100.0	-	-
BOLLINGER	135	135	121	89.6	14	10.4	-	-	-	-	-
BOONE	1,360	1,206	1,155	95.8	51	4.2	154	83	53.9	71	46.1
BUCHANAN	1,478	1,402	1,286	91.7	116	8.3	76	40	52.6	36	47.4
BUTLER	587	535	492	92.0	43	8.0	52	21	40.4	31	59.6
CALDWELL	107	106	100	94.3	6	5.7	1	1	100.0	-	-
CALLAWAY	381	354	335	94.6	18	5.1	27	13	48.1	14	51.9
CAMDEN	204	204	194	95.1	10	4.9	-	-	-	-	-
CAPE GIRARDEAU	752	717	667	93.0	49	6.8	35	20	57.1	15	42.9
CARROLL	201	191	179	93.7	12	6.3	10	8	80.0	2	20.0
CARTER	64	63	60	95.2	3	4.8	1	1	100.0	-	-
CASS	775	763	727	95.3	36	4.7	12	12	100.0	-	-
CEDAR	120	120	110	91.7	10	8.3	-	-	-	-	-
CHARITON	117	114	109	95.6	5	4.4	3	1	33.3	2	66.7
CHRISTIAN	293	292	278	95.2	14	4.8	1	-	-	1	100.0
CLARK	119	116	112	96.6	4	3.4	3	3	100.0	-	-
CLAY	2,179	2,158	2,059	95.4	94	4.4	21	20	95.2	1	4.8
CLINTON	163	159	149	93.7	10	6.3	4	2	50.0	2	50.0
COLE	761	735	691	94.0	42	5.7	26	21	80.8	4	15.4
COOPER	203	194	187	96.4	7	3.6	9	3	33.3	6	66.7
CRAWFORD	269	269	253	94.1	16	5.9	-	-	-	-	-
DADE	88	88	81	92.0	7	8.0	-	-	-	-	-
DALLAS	131	131	122	93.1	9	6.9	-	-	-	-	-
DAVISS	111	111	103	92.8	8	7.2	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1971

COUNTIES	GRAND TOTAL	WHITE				NON WHITE					
		WHITE TOTAL	LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
DE KALB	91	90	87	96.7	3	3.3	1	1	100.0	-	-
DENT	186	185	174	94.1	10	5.4	1	1	100.0	-	-
DOUGLAS	124	124	113	91.1	10	8.1	-	-	-	-	-
DUNKLIN	612	544	486	89.3	57	10.5	68	25	36.8	43	63.2
FRANKLIN	1,080	1,066	1,025	96.2	38	3.6	14	11	78.6	3	21.4
GASCONADE	154	153	142	92.8	10	6.5	1	1	100.0	-	-
GENTRY	115	114	108	94.7	6	5.3	1	1	100.0	-	-
GREENE	2,802	2,732	2,551	93.4	180	6.6	70	48	68.6	22	31.4
GRUNDY	160	160	154	96.3	6	3.8	-	-	-	-	-
HARRISON	124	122	114	93.4	8	6.6	2	1	50.0	1	50.0
HENRY	288	286	273	95.5	13	4.5	2	2	100.0	-	-
HICKORY	60	60	57	95.0	2	3.3	-	-	-	-	-
HOLT	83	83	79	95.2	4	4.8	-	-	-	-	-
HOWARD	141	125	117	93.6	8	6.4	16	3	18.8	13	81.3
HOWELL	423	422	396	93.8	25	5.9	1	1	100.0	-	-
IRON	178	177	167	94.4	10	5.6	1	1	100.0	-	-
JACKSON	11,823	8,751	8,139	93.0	603	6.9	3,072	1,702	55.4	1,354	44.1
JASPER	1,303	1,281	1,216	94.9	64	5.0	22	17	77.3	5	22.7
JEFFERSON	2,176	2,158	2,072	96.0	85	3.9	18	13	72.2	5	27.8
JOHNSON	658	614	593	96.6	21	3.4	44	35	79.5	9	20.5
KNOX	77	77	72	93.5	5	6.5	-	-	-	-	-
LACLEDE	353	347	336	96.8	10	2.9	6	3	50.0	3	50.0
LAFAYETTE	398	382	373	97.6	9	2.4	16	14	87.5	2	12.5
LAWRENCE	385	383	365	95.3	18	4.7	2	2	100.0	-	-
LEWIS	153	152	142	93.4	10	6.6	1	-	-	1	100.0
LINCOLN	272	258	248	96.1	10	3.9	14	9	64.3	5	35.7
LINN	189	185	173	93.5	10	5.4	4	2	50.0	2	50.0
LIVINGSTON	264	261	248	95.0	13	5.0	3	2	66.7	1	33.3
MC DONALD	195	188	178	94.7	10	5.3	7	6	85.7	1	14.3
MACON	206	200	187	93.5	13	6.5	6	4	66.7	2	33.3
MADISON	137	137	123	89.8	14	10.2	-	-	-	-	-
MARIES	109	108	106	98.1	2	1.9	1	1	100.0	-	-
MARION	472	441	407	92.3	34	7.7	31	13	41.9	18	58.1
MERCER	50	50	50	100.0	-	-	-	-	-	-	-
MILLER	257	257	242	94.2	15	5.8	-	-	-	-	-
MISSISSIPPI	351	243	229	94.2	14	5.8	108	45	41.7	63	58.3

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1971

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
MONITEAU	163	159	156	98.1	3	1.9	4	-	-	4	100.0
MONROE	124	117	115	98.3	2	1.7	7	5	71.4	2	28.6
MONTGOMERY	157	144	136	94.4	8	5.6	13	6	46.2	7	53.8
MORGAN	108	106	101	95.3	5	4.7	2	1	50.0	1	50.0
NEW MADRID	435	316	295	93.4	21	6.6	119	51	42.9	66	55.5
NEWTON	552	551	527	95.6	22	4.0	1	-	-	1	100.0
NODAWAY	318	316	306	96.8	9	2.8	2	2	100.0	-	-
OREGON	123	123	112	91.1	11	8.9	-	-	-	-	-
OSAGE	180	180	173	96.1	7	3.9	-	-	-	-	-
OZARK	85	84	74	88.1	9	10.7	1	1	100.0	-	-
PEMISCOT	571	338	308	91.1	30	8.9	233	92	39.5	140	60.1
PERRY	236	235	227	96.6	8	3.4	1	1	100.0	-	-
PETTIS	498	471	450	95.5	21	4.5	27	21	77.8	6	22.2
PHELPS	544	529	502	94.9	27	5.1	15	15	100.0	-	-
PIKE	258	237	221	93.2	16	6.8	21	14	66.7	7	33.3
PLATTE	577	567	540	95.2	26	4.6	10	8	80.0	2	20.0
POLK	272	271	264	97.4	7	2.6	1	1	100.0	-	-
PULASKI	423	405	375	92.6	29	7.2	18	16	88.9	2	11.1
PUTNAM	86	86	84	97.7	2	2.3	-	-	-	-	-
RALLS	93	91	88	96.7	3	3.3	2	1	50.0	1	50.0
RANDOLPH	328	301	276	91.7	22	7.3	27	15	55.6	12	44.4
RAY	270	265	244	92.1	21	7.9	5	5	100.0	-	-
REYNOLDS	87	87	84	96.6	3	3.4	-	-	-	-	-
RIPLEY	153	152	145	95.4	7	4.6	1	1	100.0	-	-
ST. CHARLES	1,972	1,942	1,873	96.4	67	3.5	30	25	83.3	5	16.7
ST. CLAIR	105	104	97	93.3	7	6.7	1	1	100.0	-	-
ST. FRANCOIS	641	637	591	92.8	45	7.1	4	4	100.0	-	-
STE. GENEVIEVE	205	205	192	93.7	13	6.3	-	-	-	-	-
ST. LOUIS COUNTY	14,378	12,912	12,426	96.2	480	3.7	1,466	1,020	69.6	441	30.1
ST. LOUIS CITY	11,548	4,897	4,416	90.2	479	9.8	6,651	3,294	49.5	3,351	50.4
SALINE	346	327	307	93.9	18	5.5	19	8	42.1	11	57.9
SCHUYLER	82	82	80	97.6	2	2.4	-	-	-	-	-
SCOTLAND	66	66	64	97.0	2	3.0	-	-	-	-	-
SCOTT	677	581	535	92.1	45	7.7	96	49	51.0	47	49.0
SHANNON	109	108	102	94.4	5	4.6	1	1	100.0	-	-
SHELBY	100	98	89	90.8	9	9.2	2	1	50.0	1	50.0

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1971

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
STODDARD	426	395	363	91.9	32	8.1	31	13	41.9	18	58.1
STONE	150	150	143	95.3	7	4.7	-	-	-	-	-
SULLIVAN	95	95	87	91.6	8	8.4	-	-	-	-	-
TANEY	174	173	163	94.2	10	5.8	1	1	100.0	-	-
TEXAS	294	294	280	95.2	12	4.1	-	-	-	-	-
VERNON	228	228	215	94.3	13	5.7	-	-	-	-	-
WARREN	172	161	156	96.9	5	3.1	11	8	72.7	3	27.3
WASHINGTON	317	314	295	93.9	19	6.1	3	3	100.0	-	-
WAYNE	133	133	124	93.2	9	6.8	-	-	-	-	-
WEBSTER	279	279	270	96.8	9	3.2	-	-	-	-	-
WORTH	40	40	37	92.5	3	7.5	-	-	-	-	-
WRIGHT	219	219	198	90.4	19	8.7	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1971

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
BALLWIN	161	158	152	96.2	5	3.2	3	3	100.0		
BELLEFONTAINE NEIGHBORS	51	51	47	92.2	4	7.8					
BERKELEY	243	198	184	92.9	13	6.6	45	33	73.3	12	26.7
BRENTWOOD	181	150	142	94.7	8	5.3	31	27	87.1	4	12.9
BRIDGETON	268	262	252	96.2	10	3.8	6	6	100.0		
CAPE GIRARDEAU	440	411	376	91.5	34	8.3	29	15	51.7	14	48.3
CARTHAGE	173	169	158	93.5	11	6.5	4	3	75.0	1	25.0
CLAYTON	103	96	94	97.9	2	2.1	7	7	100.0		
COLUMBIA	889	741	707	95.4	34	4.6	148	78	52.7	70	47.3
CRESTWOOD	91	88	86	97.7	2	2.3	3	1	33.3	2	66.7
FERGUSON	340	329	313	95.1	15	4.6	11	9	81.8	2	18.2
FLORISSANT	915	904	882	97.6	22	2.4	11	11	100.0		
FULTON	119	99	92	92.9	6	6.1	20	11	55.0	9	45.0
GLADSTONE	331	331	316	95.5	15	4.5					
GRANDVIEW	405	388	376	96.9	12	3.1	17	17	100.0		
HANNIBAL	305	276	248	89.9	28	10.1	29	11	37.9	18	62.1
HAZELWOOD	262	244	235	96.3	9	3.7	18	10	55.6	8	44.4
INDEPENDENCE	2,015	1,992	1,903	95.5	88	4.4	23	21	91.3	2	8.7
JEFFERSON CITY	486	461	431	93.5	30	6.5	25	20	80.0	4	16.0
JENNINGS	184	171	162	94.7	9	5.3	13	13	100.0		
JOPLIN	634	617	581	94.2	36	5.8	17	13	76.5	4	23.5
KANSAS CITY	9,192	6,157	5,674	92.2	473	7.7	3,035	1,667	54.9	1,352	44.5
KIRKSVILLE	308	297	285	96.0	12	4.0	11	10	90.9	1	9.1
KIRKWOOD	386	327	310	94.8	17	5.2	59	33	55.9	26	44.1
LADUE	64	64	63	98.4	1	1.6					
LEE'S SUMMIT	321	319	311	97.5	8	2.5	2	2	100.0		
LIBERTY	204	201	193	96.0	7	3.5	3	3	100.0		
MARSHALL	192	180	166	92.2	12	6.7	12	5	41.7	7	58.3
MAPLEWOOD	228	218	203	93.1	15	6.9	10	9	90.0	1	10.0
MEXICO	184	160	149	93.1	11	6.9	24	12	50.0	12	50.0
MOBERLY	191	169	157	92.9	11	6.5	22	13	59.1	9	40.9
OVERLAND	371	359	329	91.6	30	8.4	12	8	66.7	4	33.3
POPLAR BLUFF	287	256	233	91.0	23	9.0	31	15	48.4	16	51.6
RAYTOWN	401	399	379	95.0	20	5.0	2	2	100.0		
RICHMOND HEIGHTS	170	136	131	96.3	5	3.7	34	21	61.8	13	38.2
ROLLA	217	203	195	96.1	8	3.9	14	14	100.0		

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND INCORPORATED CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1971

	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
CITIES OVER 10,000											
ST. ANN	288	282	279	98.9	3	1.1	6	6	100.0		
ST. CHARLES	731	717	689	96.1	28	3.9	14	12	85.7	2	14.3
ST. JOSEPH	1,225	1,152	1,046	90.8	106	9.2	73	37	50.7	36	49.3
ST. LOUIS CITY	11,548	4,897	4,416	90.2	479	9.8	6,651	3,294	49.5	3,351	50.4
SEDALIA	327	301	287	95.3	14	4.7	26	20	76.9	6	23.1
SIKESTON	286	219	195	89.0	23	10.5	67	37	55.2	30	44.8
SPRINGFIELD	2,221	2,151	1,999	92.9	151	7.0	70	48	68.6	22	31.4
UNIVERSITY CITY	594	305	293	96.1	12	3.9	289	231	79.9	57	19.7
WARRENSBURG	189	171	166	97.1	5	2.9	18	12	66.7	6	33.3
WEBSTER GROVES	301	256	249	97.3	7	2.7	45	23	51.1	22	48.9
INCLUDED IN CITIES OVER 10,000											
HANNIBAL-RALLS	1	1	1	100.0							
JOPLIN-NEWTON	36	36	35	97.2	1	2.8					
KANSAS CITY-CLAY	1,108	1,095	1,061	96.9	31	2.8	13	12	92.3	1	7.7
SIKESTON-NEW MADRID	2	1	1	100.0			1	1	100.0		
KANSAS CITY-PLATTE	218	217	206	94.9	11	5.1	1	1	100.0		

GRAND TOTAL INCLUDES NOT STATED

TABLE 9

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI 1971

RANK	CAUSE OF DEATH	TOTAL	RATES	WHITE	NONWHITE
1.	HEART DISEASE (390-398,402,404,410-429)	19,109	402.4	17,674	1,435
2.	MALIGNANT NEOPLASMS (140-209)	8,682	182.8	7,831	851
3.	CEREBROVASCULAR DISEASE (430-438)	6,166	129.8	5,591	575
4.	ACCIDENTS (E800-E807,E810-E823,E825-E949)	2,812	59.2	2,504	308
5.	INFLUENZA & PNEUMONIA (470-474,480-486)	1,399	29.5	1,228	171
6.	DIABETES MELLITUS (250)	1,057	22.3	922	135
7.	ARTERIOSCLEROSIS (440)	1,048	22.1	977	71
8.	DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	955	20.1	723	232
9.	BRONCHITIS,EMPHYSEMA & ASTHMA (490-493)	751	15.8	689	62
10.	CIRRHOSIS OF LIVER (571)	556	11.7	466	90
	ALL OTHER CAUSES	8,276	.	6,924	1,352
	TOTALS	50,811		45,529	5,282

TOTAL RESIDENT DEATHS - 50,811
 PROVISIONAL POPULATION ESTIMATE FOR JULY 1, 1971 (SEE PP IV) - 4,748,588.

DEATH RATES ARE PER 100,000 POP.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1971

CAUSE BY AGE GROUPS	DEATHS
UNDER 1 YEAR	
1 DISEASES OF EARLY INFANCY (760-769.2) (769.4-772,774-778)	952
2 CONGENITAL ANOMALIES (740-759)	260
3 INFLUENZA/PNEUMONIA (470-474,480-486)	116
4 ACCIDENTS (E800-E949)	48
5 HEART DIS. (390-398,402,404,410-429)	9
1-4 YEARS	
1 ACCIDENTS (E800-E949)	77
2 CONGENITAL ANOMALIES (740-759)	30
3 INFLUENZA/PNEUMONIA (470-474,480-486)	19
4 MALIGNANT NEOPLASMS (140-209)	17
5 HOMICIDE (E960-E978)	6
5-14 YEARS	
1 ACCIDENTS (E800-E949)	220
2 MALIGNANT NEOPLASMS (140-209)	47
3 CONGENITAL ANOMALIES (740-759)	18
4 INFLUENZA/PNEUMONIA (470-474,480-486)	11
5 HOMICIDE (E960-E978)	9
15-24 YEARS	
1 ACCIDENTS (E800-E949)	601
2 HOMICIDE (E960-E978)	109
3 MALIGNANT NEOPLASMS (140-209)	73
4 SUICIDE (E950-E959)	63
5 INFLUENZA/PNEUMONIA (470-474,480-486)	19
25-34-YEARS	
1 ACCIDENTS (E800-E949)	294
2 HOMICIDE (E960-E978)	118
3 MALIGNANT NEOPLASMS (140-209)	116
4 SUICIDE (E950-E959)	62
5 HEART DIS. (390-398,402,404,410-429)	44


NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10 (CONT)

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1971

CAUSE BY AGE GROUPS	DEATHS
35-44 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	319
2 HEART DIS. (390-398,402,404,410-429)	286
3 ACCIDENTS (E800-E949)	212
4 SUICIDE (E950-E959)	79
5 HOMICIDE (E960-E978)	73
45-54 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	999
2 MALIGNANT NEOPLASMS (140-209)	927
3 ACCIDENTS (E800-E949)	282
4 CEREBROVASCULAR DISEASE (430-438)	206
5 CIRRHOSIS OF LIVER (571)	137
55-64 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	2,562
2 MALIGNANT NEOPLASMS (140-209)	1,952
3 CEREBROVASCULAR DISEASE (430-438)	510
4 ACCIDENTS (E800-E949)	282
5 CIRRHOSIS OF LIVER (571)	170
65-74 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	4,868
2 MALIGNANT NEOPLASMS (140-209)	2,538
3 CEREBROVASCULAR DISEASE (430-438)	1,291
4 DIABETES MELLITUS (250)	323
5 BRONCHITIS, EMPHYSEMA & ASTHMA (490-493)	284
75-84 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	6,490
2 CEREBROVASCULAR DISEASE (430-438)	2,471
3 MALIGNANT NEOPLASMS (140-209)	2,048
4 INFLUENZA/PNEUMONIA (470-474,480-486)	399
5 ARTERIOSCLEROSIS (440)	396
85-YEARS & OVER	
1 HEART DIS. (390-398,402,404,410-429)	3,818
2 CEREBROVASCULAR DISEASE (430-438)	1,566
3 MALIGNANT NEOPLASMS (140-209)	644
4 ARTERIOSCLEROSIS (440)	473
5 INFLUENZA/PNEUMONIA (470-474,480-486)	366

GRAPH C.
MATERNAL DEATH RATES 1932-1971
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1945	16.9	15.3	36.1	1958	3.6	2.9	8.5
1933	51.6	50.0	77.9	1946	13.8	11.9	36.7	1959	3.8	3.3	6.7
1934	58.5	55.3	109.6	1947	12.9	11.8	26.2	1960	5.1	3.9	12.9
1935	57.0	55.0	87.0	1948	10.1	8.9	23.4	1961	2.4	1.7	6.8
1936	61.0	60.0	85.0	1949	8.5	7.2	20.2	1962	4.6	4.2	6.9
1937	51.3	49.9	71.2	1950	8.2	6.8	20.5	1963	3.7	2.8	8.8
1938	38.2	36.6	61.3	1951	7.6	6.7	15.7	1964	4.1	2.6	12.6
1939	37.0	35.4	59.9	1952	7.1	6.1	16.3	1965	2.7	2.5	4.0
1940	36.5	35.0	56.7	1953	6.6	5.4	16.2	1966	2.1	1.8	3.3
1941	31.7	28.6	75.1	1954	4.9	4.1	11.0	1967	2.4	1.9	5.2
1942	24.3	23.2	38.0	1955	4.7	4.0	9.7	1968	2.0	1.4	5.3
1943	22.7	21.9	33.7	1956	5.5	3.8	17.3	1969	1.9	1.7	2.5
1944	20.9	18.4	50.6	1957	3.3	2.5	8.7	1970	3.3	2.7	6.4
								1971	1.5	1.4	2.3

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 11

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI 1971

CAUSE OF DEATH	TOTAL	NUMBER		TOTAL	RATES	
		WHITE	NON- WHITE		WHITE	NON- WHITE
ALL CAUSES (630-678)	12	9	3	1.5	1.4	2.3
ECTOPIC PREGNANCY (631)						
TOXEMIAS, EXCEPT ABORTION (636-639)	2		2	.3		1.6
HEMORRHAGE (632,651-653)	2	1	1	.3	.2	.8
ABORTIONS (640-645)						
SEPSIS (670,671,673)	5	5		.6	.8	
ALL OTHER COMPLICATIONS (630,633-635, 654-662,672,674-678)	3	3		.4	.5	
DELIVERY WITHOUT MENTION OF COMPLICATION (650)						

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1971

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
TOTAL DEATHS	50,811	1,581	223	194	200	506	563	430	453	567	916
MALE	27,700	914	111	98	125	364	426	302	276	330	556
FEMALE	23,111	667	112	96	75	142	137	128	177	237	360
TOTAL WHITE	45,529	1,221	169	166	162	421	433	311	330	423	694
MALE	24,713	716	81	86	104	307	327	213	198	241	439
FEMALE	20,816	505	88	80	58	114	106	98	132	182	255
TOTAL NONWHITE	5,282	360	54	28	38	85	130	119	123	144	222
MALE	2,987	198	30	12	21	57	99	89	78	89	117
FEMALE	2,295	162	24	16	17	28	31	30	45	55	105
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	100			1				1			3
SYPHILIS AND ITS SEQUELAE (090-097)	15										
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	245	37	12	8	6	2	8	4	5	8	5
MALIGNANT NEOPLASMS (140-209)	8,682	1	17	25	22	33	40	41	75	116	203
DIGEST. ORGANS (150-159)	2,267				1		4	5	11	19	44
RESPIRATORY SYSTEM (160-163)	1,959					1	1	1	8	17	48
BREAST (174)	761						1	5	14	19	25
GENITAL ORGANS (180-187)	1,088					1	4	3	11	18	31
URINARY ORGANS (188-189)	379		1	3	1				1	2	4
LEUKEMIA (204-207)	392		6	14	10	15	5	7	7	7	7
OTHER REMAINDER OF (140-209)	1,836	1	10	8	10	16	25	20	23	34	44
DIABETES MELLITUS (250)	1,057	1	1			1	8	8	10	12	12
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,173	15	4	6	5	12	21	28	45	102	279
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	19,109	9	3	4	1	5	11	18	26	75	211
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	319			2	1	1	2	7	3	4	18
HYPERTENSIVE HEART (402, 404)	455									1	1
ISCHEMIC HEART (410-414)	17,188						3	9	18	55	174
OTHER HEART DISEASE (420-429)	1,147	9	3	2		4	6	2	5	15	18

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1971

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
HYPERTENSION (400,401,403)	222					1		2	3	4	9
CEREBROVASCULAR DISEASE (430-438)	6,166	5	1	2	4	5	9	8	13	18	54
ARTERIOSCLEROSIS (440)	1,048										
OTHER CIRCULATORY (441-448)	628	1				1	1		3	5	5
INFLUENZA/PNEUMONIA (470-474,480-486)	1,399	116	19	7	4	10	9	8	11	17	12
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	751	2	1			3	2	1	3	2	7
PEPTIC ULCER (531-533)	217		1				1	4	2	4	6
CIRRHOSIS OF LIVER (571)	556	1	1			3	4	3	11	19	38
NEPHRITIS AND NEPHROSIS (580-584)	271	1	2	1	2	2		4	8	8	10
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	12					2		1	3	4	1
CONGENITAL ANOMALIES (740-759)	381	260	30	12	6	13	5	4	3	3	5
DISEASES OF EARLY INFANCY (760-769, 2,769,4-772,774-778)	955	952	2								
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,776	70	10	2		6	8	10	13	17	49
ALL OTHER DISEASES (RESIDUAL)	3,298	69	37	30	20	29	42	42	33	59	89
ACCIDENTAL DEATHS (E800-E949)	2,812	48	77	99	121	307	294	158	136	112	100
MOTOR VEHICLE (E810-E823)	1,406	10	24	38	68	218	222	99	80	68	52
OTHER TRANS. (E800-E807,E825-E845)	77	1	3	6	2	6	5	9	11	2	3
POISONING (E850-E877)	79		8	3		7	7	12	5	5	9
FALLS (E880-E887)	499	3	2	5		8	5	1	2	7	7
FIRES (E890-E899)	184	7	21	10	5	4	6	5	6	5	9
DROWNING & SUBMERSIONS (E910)	127	2	8	17	18	29	16	7	5	5	1
FIREARM MISSILES (E922)	61		2	6	8	7	6	2	5	5	6
INDUSTRIAL (E916-E921,E923-E928)	193	1	4	7	10	20	14	14	13	14	10
OTHER REMAINDER OF (E900-E949)	186	24	5	7	10	8	13	9	9	1	3
SUICIDE (E950-E959)	484				3	26	37	29	33	34	45
HOMICIDE (E960-E978)	444	2	6	1	8	40	69	73	45	37	36
ALL OTHER EXTERNAL CAUSES (E980-E999)	183	6	3	2	3	17	15	11	17	13	16

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1971

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
TOTAL DEATHS	1,432	2,094	3,056	4,192	5,341	6,391	7,436	7,069	5,071	2,394	681
MALE	889	1,328	1,982	2,739	3,369	3,675	3,949	3,173	2,036	836	212
FEMALE	543	766	1,074	1,453	1,972	2,716	3,487	3,896	3,035	1,558	469
TOTAL WHITE	1,154	1,779	2,633	3,670	4,753	5,785	6,915	6,691	4,873	2,285	645
MALE	733	1,157	1,740	2,425	3,033	3,353	3,642	2,976	1,942	797	195
FEMALE	421	622	893	1,245	1,720	2,432	3,273	3,715	2,931	1,488	450
TOTAL NONWHITE	278	315	423	522	588	606	521	378	198	109	36
MALE	156	171	242	314	336	322	307	197	94	39	17
FEMALE	122	144	181	208	252	284	214	181	104	70	19
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	6	8	11	10	11	16	17	9	3	3	1
SYPHILIS AND ITS SEQUELAE (090-097)			3	1	3	4	3		1		
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	9	5	9	17	27	19	26	22	11	3	2
MALIGNANT NEOPLASMS (140-209)	352	575	860	1,092	1,293	1,245	1,171	877	465	149	30
DIGEST. ORGANS (150-159)	57	108	163	280	330	344	367	298	161	61	14
RESPIRATORY SYSTEM (160-163)	97	171	277	312	362	284	212	116	39	13	
BREAST (174)	57	89	84	101	95	85	76	57	39	13	1
GENITAL ORGANS (180-187)	39	62	79	104	133	170	180	146	85	20	2
URINARY ORGANS (188-189)	4	18	39	45	68	66	54	41	24	7	1
LEUKEMIA (204-207)	15	15	24	29	41	49	57	49	27	5	3
OTHER REMAINDER OF (140-209)	83	112	194	221	264	247	225	170	90	30	9
DIABETES MELLITUS (250)	20	45	64	101	143	180	177	166	79	27	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	472	786	1,257	1,963	2,752	3,765	4,772	4,866	3,713	1,789	508
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	380	619	1,007	1,555	2,099	2,769	3,287	3,203	2,376	1,123	319
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	21	36	22	56	43	34	29	26	11	2	1
HYPERTENSIVE HEART (402, 404)	7	17	11	17	36	49	87	97	75	43	14
ISCHEMIC HEART (410-414)	318	524	910	1,367	1,907	2,550	3,016	2,913	2,139	1,009	267
OTHER HEART DISEASE (420-429)	34	42	64	115	113	136	155	167	151	69	37

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1971

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
HYPERTENSION (400,401,403)	11	7	16	10	24	25	36	38	19	12	5
CEREBROVASCULAR DISEASE (430-438)	71	135	192	318	522	769	1,195	1,276	992	460	114
ARTERIOSCLEROSIS (440)	3	5	12	24	45	89	160	236	245	162	66
OTHER CIRCULATORY (441-448)	7	20	30	56	62	113	94	113	81	32	4
INFLUENZA/PNEUMONIA (470-474,480-486)	28	45	43	67	95	142	178	221	193	122	51
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	13	29	62	99	140	144	118	80	33	11	1
PEPTIC ULCER (531-533)	13	8	15	20	17	24	37	33	20	11	1
CIRRHOSIS OF LIVER (571)	59	78	81	89	62	50	31	13	11	1	
NEPHRITIS AND NEPHROSIS (580-584)	13	11	22	23	33	25	33	23	34	12	4
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1								
CONGENITAL ANOMALIES (740-759)	6	6	11	2	8	5		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)							1				
SYMPTOMS & ILL-DEFINED COND. (780-796)	88	117	166	216	212	193	218	184	115	62	15
ALL OTHER DISEASES (RESIDUAL)	122	150	242	288	343	403	463	391	266	139	40
ACCIDENTAL DEATHS (E800-E949)	134	148	139	143	145	136	158	148	120	64	25
MOTOR VEHICLE (E810-E823)	85	75	74	72	65	60	53	30	11	1	1
OTHER TRANS. (E800-E807,E825-E845)	9	4	6	3	3	2	1				1
POISONING (E850-E877)	5	5	3	5	1	1	1	1	1		
FALLS (E880-E887)	9	15	19	26	37	38	64	80	96	55	20
FIRES (E890-E899)	6	16	7	11	15	16	12	19	2	1	1
DROWNING & SUBMERSIONS (E910)	2	4	1	1	2	3	1	4	1		
FIREARM MISSILES (E922)	1	4	1	4	2		2				
INDUSTRIAL (E916-E921,E923-E928)	10	12	15	11	7	7	10	9	1	3	1
OTHER REMAINDER OF (E900-E949)	7	13	13	10	13	9	14	5	8	4	1
SUICIDE (E950-E959)	53	42	44	31	38	23	21	22	2	1	
HOMICIDE (E960-E978)	33	28	19	13	11	13	3	5	2		
ALL OTHER EXTERNAL CAUSES (E980-E999)	11	13	7	17	8	4	9	7	3		1

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1971

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STATE TOTAL	4,748,588	50,811	1,581	12	51,810	1,632	16	10.7	20.2	1.5	10.9	20.0	2.0
COUNTIES INCL. CITIES													
ADAIR	22,852	229	7	-	382	15	1	10.0	16.5	-	16.7	21.8	14.5
ANDREW	12,050	141	2	-	69	-	-	11.7	12.5	-	5.7	-	-
ATCHISON	9,292	104	2	-	120	2	-	11.2	13.2	-	12.9	8.9	-
AUDRAIN	25,415	291	7	-	367	8	-	11.4	16.4	-	14.4	15.8	-
BARRY	19,764	296	4	-	272	2	-	15.0	14.7	-	13.8	8.6	-
BARTON	10,420	180	3	-	139	1	-	17.3	19.6	-	13.3	8.4	-
BATES	15,499	237	6	-	190	8	-	15.3	27.0	-	12.3	37.2	-
BENTON	9,848	162	5	-	64	1	-	16.5	41.7	-	6.5	111.1	-
BOLLINGER	8,838	114	1	-	52	-	-	12.9	7.4	-	5.9	-	-
BOONE	84,459	482	22	1	1,011	72	1	5.7	16.2	7.4	12.0	32.3	4.5
BUCHANAN	87,001	1,167	36	1	1,406	37	1	13.4	24.4	6.8	16.2	18.7	5.1
BUTLER	33,590	489	20	-	866	26	-	14.6	34.1	-	25.8	24.4	-
CALDWELL	8,354	127	1	-	55	-	-	15.2	9.3	-	6.6	-	-
CALLAWAY	26,292	258	11	-	295	2	-	9.8	28.9	-	11.2	13.0	-
CAMDEN	13,910	183	6	-	103	-	-	13.2	29.4	-	7.4	-	-
CAPE GIRARDEAU	50,388	447	21	-	622	26	-	8.9	27.9	-	12.3	18.5	-
CARROLL	12,517	190	3	-	141	1	-	15.2	14.9	-	11.3	15.2	-
CARTER	3,894	57	2	-	24	1	-	14.6	31.3	-	6.2	1,000.0	-
CASS	40,778	318	8	1	259	9	1	7.8	10.3	12.9	6.4	12.6	14.0
CEDAR	9,497	151	5	-	133	2	-	15.9	41.7	-	14.0	13.1	-
CHARITON	10,980	168	2	-	64	-	-	15.3	17.1	-	5.8	-	-
CHRISTIAN	15,507	153	3	-	50	-	-	9.9	10.2	-	3.2	-	-
CLARK	8,264	122	4	-	59	2	-	14.8	33.6	-	7.1	2,000.0	-
CLAY	128,621	765	38	-	812	29	-	5.9	17.4	-	6.3	17.7	-
CLINTON	12,623	167	3	-	156	2	-	13.2	18.4	-	12.4	18.9	-
COLE	47,054	391	11	-	640	17	-	8.3	14.5	-	13.6	12.0	-
COOPER	14,735	182	6	-	156	3	-	12.4	29.6	-	10.6	25.6	-
CRAWFORD	15,141	220	10	-	195	9	-	14.5	37.2	-	12.9	24.0	-
DADE	6,806	112	1	-	79	-	-	16.5	11.4	-	11.6	-	-
DALLAS	10,179	151	2	-	101	-	-	14.8	15.3	-	9.9	-	-
DAVISS	8,367	123	4	-	78	3	-	14.7	36.0	-	9.3	103.4	-
DE KALB	7,338	116	2	-	43	-	-	15.8	22.0	-	5.9	-	-
DENT	11,612	161	3	-	130	2	-	13.9	16.1	-	11.2	55.6	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1971 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1971

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
DOUGLAS	9,279	116	4	-	66	1	-	12.5	32.3	-	7.1	250.0	-
DUNKLIN	33,414	473	15	-	402	13	-	14.2	24.5	-	12.0	23.9	-
FRANKLIN	56,594	566	22	-	419	10	1	10.0	20.4	-	7.4	18.5	18.5
GASCONADE	11,896	182	2	-	180	2	-	15.3	13.0	-	15.1	15.2	-
GENTRY	8,043	160	2	-	161	2	-	19.9	17.4	-	20.0	12.8	-
GREENE	156,694	1,543	53	-	2,374	105	1	9.8	18.9	-	15.2	24.9	2.4
GRUNDY	11,826	201	9	-	199	5	-	17.0	56.3	-	16.8	26.6	-
HARRISON	10,180	158	5	-	120	2	-	15.5	40.3	-	11.8	27.8	-
HENRY	18,473	292	4	-	310	6	-	15.8	13.9	-	16.8	15.3	-
HICKORY	4,505	78	1	-	33	1	-	17.3	16.7	-	7.3	111.1	-
HOLT	6,566	100	-	-	30	-	-	15.2	-	-	4.6	-	-
HOWARD	10,581	185	7	-	176	1	-	17.5	49.6	-	16.6	6.9	-
HOWELL	23,807	334	15	-	362	8	-	14.0	35.5	-	15.2	12.9	-
IRON	9,740	124	4	-	138	4	-	12.7	22.5	-	14.2	29.2	-
JACKSON	661,282	6,656	227	-	7,495	285	3	10.1	19.2	-	11.3	19.3	2.0
JASPER	80,372	1,111	21	1	1,040	21	1	13.8	16.1	7.7	12.9	13.3	6.3
JEFFERSON	110,748	751	33	-	515	5	-	6.8	15.2	-	4.7	9.9	-
JOHNSON	34,907	267	8	-	243	6	-	7.6	12.2	-	7.0	8.9	-
KNOX	5,639	106	-	-	51	-	-	18.8	-	-	9.0	-	-
LACLEDE	20,140	233	9	-	256	6	-	11.6	25.5	-	12.7	14.2	-
LAFAYETTE	26,912	330	5	-	315	1	-	12.3	12.6	-	11.7	3.0	-
LAWRENCE	24,845	378	10	-	401	3	-	15.2	26.0	-	16.1	8.8	-
LEWIS	11,043	120	1	-	55	-	-	10.9	6.5	-	5.0	-	-
LINCOLN	18,501	238	6	-	214	2	-	12.9	22.1	-	11.6	11.2	-
LINN	15,039	306	5	-	311	7	-	20.3	26.5	-	20.7	27.9	-
LIVINGSTON	15,406	221	9	-	272	9	-	14.3	34.1	-	17.7	22.7	-
MC DONALD	12,488	178	6	-	45	1	-	14.3	30.8	-	3.6	1,000.0	-
MACON	15,406	233	5	-	179	3	-	15.1	24.3	-	11.6	15.8	-
MADISON	8,620	141	-	-	109	-	-	16.4	-	-	12.6	-	-
MARIES	6,836	80	3	-	29	-	-	11.7	27.5	-	4.2	-	-
MARION	28,131	368	9	-	448	10	-	13.1	19.1	-	15.9	14.8	-
MERCER	4,857	73	2	-	51	1	-	15.0	40.0	-	10.5	23.3	-
MILLER	15,228	188	8	-	80	3	-	12.3	31.1	-	5.3	28.6	-
MISSISSIPPI	16,356	222	4	-	124	4	-	13.6	11.4	-	7.6	22.0	-
MONITEAU	10,815	143	1	-	60	-	-	13.2	6.1	-	5.5	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1971 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1971

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
MONROE	9,483	157	5	-	58	-	-	16.6	40.3	-	6.1	-	-
MONTGOMERY	11,039	164	1	-	53	-	-	14.9	6.4	-	4.8	-	-
MORGAN	10,058	124	-	-	91	-	-	12.3	-	-	9.0	-	-
NEW MADRID	22,850	300	11	1	159	4	-	13.1	25.3	23.0	7.0	210.5	-
NEWTON	33,365	351	11	-	409	9	-	10.5	19.9	-	12.3	15.2	-
NODAWAY	22,614	266	5	-	246	4	-	11.8	15.7	-	10.9	13.5	-
OREGON	9,165	139	4	-	68	1	-	15.2	32.5	-	7.4	32.3	-
OSAGE	11,056	122	2	-	39	-	-	11.0	11.1	-	3.5	-	-
OZARK	6,201	87	1	-	37	1	-	14.0	11.8	-	6.0	200.0	-
PEMISCOT	25,536	416	30	2	344	27	3	16.3	52.5	35.0	13.5	42.4	47.1
PERRY	14,448	180	6	-	181	5	-	12.5	25.4	-	12.5	26.7	-
PETTIS	34,212	449	16	-	519	16	-	13.1	32.1	-	15.2	26.5	-
PHELPS	30,164	307	12	1	362	4	1	10.2	22.1	18.4	12.0	5.3	13.4
PIKE	17,047	224	5	-	208	3	-	13.1	19.4	-	12.2	12.3	-
PLATTE	33,286	228	8	-	146	1	-	6.8	13.9	-	4.4	-	-
POLK	15,665	191	1	1	108	-	-	12.2	3.7	36.8	6.9	-	-
PULASKI	55,033	186	16	-	202	24	-	3.4	37.8	-	3.7	20.5	-
PUTNAM	5,841	108	3	-	103	2	-	18.5	34.9	-	17.6	19.4	-
RALLS	7,783	97	1	-	34	-	-	12.5	10.8	-	4.4	-	-
RANDOLPH	22,599	363	5	-	381	-	-	16.1	15.2	-	16.9	-	-
RAY	17,857	247	9	-	190	3	-	13.8	33.3	-	10.6	13.2	-
REYNOLDS	6,234	75	-	-	20	-	-	12.0	-	-	3.2	-	-
RIPLEY	9,929	165	-	-	118	-	-	16.6	-	-	11.9	-	-
ST. CHARLES	98,818	556	26	1	535	19	-	5.6	13.2	5.1	5.4	13.5	-
ST. CLAIR	7,647	138	1	-	113	-	-	18.0	9.5	-	14.8	-	-
ST. FRANCOIS	37,044	514	14	-	603	11	-	13.9	21.8	-	16.3	11.1	-
STE. GENEVIEVE	13,018	115	3	-	97	1	-	8.8	14.6	-	7.5	5.9	-
ST. LOUIS COUNTY	985,459	6,863	224	-	5,557	137	-	7.0	15.6	-	5.6	9.9	-
ST. LOUIS CITY	613,835	9,155	309	1	11,944	513	1	14.9	26.8	.9	19.5	32.8	.6
SALINE	24,928	353	11	-	323	10	-	14.2	31.8	-	13.0	32.9	-
SCHUYLER	4,653	73	1	-	30	-	-	15.7	12.2	-	6.4	-	-
SCOTLAND	5,433	74	2	-	60	1	-	13.6	30.3	-	11.0	14.3	-
SCOTT	33,471	372	16	1	412	13	1	11.1	23.6	14.8	12.3	15.5	11.9
SHANNON	7,232	86	1	-	30	1	-	11.9	9.2	-	4.1	500.0	-
SHELBY	7,849	153	1	-	76	-	-	19.5	10.0	-	9.7	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1971 (SEE PP IV)

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1971

COUNTIES	POP.	NUMBER						RATE					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STODDARD	25,556	348	7	-	241	3	-	13.6	16.4	-	9.4	6.2	-
STONE	10,166	121	1	-	47	1	-	11.9	6.7	-	4.6	-	-
SULLIVAN	7,509	126	1	-	103	-	-	16.8	10.5	-	13.7	-	-
TANEY	13,413	148	1	-	134	-	-	11.0	5.7	-	10.0	-	-
TEXAS	18,476	230	7	-	220	5	-	12.4	23.8	-	11.9	15.9	-
VERNON	19,022	261	5	-	319	4	-	13.7	21.9	-	16.8	18.9	-
WARREN	9,848	108	1	-	77	-	-	11.0	5.8	-	7.8	-	-
WASHINGTON	15,255	182	5	-	124	1	-	11.9	15.8	-	8.1	8.2	-
WAYNE	8,586	117	3	-	57	-	-	13.6	22.6	-	6.6	-	-
WEBSTER	15,829	203	10	-	80	-	-	12.8	35.8	-	5.1	-	-
WORTH	3,332	65	1	-	39	-	-	19.5	25.0	-	11.7	-	-
WRIGHT	13,690	195	2	-	117	1	-	14.2	9.1	-	8.5	6.5	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.
PROVISIONAL POPULATION ESTIMATES FOR JULY 1, 1971 (SEE PP IV)

TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
TOTAL CITIES 2,500 POP. AND OVER	32,314	1,039	7	42,643	1,512	15
TOTAL CITIES 10,000 POP. AND OVER	25,534	839	6	33,552	1,270	11
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	6,780	200	1	9,091	242	4
CITIES 10,000 POP. AND OVER						
BALLWIN	66	4	-	7	-	-
BELLEFONTAINE NEIGHBORS	101	2	-	33	1	-
BERKELEY	84	4	-	6	-	-
BRENTWOOD	90	6	-	7	-	-
BRIDGETON	79	4	-	15	-	-
CAPE GIRARDEAU	280	16	-	577	26	-
CARTHAGE	192	-	-	202	3	-
CLAYTON	173	1	-	971	19	-
COLUMBIA	277	13	1	917	71	1
CRESTWOOD	55	1	-	9	-	-
FERGUSON	197	4	-	27	-	-
FLORISSANT	329	19	-	460	24	-
FULTON	123	6	-	248	2	-
GLADSTONE	52	4	-	20	-	-
GRANDVIEW	75	4	-	20	-	-
HANNIBAL	268	5	-	417	10	-
MARION CO. PART	267	5	-	417	10	-
RALLS CO. PART	1	-	-	-	-	-
HAZELWOOD	93	7	-	8	-	-
INDEPENDENCE	833	31	-	717	16	-
JEFFERSON CITY	283	11	-	608	17	-
JENNINGS	223	1	-	28	-	-
JOPLIN	548	10	1	744	20	1
JASPER CO. PART	522	9	1	646	17	1
NEWTON CO. PART	26	1	-	98	3	-
KANSAS CITY	5,573	190	-	6,744	271	3
CLAY CO. PART	306	21	-	69	3	-
JACKSON CO. PART	5,228	168	-	6,658	268	3

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES 10,000 POP. AND OVER	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
PLATTE CO. PART	39	1	-	17	-	-
KIRKSVILLE	137	6	-	343	15	1
KIRKWOOD	298	4	-	493	9	-
LADUE	64	-	-	15	-	-
LEE'S SUMMIT	116	3	-	61	1	-
LIBERTY	110	4	-	82	-	-
MAPLEWOOD	157	3	-	23	-	-
MARSHALL	143	8	-	228	8	-
MEXICO	135	6	-	302	7	-
MOBERLY	255	3	-	336	-	-
OVERLAND	246	5	-	42	-	-
POPLAR BLUFF	273	14	-	826	25	-
RAYTOWN	177	9	-	13	-	-
RICHMOND HEIGHTS	150	5	-	579	23	-
ROLLA	103	3	1	276	3	1
ST. ANN	90	2	-	5	-	-
ST. CHARLES	275	13	-	450	18	-
ST. JOSEPH	1,052	30	1	1,386	37	1
ST. LOUIS CITY	9,155	309	1	11,944	513	1
SEDALIA	342	10	-	479	14	-
SIKESTON	165	4	1	295	8	1
NEW MADRID CO. PART	2	-	-	3	-	-
SCOTT CO. PART	163	4	1	292	8	1
SPRINGFIELD	1,211	40	-	2,268	105	1
UNIVERSITY CITY	551	10	-	91	-	-
WARRENSBURG	96	2	-	190	3	-
WEBSTER GROVES.	239	3	-	40	-	-
CITIES OVER 2,500 POPULATION LESS THAN 10,000						
AURORA	96	5	-	110	3	-
BEL-RIDGE	24	-	-	2	-	-
BELTON	63	2	-	20	-	-
BETHANY	49	3	-	87	2	-
BLUE SPRINGS	36	-	-	3	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
BOLIVAR	58	-	-	41	-	-
BONNE TERRE	66	1	-	160	5	-
BOONVILLE	85	3	-	136	3	-
BOWLING GREEN	51	-	-	40	-	-
BRECKENRIDGE HILLS	15	-	-	-	-	-
BROOKFIELD	119	3	-	190	2	-
BUTLER	74	3	-	151	8	-
CALIFORNIA	56	-	-	38	-	-
CAMERON	67	1	-	100	2	-
CLINTON CO. PART	66	1	-	100	2	-
DE KALB CO. PART	1	-	-	-	-	-
CANTON	24	-	-	9	-	-
CARROLLTON	88	3	-	106	1	-
CARUTHERSVILLE	129	3	-	18	-	-
CENTRALIA	45	1	-	34	-	-
CHAFFEE	50	5	-	86	5	-
CHARLESTON	83	1	-	62	1	-
CHILLICOTHE	144	6	-	237	8	-
CLINTON	109	1	-	220	5	-
CREVE COEUR	141	4	-	904	32	-
CRYSTAL CITY	31	-	-	2	-	-
DELLWOOD	30	-	-	3	-	-
DESOTO	61	1	-	18	-	-
DES PERES	35	-	-	52	-	-
DESLOGE	33	-	-	5	-	-
DEXTER	87	3	-	149	2	-
EAST PRAIRIE	56	-	-	11	-	-
ELDON	68	4	-	21	2	-
ELDORADO SPRINGS	76	2	-	119	2	-
ELLISVILLE	21	-	-	47	-	-
EXCELSIOR SPRINGS	116	4	-	120	2	-
CLAY CO. PART	114	3	-	120	2	-
RAY CO. PART	2	1	-	-	-	-
FARMINGTON	102	2	-	281	4	-
FAYETTE	59	1	-	147	1	-
FESTUS	74	3	-	18	1	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
FLAT RIVER	73	3	-	16	1	-
FREDERICKTOWN	81	-	-	96	-	-
FRONTENAC	24	-	-	3	-	-
GLENDALE	53	-	-	3	-	-
HARRISONVILLE	63	1	-	155	6	-
HAYTI	81	9	1	276	22	3
HERMANN	38	1	-	100	2	-
HIGGINSVILLE	53	1	-	34	-	-
HILLSDALE VILLAGE	23	-	-	-	-	-
JACKSON	61	1	-	26	-	-
KENNETT	146	10	-	272	13	-
KINLOCH	55	4	-	-	-	-
LAMAR	89	2	-	120	1	-
LEBANON	123	5	-	219	4	-
LEXINGTON	67	3	-	145	1	-
LOUISIANA	64	2	-	137	3	-
MACON	87	4	-	126	3	-
MALDEN	61	-	-	32	-	-
MANCHESTER	22	3	-	26	-	-
MARCELINE	66	2	-	86	5	-
MARSHFIELD	33	-	-	22	-	-
MARYVILLE	93	3	-	191	4	-
MOLINE ACRES	27	-	-	4	-	-
MONETT	81	2	-	140	2	-
BARRY CO. PART	70	2	-	139	2	-
LAWRENCE CO. PART	11	-	-	1	-	-
MOUNTAIN GROVE	70	1	-	27	-	-
MT. VERNON	59	1	-	17	-	-
NEOSHO	123	2	-	177	-	-
NEVADA	138	3	-	161	3	-
NEW MADRID	32	-	-	11	-	-
NORMANDY	108	4	-	411	18	-
NORTH KANSAS CITY	58	1	-	303	14	-
NORTHWOODS	36	-	-	1	-	-
ODESSA	42	-	-	13	-	-
O'FALLON	34	1	-	9	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
OLIVETTE	53	-	-	4	-	-
PACIFIC	34	2	-	10	-	-
FRANKLIN CO. PART	34	2	-	10	-	-
ST. LOUIS CO. PART	-	-	-	-	-	-
PAGEDALE	51	-	-	6	-	-
PALMYRA	38	-	-	20	-	-
PERRYVILLE	92	5	-	134	5	-
PINELAWN	59	1	-	9	-	-
PLEASANT HILL	35	1	-	9	-	-
PORTAGEVILLE	36	3	-	13	-	-
POTOSI	35	2	-	9	-	-
RICHMOND	86	3	-	38	-	-
RIVERVIEW	24	-	-	1	-	-
ROCK HILL	49	2	-	18	-	-
ST. CLAIR	44	2	-	8	-	-
ST. JAMES	45	1	-	39	-	-
ST. JOHN	55	1	-	3	-	-
STE. GENEVIEVE	64	1	-	81	1	-
SALEM	78	1	-	31	1	-
SAVANNAH	49	-	-	24	-	-
SHREWSBURY	58	1	-	6	-	-
SLATER	62	-	-	14	-	-
SUGAR CREEK	31	2	-	1	-	-
SULLIVAN	60	5	-	135	8	-
CRAWFORD CO. PART	16	5	-	126	8	-
FRANKLIN CO. PART	44	-	-	9	-	-
SUNSET HILLS	21	-	-	3	-	-
TOWN AND COUNTRY	10	-	-	238	9	-
TRENTON	129	6	-	178	5	-
TROY	41	-	-	127	1	-
UNION	43	2	-	16	-	-
VALLEY PARK	49	2	-	34	-	-
VANDALIA	42	-	-	7	-	-
VINITA PARK	13	1	-	2	-	-
WARSON WOODS	9	-	-	-	-	-
WASHINGTON	82	4	-	306	8	1

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1971

CITIES OVER 2,500 POPULATION LESS THAN 10,000	RESIDENT			RECORDED		
	DEATHS	INFANT DEATHS	MATERNAL DEATHS	DEATHS	INFANT DEATHS	MATERNAL DEATHS
WAYNESVILLE	24	4	-	94	4	-
WEBB CITY	114	3	-	71	-	-
WELLSTON	65	4	-	4	-	-
WENTZVILLE	23	2	-	9	1	-
WEST PLAINS	110	3	-	216	6	-
WINDSOR	57	-	-	66	-	-
WOODSON TERRACE	25	2	-	1	-	-


INFANT DEATH TRENDS

Year	Total	White	Nonwhite
1932	57.4	53.9	112.9
1933	56.8	54.5	94.3
1934	62.3	59.4	107.6
1935	56.9	55.2	83.1
1936	57.9	55.7	90.0
1937	64.0	61.7	96.5
1938	51.1	48.1	93.0
1939	45.0	42.2	83.8
1940	47.0	44.7	78.4
1941	46.8	44.2	83.0
1942	39.0	37.1	64.8
1943	39.8	37.5	69.5
1944	37.3	35.1	63.7
1945	37.5	35.1	65.8
1946	33.0	31.1	55.8
1947	32.4	30.1	59.9
1948	30.4	28.6	49.3
1949	30.0	28.7	43.4
1950	29.2	27.1	49.0
1951	27.7	25.8	45.0
1952	28.3	25.9	49.4
1953	27.7	25.4	46.9
1954	26.8	24.2	46.6
1955	25.3	23.1	41.7
1956	24.5	22.4	38.9
1957	24.8	22.4	40.5
1958	26.4	23.2	46.9
1959	24.5	21.5	43.6
1960	24.7	21.4	45.9
1961	24.5	21.9	41.6
1962	25.5	23.2	40.0
1963	24.3	21.5	41.5
1964	24.4	21.2	43.2
1965	25.4	22.2	42.7
1966	23.4	19.8	43.0
1967	22.6	19.1	41.9
1968	21.3	19.1	33.9
1969	21.3	18.6	36.4
1970	19.5	17.0	33.6
1971	20.2	18.6	28.0

GRAPH D.

INFANT DEATH RATES BY COLOR 1932-1971

(per 1,000 live births)



Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U. S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

TABLE 15 RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI 1971

CAUSE	COLOR	NUMBER	RATE	UNDER 1 HR.	OVER 1 HR.	OVER 1 DAY	OVER 7 DAS	OVER 28 DAS	OVER 3 MOS	OVER 6 MOS	OVER 1 YEAR
					UNDER 1 DAY	UNDER 7 DAS	UNDER 28 DAS	UNDER 3 MOS	UNDER 6 MOS	UNDER 1 YEAR	
ALL CAUSES	WHITE	1,221	18.6	109	403	366	87	109	79	65	
	NONWHITE	360	28.0	25	129	88	23	46	27	21	
	TOTAL	1,581	20.2	134	532	454	110	155	106	86	
GASTRO-INTESTINAL DISEASES (004,006-009,535,561,563)	WHITE	7	.1					5		1	
	NONWHITE	5	.4				1	3	1		
	TOTAL	12	.2				1	8	1	1	
INFLUENZA & PNEUMONIA (470-474,480-486)	WHITE	74	1.1		5	10	7	27	17	8	
	NONWHITE	42	3.3			6	3	15	10	8	
	TOTAL	116	1.5		5	16	10	42	27	16	
CONGENITAL ANOMALIES (740-759)	WHITE	236	3.6	28	44	67	33	28	18	17	
	NONWHITE	24	1.9	1	11	3	4	3	1	1	
	TOTAL	260	3.3	29	55	70	37	31	19	18	
BIRTH INJURIES (764-768 (.0-.3),772)	WHITE	31	.5		15	15				1	
	NONWHITE	8	.6	1	1	5		1			
	TOTAL	39	.5	1	16	20		1		1	
ASPHYXIA OF NEWBORN, UNSPECIFIED (776.9)	WHITE	144	2.2	11	78	47	5	1		1	
	NONWHITE	76	5.9	2	48	24	2				
	TOTAL	220	2.8	13	126	71	7	1		1	
IMMATURITY, UNQUALIFIED (777)	WHITE	110	1.7	13	71	23	3				
	NONWHITE	53	4.1	12	28	12		1			
	TOTAL	163	2.1	25	99	35	3	1			
OTHER DISEASES OF EARLY INFANCY (REMAINDER OF 760-778)	WHITE	437	6.7	52	183	183	16	2		1	
	NONWHITE	94	7.3	9	40	35	9	1			
	TOTAL	531	6.8	61	223	218	25	3		1	
ALL OTHER CAUSES (RESIDUAL)	WHITE	182	2.8	5	7	21	23	46	44	36	
	NONWHITE	58	4.5		1	3	4	22	15	12	
	TOTAL	240	3.1	5	8	24	27	68	59	48	

INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS.

NUMBER IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, ADAPTED.

NUMBER INCLUDES AGE UNKNOWN.

TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971PROVISIONAL EST. POP. JULY 1, 1971
(SEE PP IV) MISSOURI - 4,748,588

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	78,375	16.5	65,526	12,849	29,713	939
ATTENDED BY M.D.	69,677		57,432	12,245	25,209	771
ATTENDED BY D.O.	8,524		7,989	535	4,424	140
ATTENDED BY MIDWIFE	103		46	57	42	26
OTHERS OR UNSPECIFIED	71		59	12	38	2
TOTAL FETAL DEATHS	983	12.5	775	208	321	16
ATTENDED BY M.D.	861		661	200	262	13
ATTENDED BY D.O.	109		103	6	57	3
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED	13		11	2	2	
TOTAL DEATHS	50,811	10.7	45,529	5,282	18,078	419
UNDER ONE YEAR OF AGE	1,581	20.2	1,221	360	510	32
NEONATAL DEATHS	1,230	15.7	965	265	397	18
MATERNAL DEATHS	12	1.5	9	3	4	1
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)	100	2.1	71	29	24	1
SYPHILIS AND ITS SEQUELAE (090-097)	15	.3	11	4	2	
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)	245	5.2	210	35	98	5
MALIGNANT NEOPLASMS (140-209)	8,682	182.8	7,831	851	3,016	65
DIGEST. ORGANS (150-159)	2,267	47.7	2,031	236	781	15
RESPIRATORY SYSTEM (160-163)	1,959	41.3	1,781	178	681	16
BREAST (174)	761	16.0	688	73	264	5
GENITAL ORGANS (180-187)	1,088	22.9	942	146	362	12
URINARY ORGANS (188-189)	379	8.0	343	36	115	2
LEUKEMIA (204-207)	392	8.3	367	25	152	1
OTHER REMAINDER OF (140-209)	1,836	38.7	1,679	157	661	14
DIABETES MELLITUS (250)	1,057	22.3	922	135	348	9
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,173	572.2	24,988	2,185	9,915	174
DISEASES OF HEART						
(390-398, 402, 404, 410-429)	19,109	402.4	17,674	1,435	7,055	115

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000			
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	319	6.7	300	19	106	1	19	2
HYPERTENSIVE HEART (402,404)	455	9.6	383	72	187	12	36	9
ISCHEMIC HEART (410-414)	17,188	362.0	15,976	1,212	6,246	91	989	31
OTHER HEART DISEASE (420-429)	1,147	24.2	1,015	132	516	11	70	4
HYPERTENSION (400,401,403)	222	4.7	170	52	78	4	12	1
CEREBROVASCULAR DISEASE (430-438)	6,166	129.8	5,591	575	2,242	48	400	18
ARTERIOSCLEROSIS (440)	1,048	22.1	977	71	332	5	83	1
OTHER CIRCULATORY (441-448)	628	13.2	576	52	208	2	37	2
INFLUENZA/PNEUMONIA (470-474,480-486)	1,399	29.5	1,228	171	495	11	87	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	751	15.8	689	62	271	9	45	2
PEPTIC ULCER (531-533)	217	4.6	196	21	81	1	16	1
CIRRHOSIS OF LIVER (571)	556	11.7	466	90	149	1	25	1
NEPHRITIS AND NEPHROSIS (580-584)	271	5.7	202	69	85	6	10	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	12	.3	9	3	4	1		1
CONGENITAL ANOMALIES (740-759)	381	8.0	349	32	136	1	28	2
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	955	20.1	723	232	291	16	41	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,776	37.4	1,510	266	563	37	82	7
ALL OTHER DISEASES (RESIDUAL)	3,298	69.5	2,858	440	1,062	21	186	16
ACCIDENTAL DEATHS (E800-E949)	2,812	59.2	2,504	308	1,258	42	133	12
MOTOR VEHICLE (E810-E823)	1,406	29.6	1,296	110	714	15	61	7
OTHER TRANS. (E800-E807,E825-E845)	77	1.6	75	2	31	1	6	
POISONING (E850-E877)	79	1.7	61	18	23		7	
FALLS (E880-E887)	499	10.5	458	41	160	2	25	1
FIRES (E890-E899)	184	3.9	131	53	59	15	12	2
DROWNING & SUBMERSIONS (E910)	127	2.7	106	21	62	3	2	
FIREARM MISSILES (E922)	61	1.3	46	15	26	1	5	1
INDUS. TYPE (E916-E921,E923-E928)	193	4.1	176	17	114	2	8	1
OTHER REMAINDER OF (E900-E949)	186	3.9	155	31	69	3	7	
SUICIDE (E950-E959)	484	10.2	451	33	179	3	19	
HOMICIDE (E960-E978)	444	9.4	178	266	58	10	7	5
ALL OTHER EXTERNAL CAUSES (E980-E999)	183	3.9	133	50	43	6	6	

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

TABLE 16 (CONT)

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971**

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	4,668	677	2,434	277	3,782	211	3,822	491
ATTENDED BY M.D.	3,990	567	2,187	215	3,256	187	3,485	472
ATTENDED BY D.O.	668	109	244	38	524	24	337	18
ATTENDED BY MIDWIFE	2		1	24	1			
OTHERS OR UNSPECIFIED	8	1	2		1			1
TOTAL FETAL DEATHS	55	4	24	1	43	2	49	9
ATTENDED BY M.D.	51	3	21	1	35	2	44	9
ATTENDED BY D.O.	4	1	3		8		4	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL DEATHS	3,562	228	1,853	124	2,200	79	2,704	144
UNDER ONE YEAR OF AGE	103	15	49	10	64	4	71	9
NEONATAL DEATHS	81	12	40	7	51	2	61	6
MATERNAL DEATHS			1	1			1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	6	2	1	1	1		4	1
SYPHILIS AND ITS SEQUELAE (090-097)	2				1		1	1
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	12	1	10	1	7		13	1
MALIGNANT NEOPLASMS (140-209)	588	32	305	23	399	13	493	23
DIGEST. ORGANS (150-159)	144	7	79	5	111	3	143	10
RESPIRATORY SYSTEM (160-163)	133	7	58	8	75		99	3
BREAST (174)	47	2	27	2	36	3	47	3
GENITAL ORGANS (180-187)	80	7	40		43	3	58	4
URINARY ORGANS (188-189)	28	3	18	3	21	1	19	1
LEUKEMIA (204-207)	32	1	17		16		17	
OTHER REMAINDER OF (140-209)	124	5	66	5	97	3	110	2
DIABETES MELLITUS (250)	65	5	33	5	49		46	4
MAJOR CARDIOVASCULAR DISEASE (390-448)	1,987	99	1,035	56	1,199	39	1,477	55
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	1,384	64	746	28	856	25	1,028	32

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	19	1	15		17		24	
HYPERTENSIVE HEART (402,404)	53	4	17		10	2	20	2
ISCHEMIC HEART (410-414)	1,228	52	676	25	781	20	959	24
OTHER HEART DISEASE (420-429)	84	7	38	3	48	3	25	6
HYPERTENSION (400,401,403)	11	2	8		8		10	2
CEREBROVASCULAR DISEASE (430-438)	484	26	227	22	264	12	333	16
ARTERIOSCLEROSIS (440)	59	3	39	3	46	1	60	4
OTHER CIRCULATORY (441-448)	49	4	15	3	25	1	46	1
INFLUENZA/PNEUMONIA (470-474,480-486)	101	7	54	3	53	3	71	5
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	52	5	36	3	35	1	37	2
PEPTIC ULCER (531-533)	19		3	1	9		7	
CIRRHOSIS OF LIVER (571)	30	2	16	2	21		28	3
NEPHRITIS AND NEPHROSIS (580-584)	26	1	5	1	11	2	12	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1	1			1	
CONGENITAL ANOMALIES (740-759)	27	1	19		21		21	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	59	9	30	8	44	2	49	6
SYMPTOMS & ILL-DEFINED COND. (780-796)	127	11	59	3	60	4	83	9
ALL OTHER DISEASES (RESIDUAL)	248	24	125	7	139	6	168	11
ACCIDENTAL DEATHS (E800-E949)	168	10	87	7	106	6	137	10
MOTOR VEHICLE (E810-E823)	93	8	41		51	1	63	4
OTHER TRANS. (E800-E807,E825-E845)	4		4		3		5	
POISONING (E850-E877)	1		4		7		4	2
FALLS (E880-E887)	37		20	1	20		29	2
FIRES (E890-E899)	10		5	4	3	3	7	
DROWNING & SUBMERSIONS (E910)	6		2	2	6	1	3	1
FIREARM MISSILES (E922)	3	1	1		2		3	
INDUSTRIAL (E916-E921,E923-E928)	8		5		7	1	7	
OTHER REMAINDER OF (E900-E949)	6	1	5		7		16	1
SUICIDE (E950-E959)	24	2	25		32	1	36	2
HOMICIDE (E960-E978)	12	14	4	1	4	1	11	7
ALL OTHER EXTERNAL CAUSES (E980-E999)	9	3	5	1	9	1	9	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971**

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 -LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	2,797	232	2,151	70	8,149	3,058	4,897	6,651
ATTENDED BY M.D.	2,744	228	2,142	70	7,172	2,878	4,819	6,639
ATTENDED BY D.O.	53	3	9		973	174	77	10
ATTENDED BY MIDWIFE								1
OTHERS OR UNSPECIFIED		1			4	6	1	1
TOTAL FETAL DEATHS	34	4	17	1	132	49	58	120
ATTENDED BY M.D.	33	4	17	1	113	48	51	118
ATTENDED BY D.O.					18	1	1	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1				1		6	1
TOTAL DEATHS	1,591	67	1,179	32	5,252	1,154	6,266	2,889
UNDER ONE YEAR OF AGE	56	6	39	1	148	73	103	206
NEONATAL DEATHS	50	6	34		111	51	80	159
MATERNAL DEATHS	2						1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	4		3		8	6	15	16
SYPHILIS AND ITS SEQUELAE (090-097)	2				2		1	3
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	11		6		30	8	15	19
MALIGNANT NEOPLASMS (140-209)	315	11	207	4	978	188	1,079	472
DIGEST. ORGANS (150-159)	69	4	52	1	238	49	296	135
RESPIRATORY SYSTEM (160-163)	79	1	45	1	232	47	272	92
BREAST (174)	29		18	1	92	11	87	45
GENITAL ORGANS (180-187)	34	3	22		105	37	144	77
URINARY ORGANS (188-189)	12		10		44	5	54	21
LEUKEMIA (204-207)	16		9		45	5	47	17
OTHER REMAINDER OF (140-209)	76	3	51	1	222	34	179	85
DIABETES MELLITUS (250)	35	3	16	1	108	26	173	79
MAJOR CARDIOVASCULAR DISEASE (390-448)	826	27	655	17	2,574	370	3,674	1,280
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	572	21	446	10	1,778	246	2,695	848

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	50,000 - LESS THAN 75,000 NON- WHITE WHITE		75,000 - LESS THAN 100,000 NON- WHITE WHITE		100,000 -LESS THAN 500,000 NON- WHITE WHITE		500,000 AND OVER WHITE NON- WHITE	
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)	7		7		36	2	50	13
HYPERTENSIVE HEART (402,404)	7		2		23	18	28	25
ISCHEMIC HEART (410-414)	536	19	417	8	1,607	189	2,537	753
OTHER HEART DISEASE (420-429)	22	2	20	2	112	37	80	57
HYPERTENSION (400,401,403)	7		2	1	13	9	21	33
CEREBROVASCULAR DISEASE (430-438)	183	6	161	5	579	94	718	328
ARTERIOSCLEROSIS (440)	38		39		112	10	169	44
OTHER CIRCULATORY (441-448)	26		7	1	92	11	71	27
INFLUENZA/PNEUMONIA (470-474,480-486)	41	1	23	1	132	30	171	108
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	33		21		77	13	82	27
PEPTIC ULCER (531-533)	6	1	3	1	19	6	33	10
CIRRHOSIS OF LIVER (571)	12	2	11		82	19	92	60
NEPHRITIS AND NEPHROSIS (580-584)	4	1	3		23	16	23	40
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	2						1	
CONGENITAL ANOMALIES (740-759)	14		10		40	9	33	18
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	40	5	22		84	44	63	139
SYMPTOMS & ILL-DEFINED COND. (780-796)	62	3	38	3	394	178	42	11
ALL OTHER DISEASES (RESIDUAL)	82	9	70	3	338	78	440	265
ACCIDENTAL DEATHS (E800-E949)	81		64	1	243	74	227	146
MOTOR VEHICLE (E810-E823)	45		33		110	25	85	50
OTHER TRANS. (E800-E807,E825-E845)	2		6		9	1	5	
POISONING (E850-E877)	3				9	9	3	7
FALLS (E880-E887)	12		12		59	8	84	27
FIRES (E890-E899)	6		4		12	13	13	16
DROWNING & SUBMERSIONS (E910)	4				13	5	8	9
FIREARM MISSILES (E922)			1		3	1	2	11
INDUSTRIAL (E916-E921,E923-E928)	4		3		15	7	5	6
OTHER REMAINDER OF (E900-E949)	5		5	1	13	5	22	20
SUICIDE (E950-E959)	14	1	17		66	10	39	14
HOMICIDE (E960-E978)	2	3	2		39	72	39	153
ALL OTHER EXTERNAL CAUSES (E980-E999)	5		8	1	15	7	24	29

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	414	11	158	2	152		391	35
ATTENDED BY M.D.	16		154	2	152		284	23
ATTENDED BY D.O.	398	11	4				92	12
ATTENDED BY MIDWIFE							15	
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	6		1		3		6	
ATTENDED BY M.D.			1		3		4	
ATTENDED BY D.O.	6						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL DEATHS	229		140	1	104		270	21
UNDER ONE YEAR OF AGE	7		2		2		7	
NEONATAL DEATHS	6		1				6	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		3					
MALIGNANT NEOPLASMS (140-209)	36		23		14		51	4
DIGEST. ORGANS (150-159)	6		8		6		16	
RESPIRATORY SYSTEM (160-163)	7		8		2		16	4
BREAST (174)	5		1		2		2	
GENITAL ORGANS (180-187)	2		2		1		6	
URINARY ORGANS (188-189)	2						2	
LEUKEMIA (204-207)	2		1		1		1	
OTHER REMAINDER OF (140-209)	12		3		2		8	
DIABETES MELLITUS (250)					2		6	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	142		82	1	61		145	10
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	108		65	1	44		108	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2			1	1			
HYPERTENSIVE HEART (402,404)					2		9	1
ISCHEMIC HEART (410-414)	100		64		39		91	5
OTHER HEART DISEASE (420-429)	6		1		2		8	
HYPERTENSION (400,401,403)					1			
CEREBROVASCULAR DISEASE (430-438)	31		14		12		30	3
ARTERIOSCLEROSIS (440)	3		2				5	1
OTHER CIRCULATORY (441-448)			1		4		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		9		3		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		2				11	
PEPTIC ULCER (531-533)	2						2	1
CIRRHOSIS OF LIVER (571)	3		4				4	1
NEPHRITIS AND NEPHROSIS (580-584)	2		1				1	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		1				3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		1				4	
SYMPTOMS & ILL-DEFINED COND. (780-796)					1		2	1
ALL OTHER DISEASES (RESIDUAL)	13		4		10		15	1
ACCIDENTAL DEATHS (E800-E949)	16		5		13		16	1
MOTOR VEHICLE (E810-E823)	6		1		7		7	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)								
FALLS (E880-E887)	3		1		3		2	1
FIRES (E890-E899)			1		1		2	
DROWNING & SUBMERSIONS (E910)					1		1	
FIREARM MISSILES (E922)	2							
INDUSTRIAL (E916-E921,E923-E928)	3		1		1		1	
OTHER REMAINDER OF (E900-E949)	2		1				2	
SUICIDE (E950-E959)	3		5				2	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	273		153		217	5	118	2
ATTENDED BY M.D.	232		149		197	5	63	1
ATTENDED BY D.O.	40		3		20		55	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1		1					
TOTAL FETAL DEATHS	7				6		1	
ATTENDED BY M.D.	7				4		1	
ATTENDED BY D.O.					2			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	296		180		233	4	161	1
UNDER ONE YEAR OF AGE	4		3		6		5	
NEONATAL DEATHS	4		2		5		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1						1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2				2	
MALIGNANT NEOPLASMS (140-209)	39		36		38	1	25	
DIGEST. ORGANS (150-159)	12		12		15		7	
RESPIRATORY SYSTEM (160-163)	6		8		7		4	
BREAST (174)			3		5		2	
GENITAL ORGANS (180-187)	6		3		2		5	
URINARY ORGANS (188-189)	1		2		3			
LEUKEMIA (204-207)	4		3		1	1		
OTHER REMAINDER OF (140-209)	10		5		5		7	
DIABETES MELLITUS (250)	13		7				1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	151		91		116	1	99	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	105		65		80	1	70	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		1		1	
HYPERTENSIVE HEART (402,404)	2		1		1			
ISCHEMIC HEART (410-414)	92		54		67		62	1
OTHER HEART DISEASE (420-429)	9		9		11	1	7	
HYPERTENSION (400,401,403)	2		1					
CEREBROVASCULAR DISEASE (430-438)	34		13		27		27	
ARTERIOSCLEROSIS (440)	8		4		6		2	
OTHER CIRCULATORY (441-448)	2		8		3			
INFLUENZA/PNEUMONIA (470-474,480-486)	10		5		11		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	8		6		7		2	
PEPTIC ULCER (531-533)	3						2	
CIRRHOSIS OF LIVER (571)	3		1		1		2	
NEPHRITIS AND NEPHROSIS (580-584)	3		2		2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		1		3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	21		1		14	1	4	
ALL OTHER DISEASES (RESIDUAL)	27		15		19		8	
ACCIDENTAL DEATHS (E800-E949)	10		10		19	1	5	
MOTOR VEHICLE (E810-E823)	3		6		11	1	4	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)							1	
FALLS (E880-E887)	3		1		3			
FIRES (E890-E899)	2				1			
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	2		2		2			
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	1		1		2		1	
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	135		1,206	154	1,402	76	535	52
ATTENDED BY M.D.	84		1,184	151	1,393	75	435	45
ATTENDED BY D.O.	51		21	2	9	1	96	7
ATTENDED BY MIDWIFE							3	
OTHERS OR UNSPECIFIED			1	1			1	
TOTAL FETAL DEATHS	4		18	1	20	3	9	
ATTENDED BY M.D.			18	1	20	3	8	
ATTENDED BY D.O.	4						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	114		447	35	1,129	38	445	44
UNDER ONE YEAR OF AGE	1		22		30	6	19	1
NEONATAL DEATHS	1		19		24	6	15	
MATERNAL DEATHS			1		1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		4		1	
SYPHILIS AND ITS SEQUELAE (090-097)					2			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			4		7		3	1
MALIGNANT NEOPLASMS (140-209)	15		93	5	202	7	73	5
DIGEST. ORGANS (150-159)	5		19	1	47	3	17	1
RESPIRATORY SYSTEM (160-163)	4		31	1	50	1	15	
BREAST (174)	2		11		16		2	
GENITAL ORGANS (180-187)			10	1	24	2	11	
URINARY ORGANS (188-189)	1		3		7		2	
LEUKEMIA (204-207)			1		10		5	
OTHER REMAINDER OF (140-209)	3		18	2	48	1	21	4
DIABETES MELLITUS (250)	2		10	1	21	2	9	
MAJOR CARDIOVASCULAR DISEASE (390-448)	75		206	19	625	12	225	21
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	48		140	15	428	10	154	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			4		3		1	
HYPERTENSIVE HEART (402,404)	1		2		5		1	
ISCHEMIC HEART (410-414)	43		126	13	402	10	144	8
OTHER HEART DISEASE (420-429)	4		8	2	18		8	
HYPERTENSION (400,401,403)					6			
CEREBROVASCULAR DISEASE (430-438)	23		59	4	137	2	61	13
ARTERIOSCLEROSIS (440)	1		2		36		5	
OTHER CIRCULATORY (441-448)	3		5		18		5	
INFLUENZA/PNEUMONIA (470-474,480-486)			19	1	23	1	10	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		5		26		11	2
PEPTIC ULCER (531-533)	1		5		5	1		1
CIRRHOSIS OF LIVER (571)	2		3	2	7		5	
NEPHRITIS AND NEPHROSIS (580-584)	1		3		3	1	3	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1		1			
CONGENITAL ANOMALIES (740-759)			6		6		3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		15		18	5	15	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3				60	3	19	3
ALL OTHER DISEASES (RESIDUAL)	3		35	4	50	5	30	1
ACCIDENTAL DEATHS (E800-E949)	5		35		59		29	6
MOTOR VEHICLE (E810-E823)	1		19		32		24	2
OTHER TRANS. (E800-E807,E825-E845)			2		1			
POISONING (E850-E877)			2		2			
FALLS (E880-E887)	1		3		7			
FIRES (E890-E899)	1		1		5		1	3
DROWNING & SUBMERSIONS (E910)			2		3		1	
FIREARM MISSILES (E922)								1
INDUSTRIAL (E916-E921,E923-E928)			3		4		3	
OTHER REMAINDER OF (E900-E949)	2		3		5			
SUICIDE (E950-E959)	3		3	1	7		6	
HOMICIDE (E960-E978)	1		1	2	1	1	2	
ALL OTHER EXTERNAL CAUSES (E980-E999)			2		2		1	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	106	1	354	27	204		717	35
ATTENDED BY M.D.	64	1	257	22	161		673	34
ATTENDED BY D.O.	42		97	5	43		44	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		4		1		5	
ATTENDED BY M.D.	2		2		1		5	
ATTENDED BY D.O.			2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	127		240	18	183		427	20
UNDER ONE YEAR OF AGE	1		9	2	6		19	2
NEONATAL DEATHS	1		8	1	6		18	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)							1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2				1	
MALIGNANT NEOPLASMS (140-209)	19		38	3	40		73	6
DIGEST. ORGANS (150-159)	3		11		10		18	1
RESPIRATORY SYSTEM (160-163)			11	1	11		16	
BREAST (174)	3		2		3		5	
GENITAL ORGANS (180-187)	6		3	1	4		10	3
URINARY ORGANS (188-189)			1		3		2	1
LEUKEMIA (204-207)	1		2		1		2	
OTHER REMAINDER OF (140-209)	6		8	1	8		20	1
DIABETES MELLITUS (250)	3		3	1	4		10	
MAJOR CARDIOVASCULAR DISEASE (390-448)	80		119	10	81		230	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	56		86	6	53		156	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					1		1	
HYPERTENSIVE HEART (402,404)	1		9		2		7	
ISCHEMIC HEART (410-414)	49		71	5	47		139	2
OTHER HEART DISEASE (420-429)	6		6	1	3		9	1
HYPERTENSION (400,401,403)					3		2	
CEREBROVASCULAR DISEASE (430-438)	18		28	3	20		51	1
ARTERIOSCLEROSIS (440)	5		1		3		12	
OTHER CIRCULATORY (441-448)	1		4	1	2		9	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		6	1	2		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		9		5		5	
PEPTIC ULCER (531-533)	3				1		2	
CIRRHOSIS OF LIVER (571)			3		2		3	
NEPHRITIS AND NEPHROSIS (580-584)			1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		3				2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			5	1	6		16	1
SYMPTOMS & ILL-DEFINED COND. (780-796)			15		5		9	3
ALL OTHER DISEASES (RESIDUAL)	6		19	2	15		28	2
ACCIDENTAL DEATHS (E800-E949)	7		14		17		30	3
MOTOR VEHICLE (E810-E823)	5		9		7		19	1
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)								
FALLS (E880-E887)			2		4		4	1
FIRES (E890-E899)					2		1	
DROWNING & SUBMERSIONS (E910)	1				1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		2		1		3	
OTHER REMAINDER OF (E900-E949)			1		1		2	1
SUICIDE (E950-E959)	1		2		2		6	
HOMICIDE (E960-E978)	1		1					1
ALL OTHER EXTERNAL CAUSES (E980-E999)					3		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	191	10	63	1	763	12	120	
ATTENDED BY M.D.	120	5	54		614	10	68	
ATTENDED BY D.O.	71	5	9	1	148	2	52	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS	3		1		10		1	
ATTENDED BY M.D.	1		1		8		1	
ATTENDED BY D.O.	2				2			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	185	5	57		317	1	150	1
UNDER ONE YEAR OF AGE	3		2		8		5	
NEONATAL DEATHS			1		5		4	
MATERNAL DEATHS					1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					2			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				1		2	
MALIGNANT NEOPLASMS (140-209)	35	1	12		46		32	
DIGEST. ORGANS (150-159)	12	1	2		11		10	
RESPIRATORY SYSTEM (160-163)	4		2		5		5	
BREAST (174)	6		2		7		2	
GENITAL ORGANS (180-187)	5		3		7		5	
URINARY ORGANS (188-189)	1						1	
LEUKEMIA (204-207)	4				1		1	
OTHER REMAINDER OF (140-209)	3		3		15		8	
DIABETES MELLITUS (250)	1				7		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	107	4	28		187		87	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	76	3	21		123		42	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)								
HYPERTENSIVE HEART (402,404)	1							
ISCHEMIC HEART (410-414)	68	2	21		114		38	1
OTHER HEART DISEASE (420-429)	7	1			9		4	
HYPERTENSION (400,401,403)					2		1	
CEREBROVASCULAR DISEASE (430-438)	26	1	5		55		38	
ARTERIOSCLEROSIS (440)	4				3		2	
OTHER CIRCULATORY (441-448)	1		2		4		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		3		4		8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1				4		1	
PEPTIC ULCER (531-533)					2		1	
CIRRHOSIS OF LIVER (571)	1				3		2	
NEPHRITIS AND NEPHROSIS (580-584)	2		2		3			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			
CONGENITAL ANOMALIES (740-759)	1		1		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)					3		4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		4		5		2	
ALL OTHER DISEASES (RESIDUAL)	17		4		17		3	
ACCIDENTAL DEATHS (E800-E949)	7		1		22		6	
MOTOR VEHICLE (E810-E823)	1		1		10		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	3				4		1	
FIRES (E890-E899)	1				2		1	
DROWNING & SUBMERSIONS (E910)					2			
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	2				1			
OTHER REMAINDER OF (E900-E949)					2			
SUICIDE (E950-E959)	1				6			
HOMICIDE (E960-E978)	1		2		1	1		
ALL OTHER EXTERNAL CAUSES (E980-E999)					2			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	114	3	292	1	116	3	2,158	21
ATTENDED BY M.D.	82	2	286	1	94	2	1,954	17
ATTENDED BY D.O.	32	1	6		22	1	204	4
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS			3		1		15	
ATTENDED BY M.D.			3				11	
ATTENDED BY D.O.					1		4	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	158	10	153		121	1	752	13
UNDER ONE YEAR OF AGE	2		3		4		37	1
NEONATAL DEATHS	1		3		2		26	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					1
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1		3	
MALIGNANT NEOPLASMS (140-209)	23	1	28		17		136	1
DIGEST. ORGANS (150-159)	7	1	7		6		49	
RESPIRATORY SYSTEM (160-163)	2		4		5		22	1
BREAST (174)			2		1		17	
GENITAL ORGANS (180-187)	5		5		1		7	
URINARY ORGANS (188-189)	1		1				4	
LEUKEMIA (204-207)			1		1		8	
OTHER REMAINDER OF (140-209)	8		8		3		29	
DIABETES MELLITUS (250)	3		3		2		14	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	94	6	81		72	1	399	8
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	63	4	52		56	1	273	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		4				5	
HYPERTENSIVE HEART (402,404)	1	1					2	
ISCHEMIC HEART (410-414)	58	3	47		53	1	248	1
OTHER HEART DISEASE (420-429)	3		1		3		18	2
HYPERTENSION (400,401,403)	1		1				3	
CEREBROVASCULAR DISEASE (430-438)	21	1	25		14		103	2
ARTERIOSCLEROSIS (440)	5	1	2				11	3
OTHER CIRCULATORY (441-448)	4		1		2		9	
INFLUENZA/PNEUMONIA (470-474,480-486)	3	1	5		7		16	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2	1	3				13	
PEPTIC ULCER (531-533)							3	
CIRRHOSIS OF LIVER (571)	2				2		9	
NEPHRITIS AND NEPHROSIS (580-584)					1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		1		5	
DISEASES OF EARLY INFANCY - (760-769.2,769.4-772,774-778)	1		3		1		25	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	9		4		1		9	
ALL OTHER DISEASES (RESIDUAL)	9		12		9		44	
ACCIDENTAL DEATHS (E800-E949)	11	1	8		6		57	
MOTOR VEHICLE (E810-E823)	4		5		2		33	
OTHER TRANS. (E800-E807,E825-E845)	1						3	
POISONING (E850-E877)							1	
FALLS (E880-E887)	4		1				6	
FIRES (E890-E899)		1					2	
DROWNING & SUBMERSIONS (E910)					2		5	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2		2		1		4	
OTHER REMAINDER OF (E900-E949)					1		3	
SUICIDE (E950-E959)					1		14	1
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			3				4	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	159	4	735	26	194	9	269	
ATTENDED BY M.D.	114	3	532	18	192	9	210	
ATTENDED BY D.O.	45	1	203	8	2		58	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								1
TOTAL FETAL DEATHS			5		2		2	
ATTENDED BY M.D.			3		2		2	
ATTENDED BY D.O.			2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	164	3	374	17	171	11	220	
UNDER ONE YEAR OF AGE	3		11		6		10	
NEONATAL DEATHS	2		10		5		7	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)				1				
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1			1			1	
MALIGNANT NEOPLASMS (140-209)	31	1	58	4	24	1	33	
DIGEST. ORGANS (150-159)	11		17	1	6		12	
RESPIRATORY SYSTEM (160-163)	7	1	13	2	5		6	
BREAST (174)			5	1	2	1	3	
GENITAL ORGANS (180-187)	6		7		3		3	
URINARY ORGANS (188-189)	1		4		2		2	
LEUKEMIA (204-207)					1			
OTHER REMAINDER OF (140-209)	6		12		5		7	
DIABETES MELLITUS (250)	3		5		5		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	98		237	4	105	9	128	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	71		178	3	86	6	93	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2					
HYPERTENSIVE HEART (402,404)			3		2		2	
ISCHEMIC HEART (410-414)	63		171	3	74	4	82	
OTHER HEART DISEASE (420-429)	8		2		10	2	9	
HYPERTENSION (400,401,403)					1		1	
CEREBROVASCULAR DISEASE (430-438)	22		46	1	15	2	27	
ARTERIOSCLEROSIS (440)	5		8		3	1	4	
OTHER CIRCULATORY (441-448)			5				3	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		8	2	1	1	11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1				3		2	
PEPTIC ULCER (531-533)	1		2				2	
CIRRHOSIS OF LIVER (571)			3	1	3		2	
NEPHRITIS AND NEPHROSIS (580-584)							2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			3				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		9		5		7	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		1		1		5	
ALL OTHER DISEASES (RESIDUAL)	4		17	2	13		8	
ACCIDENTAL DEATHS (E800-E949)	12	2	25		10		9	
MOTOR VEHICLE (E810-E823)	6	2	10		6		6	
OTHER TRANS. (E800-E807,E825-E845)			2					
POISONING (E850-E877)			1					
FALLS (E880-E887)	3		4		2		2	
FIRES (E890-E899)	1		1					
DROWNING & SUBMERSIONS (E910)	1		3					
FIREARM MISSILES (E922)			1		1			
INDUSTRIAL (E916-E921,E923-E928)	1		1				1	
OTHER REMAINDER OF (E900-E949)			2		1			
SUICIDE (E950-E959)			5				3	
HOMICIDE (E960-E978)			1	2				
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	DADE		DALLAS		DAVISS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	88		131		111		90	1
ATTENDED BY M.D.	80		112		70		65	
ATTENDED BY D.O.	8		17		41		25	1
ATTENDED BY MIDWIFE			2					
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS					1		1	
ATTENDED BY M.D.					1		1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	112		151		123		116	
UNDER ONE YEAR OF AGE	1		2		4		2	
NEONATAL DEATHS	1		2		3		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2				1	
MALIGNANT NEOPLASMS (140-209)	20		24		19		14	
DIGEST. ORGANS (150-159)	6		11		5		7	
RESPIRATORY SYSTEM (160-163)	2		4		4		3	
BREAST (174)			2		3		1	
GENITAL ORGANS (180-187)	5				3			
URINARY ORGANS (188-189)	2							
LEUKEMIA (204-207)			2				1	
OTHER REMAINDER OF (140-209)	5		5		4		2	
DIABETES MELLITUS (250)	2		6		2		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	57		89		78		72	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	37		60		56		47	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	DADE		DALLAS		DAVIESS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				1			
HYPERTENSIVE HEART (402,404)	1		3		5		1	
ISCHEMIC HEART (410-414)	33		46		44		39	
OTHER HEART DISEASE (420-429)	2		11		6		7	
HYPERTENSION (400,401,403)			5					
CEREBROVASCULAR DISEASE (430-438)	18		21		18		17	
ARTERIOSCLEROSIS (440)	2		2		4		6	
OTHER CIRCULATORY (441-448)			1				2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		1		5		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		4		1		3	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	1		1					
NEPHRITIS AND NEPHROSIS (580-584)			1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		2		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		7		1		2	
ALL OTHER DISEASES (RESIDUAL)	12		7		6		10	
ACCIDENTAL DEATHS (E800-E949)	8		5		4		7	
MOTOR VEHICLE (E810-E823)	5		4		3		4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	1		1				1	
FIRES (E890-E899)							1	
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	1						1	
OTHER REMAINDER OF (E900-E949)					1			
SUICIDE (E950-E959)			2		1			
HOMICIDE (E960-E978)					1			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	185	1	124		544	68	1,066	14
ATTENDED BY M.D.	119	1	88		510	45	932	13
ATTENDED BY D.O.	66		34		29	23	133	1
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED			2		4		1	
TOTAL FETAL DEATHS	4		6		6		15	
ATTENDED BY M.D.	3		3		6		13	
ATTENDED BY D.O.	1		3				2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	161		116		460	13	559	7
UNDER ONE YEAR OF AGE	3		4		14	1	22	
NEONATAL DEATHS	1		3		11	1	16	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1		1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2		1		2	
MALIGNANT NEOPLASMS (140-209)	17		12		73		90	1
DIGEST. ORGANS (150-159)	7		5		12		24	1
RESPIRATORY SYSTEM (160-163)	4		2		18		20	
BREAST (174)					10		6	
GENITAL ORGANS (180-187)	1		4		13		15	
URINARY ORGANS (188-189)	1				2		3	
LEUKEMIA (204-207)	1				7		4	
OTHER REMAINDER OF (140-209)	3		1		11		18	
DIABETES MELLITUS (250)	1		2		11		8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	105		64		252	8	298	5
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	55		42		191	7	224	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					3		3	
HYPERTENSIVE HEART (402,404)	2		2		9		2	1
ISCHEMIC HEART (410-414)	47		38		159	6	203	3
OTHER HEART DISEASE (420-429)	6		2		20	1	16	
HYPERTENSION (400,401,403)					2		3	
CEREBROVASCULAR DISEASE (430-438)	39		15		45	1	56	1
ARTERIOSCLEROSIS (440)	7		6		13		12	
OTHER CIRCULATORY (441-448)	4		1		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		3		16		14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		3		7		3	1
PEPTIC ULCER (531-533)					2		3	
CIRRHOSIS OF LIVER (571)	1		2		3		3	
NEPHRITIS AND NEPHROSIS (580-584)	1		1		3		4	
COMPLICATIONS OF PREG, CHILD BIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		3		6	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		2		6	1	11	
SYMPTOMS & ILL-DEFINED COND. (780-796)	8		6		20	1	32	
ALL OTHER DISEASES (RESIDUAL)	11		7		26	1	32	
ACCIDENTAL DEATHS (E800-E949)	9		7		27	1	42	
MOTOR VEHICLE (E810-E823)	4		5		16		28	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)	1							
FALLS (E880-E887)			1		3		2	
FIRES (E890-E899)							4	
DROWNING & SUBMERSIONS (E910)	1				2		2	
FIREARM MISSILES (E922)	1		1		2	1	1	
INDUSTRIAL (E916-E921,E923-E928)	1				2		3	
OTHER REMAINDER OF (E900-E949)	1				1		1	
SUICIDE (E950-E959)	1		1		4		9	
HOMICIDE (E960-E978)	1		2		3	1	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		2			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	153	1	114	1	2,732	70	160	
ATTENDED BY M.D.	97		104	1	2,711	70	141	
ATTENDED BY D.O.	56	1	10		20		18	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1		1	
TOTAL FETAL DEATHS	2		1		22	1	2	
ATTENDED BY M.D.			1		22	1	2	
ATTENDED BY D.O.	2							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	182		160		1,507	36	201	
UNDER ONE YEAR OF AGE	2		2		52	1	9	
NEONATAL DEATHS	1		1		44		8	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					3			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				10		2	
MALIGNANT NEOPLASMS (140-209)	26		26		266	4	33	
DIGEST. ORGANS (150-159)	6		8		62	1	9	
RESPIRATORY SYSTEM (160-163)	2		3		61	1	10	
BREAST (174)	3		4		26	1	2	
GENITAL ORGANS (180-187)	4		3		28		3	
URINARY ORGANS (188-189)	2				10		1	
LEUKEMIA (204-207)	2		2		10		3	
OTHER REMAINDER OF (140-209)	7		6		69	1	5	
DIABETES MELLITUS (250)	7		1		25	1	5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	109		99		829	20	114	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	81		68		570	13	92	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				13			
HYPERTENSIVE HEART (402,404)	2		2		5		21	
ISCHEMIC HEART (410-414)	76		61		528	11	67	
OTHER HEART DISEASE (420-429)	2		5		24	2	4	
HYPERTENSION (400,401,403)	4		1		3	1		
CEREBROVASCULAR DISEASE (430-438)	22		19		199	5	20	
ARTERIOSCLEROSIS (440)	1		7		47		1	
OTHER CIRCULATORY (441-448)	1		4		10	1	1	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		4		31	1	9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		3		26		3	
PEPTIC ULCER (531-533)	1		2		3	1	1	
CIRRHOSIS OF LIVER (571)	2				12		2	
NEPHRITIS AND NEPHROSIS (580-584)	2		2		3		6	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		1		13		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		31		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		3		51	3	4	
ALL OTHER DISEASES (RESIDUAL)	12		7		84	3	7	
ACCIDENTAL DEATHS (E800-E949)	7		8		84	2	5	
MOTOR VEHICLE (E810-E823)	3		5		46	1		
OTHER TRANS. (E800-E807,E825-E845)					6			
POISONING (E850-E877)			2					
FALLS (E880-E887)	2				14		3	
FIRES (E890-E899)					5			
DROWNING & SUBMERSIONS (E910)	1		1					
FIREARM MISSILES (E922)					2			
INDUSTRIAL (E916-E921,E923-E928)	1				4		2	
OTHER REMAINDER OF (E900-E949)					7	1		
SUICIDE (E950-E959)	3		3		24		3	
HOMICIDE (E960-E978)	1				2			
ALL OTHER EXTERNAL CAUSES (E980-E999)					10	1		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	122	2	286	2	60		83	
ATTENDED BY M.D.	95	1	104		41		82	
ATTENDED BY D.O.	26	1	180	2	19		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1		2					
TOTAL FETAL DEATHS	2		4		1			
ATTENDED BY M.D.	2		2					
ATTENDED BY D.O.			2		1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	158		290	2	78		100	
UNDER ONE YEAR OF AGE	5		4		1			
NEONATAL DEATHS	5		4					
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2				1	
MALIGNANT NEOPLASMS (140-209)	27		43	1	13		15	
DIGEST. ORGANS (150-159)	8		12		4		4	
RESPIRATORY SYSTEM (160-163)	7		5		4		1	
BREAST (174)	3		1		1		1	
GENITAL ORGANS (180-187)	2		4		2		5	
URINARY ORGANS (188-189)			5	1				
LEUKEMIA (204-207)	2		2		2			
OTHER REMAINDER OF (140-209)	5		14				4	
DIABETES MELLITUS (250)	3		4				2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	77		165		45		61	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	56		110		39		42	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1					
HYPERTENSIVE HEART (402,404)	6		2				3	
ISCHEMIC HEART (410-414)	49		93		26		36	
OTHER HEART DISEASE (420-429)	1		14		13		3	
HYPERTENSION (400,401,403)	3						2	
CEREBROVASCULAR DISEASE (430-438)	17		48		3		12	
ARTERIOSCLEROSIS (440)	1		6		1		2	
OTHER CIRCULATORY (441-448)			1		2		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		14		6		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		6		2		1	
PEPTIC ULCER (531-533)	1		1					
CIRRHOSIS OF LIVER (571)							1	
NEPHRITIS AND NEPHROSIS (580-584)	2		1				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		1					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		3					
SYMPTOMS & ILL-DEFINED COND. (780-796)	9		2		2			
ALL OTHER DISEASES (RESIDUAL)	17		24	1	5		6	
ACCIDENTAL DEATHS (E800-E949)	13		21		4		5	
MOTOR VEHICLE (E810-E823)	9		17		2		2	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)			1					
FALLS (E880-E887)	1		3				1	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)	1						1	
OTHER REMAINDER OF (E900-E949)	1				1			
SUICIDE (E950-E959)	1				1		1	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	125	16	422	1	177	1	8,751	3,072
ATTENDED BY M.D.	123	16	407	1	144		7,626	2,892
ATTENDED BY D.O.	2		15		33	1	1,120	174
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							5	6
TOTAL FETAL DEATHS	2		8		1		154	49
ATTENDED BY M.D.	2		8		1		135	48
ATTENDED BY D.O.							18	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL DEATHS	165	20	333	1	123	1	5,502	1,154
UNDER ONE YEAR OF AGE	6	1	15		4		154	73
NEONATAL DEATHS	4	1	12		4		121	51
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		1		9	6
SYPHILIS AND ITS SEQUELAE (090-097)							2	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			6		2		32	8
MALIGNANT NEOPLASMS (140-209)	25	3	63	1	21		1,012	188
DIGEST. ORGANS (150-159)	5	1	18	1	10		251	49
RESPIRATORY SYSTEM (160-163)	6	1	12		2		240	47
BREAST (174)	2		7				92	11
GENITAL ORGANS (180-187)	4		9		2		113	37
URINARY ORGANS (188-189)			1		1		43	5
LEUKEMIA (204-207)			1		1		45	5
OTHER REMAINDER OF (140-209)	8	1	15		5		228	34
DIABETES MELLITUS (250)	3	2	2		3	1	119	26
MAJOR CARDIOVASCULAR DISEASE (390-448)	95	10	185		51		2,696	370
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	64	5	137		38		1,867	246

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2				38	2
HYPERTENSIVE HEART (402,404)			2				27	18
ISCHEMIC HEART (410-414)	62	5	124		33		1,689	189
OTHER HEART DISEASE (420-429)	1		9		5		113	37
HYPERTENSION (400,401,403)		1	3				14	9
CEREBROVASCULAR DISEASE (430-438)	21	3	36		12		603	94
ARTERIOSCLEROSIS (440)	6	1			1		116	10
OTHER CIRCULATORY (441-448)	4		9				96	11
INFLUENZA/PNEUMONIA (470-474,480-486)	5		5		4		141	30
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		6		2		85	13
PEPTIC ULCER (531-533)		1	2				19	6
CIRRHOSIS OF LIVER (571)	2		4				79	19
NEPHRITIS AND NEPHROSIS (580-584)	1		2		2		24	16
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1	1	5				46	9
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	3		9		4		89	44
SYMPTOMS & ILL-DEFINED COND. (780-796)	1	1	5		2		413	178
ALL OTHER DISEASES (RESIDUAL)	14		22		9		351	78
ACCIDENTAL DEATHS (E800-E949)	12	2	10		19		261	74
MOTOR VEHICLE (E810-E823)	5	2	5		9		124	25
OTHER TRANS. (E800-E807,E825-E845)			1				8	1
POISONING (E850-E877)	1				7		11	9
FALLS (E880-E887)	3		3		1		59	8
FIRES (E890-E899)							12	13
DROWNING & SUBMERSIONS (E910)	1				1		11	5
FIREARM MISSILES (E922)	2						6	1
INDUSTRIAL (E916-E921,E923-E928)					1		16	7
OTHER REMAINDER OF (E900-E949)			1				14	5
SUICIDE (E950-E959)	1		4				66	10
HOMICIDE (E960-E978)			2		3		41	72
ALL OTHER EXTERNAL CAUSES (E980-E999)							17	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	1,281	22	2,158	18	614	44	77	
ATTENDED BY M.D.	1,082	15	2,118	18	558	40	20	
ATTENDED BY D.O.	198	7	40		56	4	57	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	15		24		2	1	1	
ATTENDED BY M.D.	14		24		2	1		
ATTENDED BY D.O.	1						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	1,089	22	744	7	258	9	106	
UNDER ONE YEAR OF AGE	21		32	1	7	1		
NEONATAL DEATHS	14		28		5			
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	4		1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	5		5		1	1		
MALIGNANT NEOPLASMS (140-209)	171	2	137	1	39	1	12	
DIGEST. ORGANS (150-159)	37	1	28		6		4	
RESPIRATORY SYSTEM (160-163)	38		42		9	1	3	
BREAST (174)	12	1	14		1		1	
GENITAL ORGANS (180-187)	21		14	1	6			
URINARY ORGANS (188-189)	11		8		1			
LEUKEMIA (204-207)	8		9		6			
OTHER REMAINDER OF (140-209)	44		22		10		4	
DIABETES MELLITUS (250)	19	1	6		1		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	590	13	375	3	156	3	68	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	394	8	271	3	116	3	41	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	8		9				1	
HYPERTENSIVE HEART (402,404)	12	1	4		4			
ISCHEMIC HEART (410-414)	364	6	248	3	95	3	37	
OTHER HEART DISEASE (420-429)	10	1	10		17		3	
HYPERTENSION (400,401,403)	3		3					
CEREBROVASCULAR DISEASE (430-438)	143	3	77		28		24	
ARTERIOSCLEROSIS (440)	30	1	11		10		2	
OTHER CIRCULATORY (441-448)	20	1	13		2		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	18		23	1	13		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	18	1	10		5		2	
PEPTIC ULCER (531-533)	4							
CIRRHOSIS OF LIVER (571)	11	1	5	1			1	
NEPHRITIS AND NEPHROSIS (580-584)	9		4		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	5		9					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	14		17		5			
SYMPTOMS & ILL-DEFINED COND. (780-796)	66	2	11		1			
ALL OTHER DISEASES (RESIDUAL)	67		55	1	13		8	
ACCIDENTAL DEATHS (E800-E949)	74	1	65		19	3	9	
MOTOR VEHICLE (E810-E823)	33		41		14	2	7	
OTHER TRANS. (E800-E807,E825-E845)			5					
POISONING (E850-E877)	1							
FALLS (E880-E887)	22		5		1			
FIRES (E890-E899)	1		1		1	1		
DROWNING & SUBMERSIONS (E910)	1	1	3		2			
FIREARM MISSILES (E922)	4							
INDUSTRIAL (E916-E921,E923-E928)	5		6					
OTHER REMAINDER OF (E900-E949)	7		4		1		2	
SUICIDE (E950-E959)	6	1	10		3	1	2	
HOMICIDE (E960-E978)	2		8					
ALL OTHER EXTERNAL CAUSES (E980-E999)	5		3		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	347	6	382	16	383	2	152	1
ATTENDED BY M.D.	333	6	260	14	358	2	124	
ATTENDED BY D.O.	13		122	2	25		28	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	4		4		3		3	
ATTENDED BY M.D.	4		3		2		2	
ATTENDED BY D.O.			1		1		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	228	5	314	16	378		116	4
UNDER ONE YEAR OF AGE	9		5		10		1	
NEONATAL DEATHS	6		4		6		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)	1							
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		1		3			
MALIGNANT NEOPLASMS (140-209)	36		40	3	67		28	
DIGEST. ORGANS (150-159)	4		9		20		9	
RESPIRATORY SYSTEM (160-163)	5		12	1	12		4	
BREAST (174)	7		1		6		1	
GENITAL ORGANS (180-187)	5		5		9		5	
URINARY ORGANS (188-189)	1		3	1			2	
LEUKEMIA (204-207)	1		2		6		1	
OTHER REMAINDER OF (140-209)	13		8	1	14		6	
DIABETES MELLITUS (250)	3		9		5		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	129	4	190	7	201		67	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	94	3	141	4	140		52	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		2		2	
HYPERTENSIVE HEART (402,404)	1		1		8			
ISCHEMIC HEART (410-414)	88	3	130	3	119		45	3
OTHER HEART DISEASE (420-429)	5		8	1	11		5	
HYPERTENSION (400,401,403)							1	
CEREBROVASCULAR DISEASE (430-438)	27		40	3	52		10	
ARTERIOSCLEROSIS (440)	3		3		6		3	
OTHER CIRCULATORY (441-448)	5	1	6		3		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		5		13		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		4		8			
PEPTIC ULCER (531-533)			1		5			
CIRRHOSIS OF LIVER (571)	2		4		3		1	
NEPHRITIS AND NEPHROSIS (580-584)			3		2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		5		4			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		1		5		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	10		4	2	14			
ALL OTHER DISEASES (RESIDUAL)	15		22	3	28		4	
ACCIDENTAL DEATHS (E800-E949)	11		19	1	13		7	1
MOTOR VEHICLE (E810-E823)	3		13		9		5	
OTHER TRANS. (E800-E807,E825-E845)	1				1			
POISONING (E850-E877)								
FALLS (E880-E887)	3		2		1		1	
FIRES (E890-E899)			1				1	1
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	1			1				
INDUSTRIAL (E916-E921,E923-E928)	2		2		1			
OTHER REMAINDER OF (E900-E949)	1		1		1			
SUICIDE (E950-E959)	1		3		3		1	
HOMICIDE (E960-E978)			3		3			
ALL OTHER EXTERNAL CAUSES (E980-E999)		1						

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	258	14	185	4	261	3	188	7
ATTENDED BY M.D.	152	6	110	3	187	2	150	7
ATTENDED BY D.O.	106	8	73	1	73	1	38	
ATTENDED BY MIDWIFE			1					
OTHERS OR UNSPECIFIED			1		1			
TOTAL FETAL DEATHS	2		2		1		6	
ATTENDED BY M.D.	1		2		1		2	
ATTENDED BY D.O.	1						4	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	220	18	305	1	214	7	177	1
UNDER ONE YEAR OF AGE	5	1	5		8	1	6	
NEONATAL DEATHS	5		5		8	1	4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1		1	
MALIGNANT NEOPLASMS (140-209)	37		49	1	28	1	20	
DIGEST. ORGANS (150-159)	10		14		5		2	
RESPIRATORY SYSTEM (160-163)	8		8		4		6	
BREAST (174)	6		6		2		5	
GENITAL ORGANS (180-187)	3		8		5		2	
URINARY ORGANS (188-189)			3		2			
LEUKEMIA (204-207)	4		3		1		2	
OTHER REMAINDER OF (140-209)	6		7	1	9	1	3	
DIABETES MELLITUS (250)	7		9		1		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	118	10	183		128	2	104	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	64	6	130		93		71	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			4		4			
HYPERTENSIVE HEART (402,404)	3		4		4			
ISCHEMIC HEART (410-414)	58	5	114		78		52	
OTHER HEART DISEASE (420-429)	3	1	8		7		19	
HYPERTENSION (400,401,403)	1		1		1		3	
CEREBROVASCULAR DISEASE (430-438)	46	4	47		25	2	23	
ARTERIOSCLEROSIS (440)	3		4		9		4	1
OTHER CIRCULATORY (441-448)	4		1				3	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		11		4		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5	2	3		5	1	1	
PEPTIC ULCER (531-533)			1		2			
CIRRHOSIS OF LIVER (571)	1				1		1	
NEPHRITIS AND NEPHROSIS (580-584)					1		5	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		4		5	1	4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	8	2	2		1		10	
ALL OTHER DISEASES (RESIDUAL)	13	1	27		17	1	7	
ACCIDENTAL DEATHS (E800-E949)	15	1	12		18	1	12	
MOTOR VEHICLE (E810-E823)	10		4		14	1	10	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	2		2		3			
FIRES (E890-E899)	1	1	1				1	
DROWNING & SUBMERSIONS (E910)	1		2					
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)			2		1		1	
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	7		1				2	
HOMICIDE (E960-E978)	1	1	1					
ALL OTHER EXTERNAL CAUSES (E980-E999)		1			1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	200	6	137		108	1	441	31
ATTENDED BY M.D.	72	1	99		47		437	31
ATTENDED BY D.O.	128	5	38		61	1	4	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	4		2		4		7	
ATTENDED BY M.D.	2		1		1		7	
ATTENDED BY D.O.	2		1		3			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	227	6	141		80		339	29
UNDER ONE YEAR OF AGE	5				3		8	1
NEONATAL DEATHS	3				3		7	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1		1			
MALIGNANT NEOPLASMS (140-209)	33	1	19		9		52	6
DIGEST. ORGANS (150-159)	12	1	3		4		14	
RESPIRATORY SYSTEM (160-163)	3		3				10	
BREAST (174)	3		5		1		5	
GENITAL ORGANS (180-187)	2		2		2		6	3
URINARY ORGANS (188-189)	2		2		1		1	1
LEUKEMIA (204-207)	2						3	
OTHER REMAINDER OF (140-209)	9		4		1		13	2
DIABETES MELLITUS (250)	1		1		2		6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	143	3	82		43		205	16
DISEASES OF HEART (390-398, 402, 404, 410-429)	103	2	54		28		142	10

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		2		1		1	
HYPERTENSIVE HEART (402,404)	14						1	1
ISCHEMIC HEART (410-414)	80	2	51		24		126	6
OTHER HEART DISEASE (420-429)	7		1		3		14	3
HYPERTENSION (400,401,403)	1	1					1	
CEREBROVASCULAR DISEASE (430-438)	30		17		13		39	5
ARTERIOSCLEROSIS (440)	7		10		1		21	1
OTHER CIRCULATORY (441-448)	2		1		1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		6		2		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		3		1		5	
PEPTIC ULCER (531-533)	1				1		2	
CIRRHOSIS OF LIVER (571)	1							
NEPHRITIS AND NEPHROSIS (580-584)	3		1				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1						2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3				3		5	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		11		11		12	2
ALL OTHER DISEASES (RESIDUAL)	14	2	8		4		23	1
ACCIDENTAL DEATHS (E800-E949)	18		7		3		18	2
MOTOR VEHICLE (E810-E823)	8		3		3		9	
OTHER TRANS. (E800-E807,E825-E845)			1				1	
POISONING (E850-E877)			1				1	
FALLS (E880-E887)	6		1				4	
FIRES (E890-E899)								1
DROWNING & SUBMERSIONS (E910)	1						1	1
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2		1				1	
OTHER REMAINDER OF (E900-E949)	1						1	
SUICIDE (E950-E959)							2	
HOMICIDE (E960-E978)			1					1
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	50		257		243	108	159	4
ATTENDED BY M.D.	19		106		109	13	130	1
ATTENDED BY D.O.	31		151		134	93	29	2
ATTENDED BY MIDWIFE						2		
OTHERS OR UNSPECIFIED								1
TOTAL FETAL DEATHS			3		1	4	1	
ATTENDED BY M.D.			2				1	
ATTENDED BY D.O.			1		1	4		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	73		187	1	178	44	139	4
UNDER ONE YEAR OF AGE	2		8		1	3	1	
NEONATAL DEATHS			4			1	1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)						1		1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1		1	
MALIGNANT NEOPLASMS (140-209)	10		33		25	3	19	
DIGEST. ORGANS (150-159)	4		8		7		5	
RESPIRATORY SYSTEM (160-163)	3		4		5	2	3	
BREAST (174)	1		6		2		1	
GENITAL ORGANS (180-187)			2		2	1	2	
URINARY ORGANS (188-189)	1							
LEUKEMIA (204-207)			2		3		2	
OTHER REMAINDER OF (140-209)	1		11		6		6	
DIABETES MELLITUS (250)	3		3		1	1	1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	47		106	1	82	24	97	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	33		70	1	56	13	73	3

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				2	
HYPERTENSIVE HEART (402,404)	3		1		1		3	
ISCHEMIC HEART (410-414)	26		62	1	49	10	62	3
OTHER HEART DISEASE (420-429)	3		6		6	3	6	
HYPERTENSION (400,401,403)			2		1	1		
CEREBROVASCULAR DISEASE (430-438)	9		29		23	9	20	
ARTERIOSCLEROSIS (440)	5		4		2	1	1	
OTHER CIRCULATORY (441-448)			1				3	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		7		6	2	6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		1		2	1	2	
PEPTIC ULCER (531-533)			1		2			
CIRRHOSIS OF LIVER (571)			1		2		1	
NEPHRITIS AND NEPHROSIS (580-584)	1				1		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		2		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3			1	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)			1		19	7		
ALL OTHER DISEASES (RESIDUAL)	4		11		19		7	
ACCIDENTAL DEATHS								
(E800-E949)	4		15		15	1	2	
MOTOR VEHICLE (E810-E823)	2		9		3	1	1	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)					1			
FALLS (E880-E887)					5		1	
FIRES (E890-E899)			1		2			
DROWNING & SUBMERSIONS (E910)	1		1		2			
FIREARM MISSILES (E922)			2		1			
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)	1		1					
SUICIDE (E950-E959)			1		1			
HOMICIDE (E960-E978)			1		1	3		
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	117	7	144	13	106	2	316	119
ATTENDED BY M.D.	96	7	80	7	93	2	258	91
ATTENDED BY D.O.	16		63	6	13		56	13
ATTENDED BY MIDWIFE	5						1	15
OTHERS OR UNSPECIFIED			1				1	
TOTAL FETAL DEATHS	2		2	1	3		3	3
ATTENDED BY M.D.	2		2	1	2		3	2
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								1
TOTAL DEATHS	152	5	153	11	122	2	237	63
UNDER ONE YEAR OF AGE	3	2	1				5	6
NEONATAL DEATHS	3	2					2	3
MATERNAL DEATHS								1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								1
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)						1		
MALIGNANT NEOPLASMS (140-209)	32	1	27	5	24		47	8
DIGEST. ORGANS (150-159)	7		9	3	4		13	2
RESPIRATORY SYSTEM (160-163)	9		5		5		10	1
BREAST (174)	1		1		2		2	
GENITAL ORGANS (180-187)	3		4	1	4		6	1
URINARY ORGANS (188-189)	1		1		1		4	
LEUKEMIA (204-207)	3		1		1		2	
OTHER REMAINDER OF (140-209)	8	1	6	1	7		10	4
DIABETES MELLITUS (250)	3		2		1		4	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	82	1	93	5	75	1	111	23
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	54		63	2	50		84	15

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				3		1	
HYPERTENSIVE HEART (402,404)	1		3		2		1	1
ISCHEMIC HEART (410-414)	48		55	2	44		78	13
OTHER HEART DISEASE (420-429)	4		5		1		4	1
HYPERTENSION (400,401,403)			3	1				
CEREBROVASCULAR DISEASE (430-438)	23	1	22	2	20	1	25	8
ARTERIOSCLEROSIS (440)	3		1		4		1	
OTHER CIRCULATORY (441-448)	2		4		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		2		5		5	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		1		3		6	
PEPTIC ULCER (531-533)	1		1		2			
CIRRHOSIS OF LIVER (571)	2							
NEPHRITIS AND NEPHROSIS (580-584)	1							3
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								1
CONGENITAL ANOMALIES (740-759)			1				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3	2					2	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	2	1	3				25	5
ALL OTHER DISEASES (RESIDUAL)	11		13	1	3		15	8
ACCIDENTAL DEATHS (E800-E949)	7		7		7		18	4
MOTOR VEHICLE (E810-E823)	5		4		2		15	2
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)			2		3			
FIRES (E890-E899)	1						1	1
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		1		1			
OTHER REMAINDER OF (E900-E949)					1		1	1
SUICIDE (E950-E959)			1				1	1
HOMICIDE (E960-E978)							2	2
ALL OTHER EXTERNAL CAUSES (E980-E999)			2		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	551	1	316	2	123		180	
ATTENDED BY M.D.	412		310	2	93		117	
ATTENDED BY D.O.	133	1	5		30		63	
ATTENDED BY MIDWIFE	5							
OTHERS OR UNSPECIFIED	1		1					
TOTAL FETAL DEATHS	9		1		2		1	
ATTENDED BY M.D.	6		1		2		1	
ATTENDED BY D.O.	3							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	347	4	266		139		122	
UNDER ONE YEAR OF AGE	11		5		4		2	
NEONATAL DEATHS	10		5		3		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				1			
MALIGNANT NEOPLASMS (140-209)	55	1	44		26		29	
DIGEST. ORGANS (150-159)	13		9		6		6	
RESPIRATORY SYSTEM (160-163)	15		12		6		9	
BREAST (174)	5	1	5		3		3	
GENITAL ORGANS (180-187)	6		5		2		2	
URINARY ORGANS (188-189)	3		2		2		2	
LEUKEMIA (204-207)			3				2	
OTHER REMAINDER OF (140-209)	13		8		7		5	
DIABETES MELLITUS (250)	5		6		3		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	180	2	152		76		65	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	120	2	91		60		50	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		3		1	
HYPERTENSIVE HEART (402,404)			3		2			
ISCHEMIC HEART (410-414)	106	2	83		51		43	
OTHER HEART DISEASE (420-429)	12		4		4		6	
HYPERTENSION (400,401,403)			1					
CEREBROVASCULAR DISEASE (430-438)	54		49		14		11	
ARTERIOSCLEROSIS (440)	6		4				2	
OTHER CIRCULATORY (441-448)			7		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	16		7		2		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		7		1			
PEPTIC ULCER (531-533)							1	
CIRRHOSIS OF LIVER (571)	4		2		2		1	
NEPHRITIS AND NEPHROSIS (580-584)	4		1		1		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		1		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	7		3		1			
SYMPTOMS & ILL-DEFINED COND. (780-796)	19		1				4	
ALL OTHER DISEASES (RESIDUAL)	21	1	18		8		6	
ACCIDENTAL DEATHS (E800-E949)	24		20		13		10	
MOTOR VEHICLE (E810-E823)	13		10		5		8	
OTHER TRANS. (E800-E807,E825-E845)	2						1	
POISONING (E850-E877)	1							
FALLS (E880-E887)	4		2		3			
FIRES (E890-E899)			4		1			
DROWNING & SUBMERSIONS (E910)	1							
FIREARM MISSILES (E922)	1				3			
INDUSTRIAL (E916-E921,E923-E928)	1		4				1	
OTHER REMAINDER OF (E900-E949)	1				1			
SUICIDE (E950-E959)	2		3		1			
HOMICIDE (E960-E978)	1		1					
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	84	1	338	233	235	1	471	27
ATTENDED BY M.D.	76	1	337	228	234	1	433	27
ATTENDED BY D.O.	8				1		38	
ATTENDED BY MIDWIFE				5				
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	1		4	3	1		5	
ATTENDED BY M.D.	1		4	3	1		4	
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	87		302	114	180		429	20
UNDER ONE YEAR OF AGE	1		18	12	6		15	1
NEONATAL DEATHS			15	6	3		12	
MATERNAL DEATHS			1	1				
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)				3	1		2	
MALIGNANT NEOPLASMS (140-209)	19		37	9	26		55	4
DIGEST. ORGANS (150-159)	5		8		5		18	2
RESPIRATORY SYSTEM (160-163)	3		12	2	5		4	
BREAST (174)	2		1		1		6	2
GENITAL ORGANS (180-187)	3		3	5	6		11	
URINARY ORGANS (188-189)	1		2		2		3	
LEUKEMIA (204-207)			3		3		2	
OTHER REMAINDER OF (140-209)	5		8	2	4		11	
DIABETES MELLITUS (250)	2		6	1	1		12	
MAJOR CARDIOVASCULAR DISEASE (390-448)	45		162	44	113		276	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	28		108	31	88		181	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				2	
HYPERTENSIVE HEART (402,404)	1		1	13	6		4	
ISCHEMIC HEART (410-414)	23		100	16	79		166	7
OTHER HEART DISEASE (420-429)	3		6	2	3		9	
HYPERTENSION (400,401,403)				1				
CEREBROVASCULAR DISEASE (430-438)	16		46	10	20		77	3
ARTERIOSCLEROSIS (440)	1		4		3		9	
OTHER CIRCULATORY (441-448)			4	2	2		9	1
INFLUENZA/PNEUMONIA (470-474,480-486)	2		4	1	3		11	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		5	2	1		7	
PEPTIC ULCER (531-533)	2						3	
CIRRHOSIS OF LIVER (571)			1				5	
NEPHRITIS AND NEPHROSIS (580-584)	1		3		1		3	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1	1				
CONGENITAL ANOMALIES (740-759)			3	1	3		4	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			11	3	2		8	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		29	14	5		1	
ALL OTHER DISEASES (RESIDUAL)	6		20	16	10		16	2
ACCIDENTAL DEATHS (E800-E949)	5		15	13	14		22	1
MOTOR VEHICLE (E810-E823)	1		9	2	7		7	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)					1		2	
FALLS (E880-E887)	2		2		3		3	
FIRES (E890-E899)				8				
DROWNING & SUBMERSIONS (E910)			1	1			1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		2	2	1		4	1
OTHER REMAINDER OF (E900-E949)	1		1		2		5	
SUICIDE (E950-E959)			3				3	
HOMICIDE (E960-E978)				4				
ALL OTHER EXTERNAL CAUSES (E980-E999)				2			1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	529	15	237	21	567	10	271	1
ATTENDED BY M.D.	359	14	178	17	528	10	256	1
ATTENDED BY D.O.	166	1	55	4	39		13	
ATTENDED BY MIDWIFE			4					
OTHERS OR UNSPECIFIED	4						2	
TOTAL FETAL DEATHS	5		4	1	4		5	
ATTENDED BY M.D.	4		3	1	4		4	
ATTENDED BY D.O.	1		1				1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	307		196	28	226	2	191	
UNDER ONE YEAR OF AGE	12		5		8		1	
NEONATAL DEATHS	9		4		6		1	
MATERNAL DEATHS	1						1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		3		2	
MALIGNANT NEOPLASMS (140-209)	41		33	8	41		27	
DIGEST. ORGANS (150-159)	14		4	1	12		3	
RESPIRATORY SYSTEM (160-163)	3		12	1	13		7	
BREAST (174)	2		3				1	
GENITAL ORGANS (180-187)	5		2	2	6		4	
URINARY ORGANS (188-189)	2		1	1				
LEUKEMIA (204-207)	4		2		1		3	
OTHER REMAINDER OF (140-209)	11		9	3	9		9	
DIABETES MELLITUS (250)	4		3		2			
MAJOR CARDIOVASCULAR DISEASE (390-448)	179		108	15	98	1	122	
DISEASES OF HEART (390-398, 402, 404, 410-429)	116		71	11	69		91	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		2				1	
HYPERTENSIVE HEART (402,404)	4		5	1			2	
ISCHEMIC HEART (410-414)	102		60	10	65		69	
OTHER HEART DISEASE (420-429)	8		4		4		19	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	51		24	4	18		25	
ARTERIOSCLEROSIS (440)	8		12		9		4	
OTHER CIRCULATORY (441-448)	3		1		2	1	2	
INFLUENZA/PNEUMONIA (470-474,480-486)	17		14		9		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		6		5		1	
PEPTIC ULCER (531-533)	1		1		3		1	
CIRRHOSIS OF LIVER (571)	2		4		2			
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1						1	
CONGENITAL ANOMALIES (740-759)	3		2		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	7		2		5		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	14		1		17	1	13	
ALL OTHER DISEASES (RESIDUAL)	13		8	1	17		7	
ACCIDENTAL DEATHS (E800-E949)	19		8	3	14		6	
MOTOR VEHICLE (E810-E823)	7		3	2	7		3	
OTHER TRANS. (E800-E807,E825-E845)	2			1				
POISONING (E850-E877)								
FALLS (E880-E887)	4		2		3			
FIRES (E890-E899)	1		1		1			
DROWNING & SUBMERSIONS (E910)					2			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	3		1				1	
OTHER REMAINDER OF (E900-E949)	2		1		1		2	
SUICIDE (E950-E959)	2		3		5		4	
HOMICIDE (E960-E978)				1	2			
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	405	18	86		91	2	301	27
ATTENDED BY M.D.	227	14	17		88		204	21
ATTENDED BY D.O.	178	4	69		3	1	96	6
ATTENDED BY MIDWIFE							1	
OTHERS OR UNSPECIFIED						1		
TOTAL FETAL DEATHS	7		1				5	
ATTENDED BY M.D.	4		1				3	
ATTENDED BY D.O.	3						2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	184	2	108		94	3	338	25
UNDER ONE YEAR OF AGE	15	1	3		1		5	
NEONATAL DEATHS	13		3		1		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		1		1		2	
MALIGNANT NEOPLASMS (140-209)	25		17		14		40	5
DIGEST. ORGANS (150-159)	6		3		3		10	1
RESPIRATORY SYSTEM (160-163)	5		3		2		8	
BREAST (174)							6	1
GENITAL ORGANS (180-187)	6		4		3		1	
URINARY ORGANS (188-189)	2		1		1		3	2
LEUKEMIA (204-207)			2				1	
OTHER REMAINDER OF (140-209)	6		4		5		11	1
DIABETES MELLITUS (250)	2		5		3		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	93	1	65		54	3	212	14
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	72	1	39		33	2	136	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		1	1		
HYPERTENSIVE HEART (402,404)	9						2	
ISCHEMIC HEART (410-414)	53		30		29	1	128	6
OTHER HEART DISEASE (420-429)	8	1	8		3		6	
HYPERTENSION (400,401,403)	1						2	
CEREBROVASCULAR DISEASE (430-438)	13		22		17		57	8
ARTERIOSCLEROSIS (440)	4		2		4	1	11	
OTHER CIRCULATORY (441-448)	3		2				6	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		1				10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		2		9	1
PEPTIC ULCER (531-533)	3				1		1	
CIRRHOSIS OF LIVER (571)	4				1		2	
NEPHRITIS AND NEPHROSIS (580-584)			1				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2						4	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	7		3		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	8	1	1		2		8	
ALL OTHER DISEASES (RESIDUAL)	8		7		6		20	2
ACCIDENTAL DEATHS (E800-E949)	17		2		7		18	2
MOTOR VEHICLE (E810-E823)	6		1		5		6	
OTHER TRANS. (E800-E807,E825-E845)	2							
POISONING (E850-E877)								
FALLS (E880-E887)	2				1		8	
FIRES (E890-E899)							1	1
DROWNING & SUBMERSIONS (E910)	1						1	1
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	4		1		1			
OTHER REMAINDER OF (E900-E949)	2						2	
SUICIDE (E950-E959)	2		3		2		4	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)	2							1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	265	5	87		152	1	1,942	30
ATTENDED BY M.D.	230	5	73		123	1	1,830	29
ATTENDED BY D.O.	35		11		28		111	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			3		1		1	
TOTAL FETAL DEATHS	2		2		2		22	
ATTENDED BY M.D.	2				1		20	
ATTENDED BY D.O.			2				2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
TOTAL DEATHS	239	8	75		165		544	12
UNDER ONE YEAR OF AGE	8	1					26	
NEONATAL DEATHS	6	1					21	
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		2		2		2	
MALIGNANT NEOPLASMS (140-209)	33	2	8		23		98	2
DIGEST. ORGANS (150-159)	10		1		4		17	
RESPIRATORY SYSTEM (160-163)	12	1	3		6		32	
BREAST (174)	2				3		7	1
GENITAL ORGANS (180-187)	2		1		3		14	1
URINARY ORGANS (188-189)	1						3	
LEUKEMIA (204-207)	1				1		3	
OTHER REMAINDER OF (140-209)	5	1	3		6		22	
DIABETES MELLITUS (250)	5		5		7		8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	142	5	46		83		284	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	88	3	33		58		204	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2						3	
HYPERTENSIVE HEART (402,404)	2		1				2	
ISCHEMIC HEART (410-414)	71	2	29		57		185	2
OTHER HEART DISEASE (420-429)	13	1	3		1		14	
HYPERTENSION (400,401,403)	1		1				2	1
CEREBROVASCULAR DISEASE (430-438)	31	1	11		20		56	1
ARTERIOSCLEROSIS (440)	20	1			2		12	
OTHER CIRCULATORY (441-448)	2		1		3		10	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		1		3		15	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		1		4		7	
PEPTIC ULCER (531-533)	1		1					
CIRRHOSIS OF LIVER (571)	1						8	
NEPHRITIS AND NEPHROSIS (580-584)			1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)	2				1		8	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4	1					18	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3				11		9	1
ALL OTHER DISEASES (RESIDUAL)	14		8		11		27	2
ACCIDENTAL DEATHS (E800-E949)	14		2		14		48	
MOTOR VEHICLE (E810-E823)	8		1		10		24	
OTHER TRANS. (E800-E807,E825-E845)	1						3	
POISONING (E850-E877)	1						2	
FALLS (E880-E887)	2				2		3	
FIRES (E890-E899)	1						6	
DROWNING & SUBMERSIONS (E910)					1		3	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1		1				2	
OTHER REMAINDER OF (E900-E949)					1		4	
SUICIDE (E950-E959)	2				2		6	
HOMICIDE (E960-E978)					1		4	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1		1	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	104	1	637	4	205		12,912	1,466
ATTENDED BY M.D.	64	1	417	2	168		12,576	1,419
ATTENDED BY D.O.	39		218	2	37		335	44
ATTENDED BY MIDWIFE								1
OTHERS OR UNSPECIFIED	1		2				1	2
TOTAL FETAL DEATHS	2		8		1		119	20
ATTENDED BY M.D.	2		6		1		115	20
ATTENDED BY D.O.			2				2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							2	
TOTAL DEATHS	136	2	509	5	115		6,523	340
UNDER ONE YEAR OF AGE	1		14		3		194	30
NEONATAL DEATHS	1		10		2		158	26
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							4	1
SYPHILIS AND ITS SEQUELAE (090-097)							2	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				1		23	
MALIGNANT NEOPLASMS (140-209)	18		85		23		1,341	56
DIGEST. ORGANS (150-159)	4		20		8		358	23
RESPIRATORY SYSTEM (160-163)	3		24		4		301	11
BREAST (174)	1		5				140	6
GENITAL ORGANS (180-187)	3		3		1		148	8
URINARY ORGANS (188-189)	2		9		2		66	2
LEUKEMIA (204-207)	1		5				58	1
OTHER REMAINDER OF (140-209)	4		19		8		270	5
DIABETES MELLITUS (250)	9		13		4		133	12
MAJOR CARDIOVASCULAR DISEASE (390-448)	74	2	270	3	59		3,370	118
DISEASES OF HEART								
(390-398,402,404,410-429)	57	2	185	3	41		2,471	72

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		4	1	1		65	1
HYPERTENSIVE HEART (402,404)	1		1		1		33	7
ISCHEMIC HEART (410-414)	51	2	174	2	37		2,292	55
OTHER HEART DISEASE (420-429)	4		6		2		81	9
HYPERTENSION (400,401,403)	1		1				32	2
CEREBROVASCULAR DISEASE (430-438)	16		67		14		678	36
ARTERIOSCLEROSIS (440)			9		2		107	4
OTHER CIRCULATORY (441-448)			8		2		82	4
INFLUENZA/PNEUMONIA (470-474,480-486)	5		25		1		153	11
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		10		2		87	8
PEPTIC ULCER (531-533)			6				25	
CIRRHOSIS OF LIVER (571)	2		3		3		88	4
NEPHRITIS AND NEPHROSIS (580-584)			3		1		21	5
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		6				75	3
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1		8		2		111	23
SYMPTOMS & ILL-DEFINED COND. (780-796)			14	1	4		232	21
ALL OTHER DISEASES (RESIDUAL)	9		29		9		398	29
ACCIDENTAL DEATHS (E800-E949)	12		29	1	3		324	22
MOTOR VEHICLE (E810-E823)	6		12	1	2		166	13
OTHER TRANS. (E800-E807,E825-E845)							12	
POISONING (E850-E877)			1				13	2
FALLS (E880-E887)	1		9				63	3
FIRES (E890-E899)							21	
DROWNING & SUBMERSIONS (E910)	2						18	3
FIREARM MISSILES (E922)			1				2	
INDUSTRIAL (E916-E921,E923-E928)	2		1				16	
OTHER REMAINDER OF (E900-E949)	1		5		1		13	1
SUICIDE (E950-E959)	1		4		2		87	4
HOMICIDE (E960-E978)			4		1		25	18
ALL OTHER EXTERNAL CAUSES (E980-E999)							24	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	4,897	6,651	327	19	82		66	
ATTENDED BY M.D.	4,819	6,639	321	19	10		15	
ATTENDED BY D.O.	77	10	5		72		51	
ATTENDED BY MIDWIFE		1						
OTHERS OR UNSPECIFIED	1	1	1					
TOTAL FETAL DEATHS	58	120	3		1		1	
ATTENDED BY M.D.	51	118	3		1			
ATTENDED BY D.O.	1	1					1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	6	1						
TOTAL DEATHS	6,266	2,889	326	27	73		74	
UNDER ONE YEAR OF AGE	103	206	10	1	1		2	
NEONATAL DEATHS	80	159	9	1	1		1	
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	15	16						
SYPHILIS AND ITS SEQUELAE (090-097)	1	3						
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	15	19	1					
MALIGNANT NEOPLASMS (140-209)	1,079	472	52	6	13		12	
DIGEST. ORGANS (150-159)	296	135	11	1	8		4	
RESPIRATORY SYSTEM (160-163)	272	92	12	1	1		1	
BREAST (174)	87	45	2	1	1		1	
GENITAL ORGANS (180-187)	144	77	7	1	1		3	
URINARY ORGANS (188-189)	54	21	2	1	1		2	
LEUKEMIA (204-207)	47	17	2		1			
OTHER REMAINDER OF (140-209)	179	85	16	1			1	
DIABETES MELLITUS (250)	173	79	4	1			2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	3,674	1,280	196	13	46		49	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	2,695	848	142	10	31		38	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	50	13			1			
HYPERTENSIVE HEART (402,404)	28	25	6	2	3			
ISCHEMIC HEART (410-414)	2,537	753	120	7	22		37	
OTHER HEART DISEASE (420-429)	80	57	16	1	5		1	
HYPERTENSION (400,401,403)	21	33	1					
CEREBROVASCULAR DISEASE (430-438)	718	328	50	1	13		10	
ARTERIOSCLEROSIS (440)	169	44	1		1			
OTHER CIRCULATORY (441-448)	71	27	2	2	1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	171	108	7	1	3		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	82	27	3	2				
PEPTIC ULCER (531-533)	33	10	1				1	
CIRRHOSIS OF LIVER (571)	92	60			1		2	
NEPHRITIS AND NEPHROSIS (580-584)	23	40	1	1			1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	33	18	2					
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	63	139	6	1	1			
SYMPTOMS & ILL-DEFINED COND. (780-796)	42	11						
ALL OTHER DISEASES (RESIDUAL)	440	265	31		6		4	
ACCIDENTAL DEATHS (E800-E949)	227	146	19	1	3		2	
MOTOR VEHICLE (E810-E823)	85	50	10		2		1	
OTHER TRANS. (E800-E807,E825-E845)	5							
POISONING (E850-E877)	3	7						
FALLS (E880-E887)	84	27	2	1				
FIRES (E890-E899)	13	16						
DROWNING & SUBMERSIONS (E910)	8	9	3					
FIREARM MISSILES (E922)	2	11	1					
INDUSTRIAL (E916-E921,E923-E928)	5	6	1		1		1	
OTHER REMAINDER OF (E900-E949)	22	20	2					
SUICIDE (E950-E959)	39	14	2					
HOMICIDE (E960-E978)	39	153		1				
ALL OTHER EXTERNAL CAUSES (E980-E999)	24	29	1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	581	96	108	1	98	2	395	31
ATTENDED BY M.D.	449	39	97	1	71	2	213	9
ATTENDED BY D.O.	126	24	11		27		182	22
ATTENDED BY MIDWIFE	5	33						
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	2	1	1				4	
ATTENDED BY M.D.	1	1	1				3	
ATTENDED BY D.O.	1						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	335	37	86		149	4	334	14
UNDER ONE YEAR OF AGE	13	3	1		1		7	
NEONATAL DEATHS	11	1			1		7	
MATERNAL DEATHS		1						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)		1					1	1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1	1						
MALIGNANT NEOPLASMS (140-209)	48	5	9		15	2	36	4
DIGEST. ORGANS (150-159)	10	1	3		6	1	7	
RESPIRATORY SYSTEM (160-163)	14	2			2		10	2
BREAST (174)	5						2	1
GENITAL ORGANS (180-187)	5		3		3		2	
URINARY ORGANS (188-189)					2			
LEUKEMIA (204-207)	4				1	1	4	
OTHER REMAINDER OF (140-209)	10	2	3		1		11	1
DIABETES MELLITUS (250)	6	1	3		1		8	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	185	14	57		105	1	203	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	139	8	37		70		148	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				1		1	
HYPERTENSIVE HEART (402,404)	3				15		5	
ISCHEMIC HEART (410-414)	129	7	37		52		134	
OTHER HEART DISEASE (420-429)	5	1			2		8	
HYPERTENSION (400,401,403)	1		1		8		2	
CEREBROVASCULAR DISEASE (430-438)	37	6	14		21	1	44	
ARTERIOSCLEROSIS (440)	3		2		4		5	
OTHER CIRCULATORY (441-448)	5		3		2		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	10	2	1		4		8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		3		3		7	
PEPTIC ULCER (531-533)	3				1		1	
CIRRHOSIS OF LIVER (571)	2	1	2		1		2	
NEPHRITIS AND NEPHROSIS (580-584)	2				1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		1						
CONGENITAL ANOMALIES (740-759)	3						2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	9	3			1		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4				1	1	14	
ALL OTHER DISEASES (RESIDUAL)	30	3	4		8		23	1
ACCIDENTAL DEATHS (E800-E949)	24	4	7		4		20	6
MOTOR VEHICLE (E810-E823)	14		3		3		9	2
OTHER TRANS. (E800-E807,E825-E845)	1						1	
POISONING (E850-E877)	2							
FALLS (E880-E887)	1		3				2	
FIRES (E890-E899)		3					6	3
DROWNING & SUBMERSIONS (E910)	1						1	
FIREARM MISSILES (E922)	2							
INDUSTRIAL (E916-E921,E923-E928)	2	1	1		1		1	
OTHER REMAINDER OF (E900-E949)	1							1
SUICIDE (E950-E959)	3				4		2	
HOMICIDE (E960-E978)	3	1						1
ALL OTHER EXTERNAL CAUSES (E980-E999)							2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	150		95		173	1	294	
ATTENDED BY M.D.	149		21		172	1	206	
ATTENDED BY D.O.	1		74		1		87	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	1		1		4		5	
ATTENDED BY M.D.	1		1		4		3	
ATTENDED BY D.O.							2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	121		126		148		230	
UNDER ONE YEAR OF AGE	1		1		1		7	
NEONATAL DEATHS			1		1		6	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1			
MALIGNANT NEOPLASMS (140-209)	24		13		29		44	
DIGEST. ORGANS (150-159)	4		5		8		8	
RESPIRATORY SYSTEM (160-163)	8				7		14	
BREAST (174)	2				2		6	
GENITAL ORGANS (180-187)	2		3		3		9	
URINARY ORGANS (188-189)			2		1			
LEUKEMIA (204-207)	2		1		2		1	
OTHER REMAINDER OF (140-209)	6		2		6		6	
DIABETES MELLITUS (250)	3		2		1		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	65		79		79		137	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	52		58		55		99	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1					
HYPERTENSIVE HEART (402,404)			2				11	
ISCHEMIC HEART (410-414)	46		45		53		82	
OTHER HEART DISEASE (420-429)	6		10		2		6	
HYPERTENSION (400,401,403)							1	
CEREBROVASCULAR DISEASE (430-438)	13		20		23		33	
ARTERIOSCLEROSIS (440)			1				3	
OTHER CIRCULATORY (441-448)					1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		10		3		11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			1		1			
PEPTIC ULCER (531-533)					1		1	
CIRRHOSIS OF LIVER (571)					2			
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)							3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		1		6	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		2		10		7	
ALL OTHER DISEASES (RESIDUAL)	6		11		9		1	
ACCIDENTAL DEATHS (E800-E949)	13		4		9		14	
MOTOR VEHICLE (E810-E823)	8		3		7		6	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)								
FALLS (E880-E887)	1				2		2	
FIRES (E890-E899)	2						4	
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		1				2	
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)			2		1		3	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	228		161	11	314	3	133	
ATTENDED BY M.D.	204		137	9	212	1	107	
ATTENDED BY D.O.	24		24	2	100	2	24	
ATTENDED BY MIDWIFE					1		1	
OTHERS OR UNSPECIFIED					1		1	
TOTAL FETAL DEATHS			1		7		1	
ATTENDED BY M.D.			1		6			
ATTENDED BY D.O.					1		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	261		102	6	180	2	117	
UNDER ONE YEAR OF AGE	5		1		5		3	
NEONATAL DEATHS	3		1		4		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				2		2	
MALIGNANT NEOPLASMS (140-209)	36		15	2	29		20	
DIGEST. ORGANS (150-159)	10		5	2	5		4	
RESPIRATORY SYSTEM (160-163)	4		3		8		7	
BREAST (174)	5		1		3		2	
GENITAL ORGANS (180-187)	3		3		4		1	
URINARY ORGANS (188-189)	1		2				2	
LEUKEMIA (204-207)	3				1			
OTHER REMAINDER OF (140-209)	10		1		8		4	
DIABETES MELLITUS (250)	4		1		10		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	147		65	4	80	1	57	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	93		53	2	57	1	37	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				2		1	
HYPERTENSIVE HEART (402,404)	5		1				1	
ISCHEMIC HEART (410-414)	81		48	2	51	1	32	
OTHER HEART DISEASE (420-429)	6		4		4		3	
HYPERTENSION (400,401,403)	2			1	2		1	
CEREBROVASCULAR DISEASE (430-438)	49		8	1	14		16	
ARTERIOSCLEROSIS (440)	2		3		6		1	
OTHER CIRCULATORY (441-448)	1		1		1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	13				8		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2				3		1	
PEPTIC ULCER (531-533)	3				2		2	
CIRRHOSIS OF LIVER (571)			1		3		1	
NEPHRITIS AND NEPHROSIS (580-584)	1				3			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		1		3		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		1		2		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	12		1		8		8	
ALL OTHER DISEASES (RESIDUAL)	7		7		9		11	
ACCIDENTAL DEATHS								
(E800-E949)	23		9		16	1	6	
MOTOR VEHICLE (E810-E823)	15		5		8		2	
OTHER TRANS. (E800-E807,E825-E845)							2	
POISONING (E850-E877)								
FALLS (E880-E887)	3		3		2			
FIRES (E890-E899)	3				1			
DROWNING & SUBMERSIONS (E910)					1		1	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1		1		3			
OTHER REMAINDER OF (E900-E949)	1				1	1		
SUICIDE (E950-E959)	3		1		1		2	
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	279		40		219	
ATTENDED BY M.D.	245		29		138	
ATTENDED BY D.O.	31		11		77	
ATTENDED BY MIDWIFE	1					
OTHERS OR UNSPECIFIED	2				4	
TOTAL FETAL DEATHS	4				1	
ATTENDED BY M.D.	4				1	
ATTENDED BY D.O.						
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED						
TOTAL DEATHS	201	2	65		192	3
UNDER ONE YEAR OF AGE	9	1	1		2	
NEONATAL DEATHS	8	1	1		2	
MATERNAL DEATHS						
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)	1				1	
SYPHILIS AND ITS SEQUELAE (090-097)						
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)					1	
MALIGNANT NEOPLASMS (140-209)	33		7		36	2
DIGEST. ORGANS (150-159)	7		1		8	
RESPIRATORY SYSTEM (160-163)	9		1		7	1
BREAST (174)	3				3	
GENITAL ORGANS (180-187)	4				8	1
URINARY ORGANS (188-189)			1		1	
LEUKEMIA (204-207)	3		1			
OTHER REMAINDER OF (140-209)	7		3		9	
DIABETES MELLITUS (250)	4		5		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	118	1	41		110	
DISEASES OF HEART (390-398, 402, 404, 410-429)	78	1	30		79	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	WEBSTER		WORTH		WRIGHT			
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3							
HYPERTENSIVE HEART (402,404)			2		1			
ISCHEMIC HEART (410-414)	72	1	28		74			
OTHER HEART DISEASE (420-429)	3				4			
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	33		7		26			
ARTERIOSCLEROSIS (440)	4		3		3			
OTHER CIRCULATORY (441-448)	2		1		2			
INFLUENZA/PNEUMONIA (470-474,480-486)	7				5			
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		4		4			
PEPTIC ULCER (531-533)					1			
CIRRHOSIS OF LIVER (571)	1		1					
NEPHRITIS AND NEPHROSIS (580-584)	1							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3				1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4	1	1		2			
SYMPTOMS & ILL-DEFINED COND. (780-796)					5			
ALL OTHER DISEASES (RESIDUAL)	13		5		6			
ACCIDENTAL DEATHS (E800-E949)	13		1		13			
MOTOR VEHICLE (E810-E823)	9				7			
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			1					
FALLS (E880-E887)	2				2			
FIRES (E890-E899)					4			
DROWNING & SUBMERSIONS (E910)	1							
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)	1							
SUICIDE (E950-E959)	1				1			
HOMICIDE (E960-E978)					2			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1	1		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	158	3	51		198	45	150	31
ATTENDED BY M.D.	155	3	48		174	37	150	30
ATTENDED BY D.O.	3		3		23	8		1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS	2		1		1		1	
ATTENDED BY M.D.	2		1		1		1	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	65	1	101		81	3	83	7
UNDER ONE YEAR OF AGE	3	1	2		3	1	5	1
NEONATAL DEATHS	2	1	1		2		4	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							1	
MALIGNANT NEOPLASMS (140-209)	17		27		15		18	1
DIGEST. ORGANS (150-159)	4		8		5		5	1
RESPIRATORY SYSTEM (160-163)	3		8		1		1	
BREAST (174)	2		1		2			
GENITAL ORGANS (180-187)			3		1		3	
URINARY ORGANS (188-189)	2		1		1		2	
LEUKEMIA (204-207)	2		1				2	
OTHER REMAINDER OF (140-209)	4		5		5		5	
DIABETES MELLITUS (250)			1				1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	21		49		39	1	44	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	13		39		29		33	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	BALLWIN		BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				2		2	
HYPERTENSIVE HEART (402,404)			1		1		2	
ISCHEMIC HEART (410-414)	12		37		23		27	1
OTHER HEART DISEASE (420-429)			1		3		2	1
HYPERTENSION (400,401,403)	1		1					
CEREBROVASCULAR DISEASE (430-438)	6		7		8	1	9	2
ARTERIOSCLEROSIS (440)	1		1		1		1	
OTHER CIRCULATORY (441-448)			1		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)			2		2	1	2	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1				1	
PEPTIC ULCER (531-533)			1					
CIRRHOSIS OF LIVER (571)	1		2		1			
NEPHRITIS AND NEPHROSIS (580-584)			1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4				1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2	1	1		2		4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		2		3		3	
ALL OTHER DISEASES (RESIDUAL)	2		8		10	1	3	
ACCIDENTAL DEATHS (E800-E949)	9		3		5		5	
MOTOR VEHICLE (E810-E823)	6		1		2		2	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)	1				1			
FALLS (E880-E887)	1						2	
FIRES (E890-E899)	1				1			
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1		1			
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	2		2		1			
HOMICIDE (E960-E978)								1
ALL OTHER EXTERNAL CAUSES (E980-E999)	2				1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	262	6	411	29	169	4	96	7
ATTENDED BY M.D.	252	6	385	28	154	3	96	7
ATTENDED BY D.O.	10		26	1	15	1		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		3		1		1	1
ATTENDED BY M.D.	2		3		1		1	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	79		264	16	187	5	171	2
UNDER ONE YEAR OF AGE	4		14	2			1	
NEONATAL DEATHS	4		13	1			1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (1000-136)	1		1				1	
MALIGNANT NEOPLASMS (140-209)	11		44	4	30		43	
DIGEST. ORGANS (150-159)	2		10		2		9	
RESPIRATORY SYSTEM (160-163)	3		9		3		5	
BREAST (174)	2		4		4		6	
GENITAL ORGANS (180-187)			7	2	5		5	
URINARY ORGANS (188-189)			1	1	2		5	
LEUKEMIA (204-207)			1		1		2	
OTHER REMAINDER OF (140-209)	4		12	1	13		11	
DIABETES MELLITUS (250)	3		4		5		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	41		142	4	112	3	91	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	27		109	3	79	2	63	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	BRIDGETON		CAPE GIRARDEAU		CARTHAGE		CLAYTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				3			
HYPERTENSIVE HEART (402,404)			5					
ISCHEMIC HEART (410-414)	25		98	2	75	1	62	1
OTHER HEART DISEASE (420-429)	1		6	1	1	1	1	
HYPERTENSION (400,401,403)			1					
CEREBROVASCULAR DISEASE (430-438)	12		24	1	23	1	24	
ARTERIOSCLEROSIS (440)			6		8		2	
OTHER CIRCULATORY (441-448)	2		2		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		9		3		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			3		3	1	2	
PEPTIC ULCER (531-533)			1		1			
CIRRHOSIS OF LIVER (571)			2		1			
NEPHRITIS AND NEPHROSIS (580-584)								
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		1					
DISEASES OF EARLY INFANCY								
(760-769.2,769.4-772,774-778)	3		13	1			1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		5	2	12	1	5	
ALL OTHER DISEASES (RESIDUAL)	8		18	1	13		8	1
ACCIDENTAL DEATHS								
(E800-E949)	2		16	3	5		3	
MOTOR VEHICLE (E810-E823)	1		12	1	2		2	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)								
FALLS (E880-E887)	1		1	1	2			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)							1	
OTHER REMAINDER OF (E900-E949)			2	1				
SUICIDE (E950-E959)	2		3		1		2	
HOMICIDE (E960-E978)				1	1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	741	148	88	3	329	11	904	11
ATTENDED BY M.D.	738	145	88	3	304	10	861	11
ATTENDED BY D.O.	3	2			25	1	43	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED		1						
TOTAL FETAL DEATHS	12	1	1		4		6	
ATTENDED BY M.D.	12	1	1		4		5	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL DEATHS	248	29	55		197		329	
UNDER ONE YEAR OF AGE	13		1		4		19	
NEONATAL DEATHS	13		1		4		18	
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	4				1		1	
MALIGNANT NEOPLASMS (140-209)	61	4	12		43		67	
DIGEST. ORGANS (150-159)	11	1	4		11		13	
RESPIRATORY SYSTEM (160-163)	22		1		11		14	
BREAST (174)	7		2		5		6	
GENITAL ORGANS (180-187)	6	1	1		4		7	
URINARY ORGANS (188-189)			1		4		5	
LEUKEMIA (204-207)	1		1		1		6	
OTHER REMAINDER OF (140-209)	14	2	2		7		16	
DIABETES MELLITUS (250)	7	1			4		10	
MAJOR CARDIOVASCULAR DISEASE (390-448)	97	15	26		95		157	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	58	11	22		69		117	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	COLUMBIA		CRESTWOOD		FERGUSON		FLORISSANT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3				5		1	
HYPERTENSIVE HEART (402,404)							2	
ISCHEMIC HEART (410-414)	53	9	22		64		110	
OTHER HEART DISEASE (420-429)	2	2					4	
HYPERTENSION (400,401,403)							3	
CEREBROVASCULAR DISEASE (430-438)	35	4	3		19		27	
ARTERIOSCLEROSIS (440)			1		4		5	
OTHER CIRCULATORY (441-448)	4				3		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	12		3		7		9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		1		2		4	
PEPTIC ULCER (531-533)	3				1			
CIRRHOSIS OF LIVER (571)	3	2	1		2		3	
NEPHRITIS AND NEPHROSIS (580-584)	1		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	3				3		7	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	12		1				13	
SYMPTOMS & ILL-DEFINED COND. (780-796)			1		8		14	
ALL OTHER DISEASES (RESIDUAL)	19	4	3		12		18	
ACCIDENTAL DEATHS (E800-E949)	18		6		12		16	
MOTOR VEHICLE (E810-E823)	11		4		7		9	
OTHER TRANS. (E800-E807,E825-E845)	1		1					
POISONING (E850-E877)	1							
FALLS (E880-E887)	2		1		2		4	
FIRES (E890-E899)					1		1	
DROWNING & SUBMERSIONS (E910)	1						1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)					1			
OTHER REMAINDER OF (E900-E949)	2				1		1	
SUICIDE (E950-E959)	1	1			5		7	
HOMICIDE (E960-E978)		2					1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	99	20	331		388	17	276	29
ATTENDED BY M.D.	81	16	320		366	17	274	29
ATTENDED BY D.O.	18	4	11		22		2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS			1		7		5	
ATTENDED BY M.D.			1		6		5	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	110	13	52		74	1	241	27
UNDER ONE YEAR OF AGE	4	2	4		4		4	1
NEONATAL DEATHS	3	1	4		2		3	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1							
MALIGNANT NEOPLASMS (140-209)	8	2	7		12		35	6
DIGEST. ORGANS (150-159)	2		3		4		11	
RESPIRATORY SYSTEM (160-163)	4	1			3		9	
BREAST (174)			1				2	
GENITAL ORGANS (180-187)	1						1	3
URINARY ORGANS (188-189)							1	1
LEUKEMIA (204-207)					1		2	
OTHER REMAINDER OF (140-209)	1	1	3		4		9	2
DIABETES MELLITUS (250)	1	1	1		2		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	57	6	29		39		148	14
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	43	3	24		27		106	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	FULTON		GLADSTONE		GRANDVIEW		HANNIBAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1		1	
HYPERTENSIVE HEART (402,404)	8							1
ISCHEMIC HEART (410-414)	33	3	21		26		92	5
OTHER HEART DISEASE (420-429)	2		2				13	3
HYPERTENSION (400,401,403)					2			
CEREBROVASCULAR DISEASE (430-438)	11	2	4		9		26	4
ARTERIOSCLEROSIS (440)			1				14	1
OTHER CIRCULATORY (441-448)	3	1			1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	4	1	1		3		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		2				3	
PEPTIC ULCER (531-533)			1				1	
CIRRHOSIS OF LIVER (571)	2							
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				1			
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	3	1	4		2		3	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	9				3		9	2
ALL OTHER DISEASES (RESIDUAL)	10	2	2		6		17	1
ACCIDENTAL DEATHS (E800-E949)	6		1		5		14	2
MOTOR VEHICLE (E810-E823)	2				2		5	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)							1	
FALLS (E880-E887)	2						4	
FIRES (E890-E899)								1
DROWNING & SUBMERSIONS (E910)					1		1	1
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		1				1	
OTHER REMAINDER OF (E900-E949)	1				1		1	
SUICIDE (E950-E959)	1		3		1	1	2	
HOMICIDE (E960-E978)	1							1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	244	18	1,992	23	461	25	171	13
ATTENDED BY M.D.	235	16	1,743	17	331	18	155	13
ATTENDED BY D.O.	9	2	248	6	130	7	16	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	4		27		5		1	
ATTENDED BY M.D.	3		19		3		1	
ATTENDED BY D.O.	1		8		2			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	85	8	822	11	266	17	223	
UNDER ONE YEAR OF AGE	5	2	31		11		1	
NEONATAL DEATHS	5	2	28		10		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2					
SYPHILIS AND ITS SEQUELAE (090-097)						1		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			4			1	1	
MALIGNANT NEOPLASMS (140-209)	15	2	160	3	40	4	50	
DIGEST. ORGANS (150-159)	4	1	29	1	15	1	21	
RESPIRATORY SYSTEM (160-163)	3		37		6	2	4	
BREAST (174)	1		17		4	1	7	
GENITAL ORGANS (180-187)	4		19	1	6		5	
URINARY ORGANS (188-189)			8		2		3	
LEUKEMIA (204-207)			3				1	
OTHER REMAINDER OF (140-209)	3	1	47	1	7		9	
DIABETES MELLITUS (250)	2		18	1	5		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	42	2	414	3	166	4	121	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	32	2	316	2	121	3	88	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	HAZELWOOD		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		7				3	
HYPERTENSIVE HEART (402,404)			3	1	3		4	
ISCHEMIC HEART (410-414)	28	2	291	1	117	3	77	
OTHER HEART DISEASE (420-429)	3		15		1		4	
HYPERTENSION (400,401,403)	2		3				3	
CEREBROVASCULAR DISEASE (430-438)	8		76	1	37	1	24	
ARTERIOSCLEROSIS (440)			9		5		4	
OTHER CIRCULATORY (441-448)			10		3		2	
INFLUENZA/PNEUMONIA (470-474,480-486)			18	1	7	2	8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			12				7	
PEPTIC ULCER (531-533)			2	1	2		1	
CIRRHOSIS OF LIVER (571)	2		6		3	1	4	
NEPHRITIS AND NEPHROSIS (580-584)			6					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		8		3		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3	2	21		9			
SYMPTOMS & ILL-DEFINED COND. (780-796)	3	1	36	2	1		3	
ALL OTHER DISEASES (RESIDUAL)	5		59		12	2	15	
ACCIDENTAL DEATHS (E800-E949)	8	1	38		12		3	
MOTOR VEHICLE (E810-E823)	7		21		5		1	
OTHER TRANS. (E800-E807,E825-E845)					2			
POISONING (E850-E877)					1			
FALLS (E880-E887)			9		1		1	
FIRES (E890-E899)			3		1			
DROWNING & SUBMERSIONS (E910)		1	1		1		1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		4					
OTHER REMAINDER OF (E900-E949)					1			
SUICIDE (E950-E959)	2		11		5		3	
HOMICIDE (E960-E978)			4		1	2		
ALL OTHER EXTERNAL CAUSES (E980-E999)			3				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	617	17	6,157	3,035	4,845	3,021	1,095	13
ATTENDED BY M.D.	519	11	5,429	2,861	4,233	2,848	998	12
ATTENDED BY D.O.	98	6	725	168	609	167	97	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			3	6	3	6		
TOTAL FETAL DEATHS	11		105	49	96	49	9	
ATTENDED BY M.D.	10		94	48	87	48	7	
ATTENDED BY D.O.	1		10	1	8	1	2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1		1			
TOTAL DEATHS	533	15	4,430	1,143	4,086	1,142	305	1
UNDER ONE YEAR OF AGE	10		117	73	95	73	21	
NEONATAL DEATHS	8		83	51	70	51	13	
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3		6	6	6	6		
SYPHILIS AND ITS SEQUELAE (090-097)			2		2			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	4		26	8	23	8	1	
MALIGNANT NEOPLASMS (140-209)	85	2	818	185	736	185	73	
DIGEST. ORGANS (150-159)	25	1	209	48	186	48	22	
RESPIRATORY SYSTEM (160-163)	19		195	47	179	47	12	
BREAST (174)	8	1	75	11	66	11	9	
GENITAL ORGANS (180-187)	9		86	36	82	36	4	
URINARY ORGANS (188-189)	1		36	5	33	5	3	
LEUKEMIA (204-207)	3		42	5	35	5	7	
OTHER REMAINDER OF (140-209)	20		175	33	155	33	16	
DIABETES MELLITUS (250)	8		90	25	86	25	4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	273	9	2,160	367	2,007	367	141	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	173	5	1,462	244	1,358	244	97	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4		29	2	28	2	1	
HYPERTENSIVE HEART (402,404)	5	1	20	17	20	17		
ISCHEMIC HEART (410-414)	159	4	1,316	188	1,219	188	90	
OTHER HEART DISEASE (420-429)	5		97	37	91	37	6	
HYPERTENSION (400,401,403)	2		10	9	8	9	2	
CEREBROVASCULAR DISEASE (430-438)	73	2	503	93	465	93	35	
ARTERIOSCLEROSIS (440)	13	1	103	10	98	10	4	
OTHER CIRCULATORY (441-448)	12	1	82	11	78	11	3	
INFLUENZA/PNEUMONIA (470-474,480-486)	11		114	29	106	29	7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	11		65	13	61	13	4	
PEPTIC ULCER (531-533)	2		17	5	17	5		
CIRRHOSIS OF LIVER (571)	7	1	76	19	70	19	5	
NEPHRITIS AND NEPHROSIS (580-584)	8		17	16	17	16		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	2		32	9	31	9	1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	8		63	44	51	44	12	
SYMPTOMS & ILL-DEFINED COND. (780-796)	26	1	358	176	349	176	6	
ALL OTHER DISEASES (RESIDUAL)	42		279	78	257	78	18	
ACCIDENTAL DEATHS (E800-E949)	35	1	205	74	178	74	24	
MOTOR VEHICLE (E810-E823)	11		89	25	77	25	11	
OTHER TRANS. (E800-E807,E825-E845)			9	1	6	1	3	
POISONING (E850-E877)	2		9	9	8	9	1	
FALLS (E880-E887)	12		50	8	46	8	4	
FIRES (E890-E899)			9	13	9	13		
DROWNING & SUBMERSIONS (E910)		1	12	5	9	5	2	
FIREARM MISSILES (E922)	2		3	1	3	1		
INDUSTRIAL (E916-E921,E923-E928)	3		11	7	10	7	1	
OTHER REMAINDER OF (E900-E949)	5		13	5	10	5	2	
SUICIDE (E950-E959)	4	1	55	10	47	9	6	1
HOMICIDE (E960-E978)	1		35	72	32	72	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		12	7	10	7	2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LADUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	217	1	297	11	327	59	64	
ATTENDED BY M.D.	198	1	8		326	59	64	
ATTENDED BY D.O.	19		289	11	1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS			5		3	2	2	
ATTENDED BY M.D.					3	2	2	
ATTENDED BY D.O.			5					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	39		137		272	26	64	
UNDER ONE YEAR OF AGE	1		6		4			
NEONATAL DEATHS			6		4			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2				2			
MALIGNANT NEOPLASMS (140-209)	9		17		57	2	20	
DIGEST. ORGANS (150-159)	1		3		23	2	9	
RESPIRATORY SYSTEM (160-163)	4		4		5		4	
BREAST (174)			3		5		1	
GENITAL ORGANS (180-187)			1		6		1	
URINARY ORGANS (188-189)			1		5			
LEUKEMIA (204-207)			1		2		1	
OTHER REMAINDER OF (140-209)	4		4		11		4	
DIABETES MELLITUS (250)					2			
MAJOR CARDIOVASCULAR DISEASE (390-448)	12		85		153	14	34	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	7		63		108	7	24	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		LADUE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1			
HYPERTENSIVE HEART (402,404)					2			
ISCHEMIC HEART (410-414)	7		58		105	3	24	
OTHER HEART DISEASE (420-429)			4			4		
HYPERTENSION (400,401,403)					1	1	1	
CEREBROVASCULAR DISEASE (430-438)	3		19		33	6	8	
ARTERIOSCLEROSIS (440)	1		3		7			
OTHER CIRCULATORY (441-448)	1				4		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		3		6	1	1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)					8		1	
PEPTIC ULCER (531-533)			2					
CIRRHOSIS OF LIVER (571)	1		3		3		1	
NEPHRITIS AND NEPHROSIS (580-584)						1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			2		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			5		3			
SYMPTOMS & ILL-DEFINED COND. (780-796)	3				8	3	1	
ALL OTHER DISEASES (RESIDUAL)	4		11		16	3	2	
ACCIDENTAL DEATHS (E800-E949)	3		7		7	1	4	
MOTOR VEHICLE (E810-E823)	1		1		1		1	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)						1	1	
FALLS (E880-E887)			3		2		1	
FIRES (E890-E899)					1		1	
DROWNING & SUBMERSIONS (E910)	1				1			
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)			1					
OTHER REMAINDER OF (E900-E949)	1		1		2			
SUICIDE (E950-E959)	2		2		5			
HOMICIDE (E960-E978)	2					1		
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	LEE'S SUMMIT		LIBERTY		MARSHALL		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	319	2	201	3	180	12	218	10
ATTENDED BY M.D.	291	2	187	2	180	12	216	10
ATTENDED BY D.O.	28		14	1			2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	3		1		1		3	
ATTENDED BY M.D.	3		1		1		3	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	116		107	3	133	10	154	3
UNDER ONE YEAR OF AGE	3		3	1	7	1	3	
NEONATAL DEATHS	3		2	1	7	1	1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1		1		2	
MALIGNANT NEOPLASMS (140-209)	22		8		19	3	28	1
DIGEST. ORGANS (150-159)	8		3		4		8	
RESPIRATORY SYSTEM (160-163)	1		2		5	1	8	
BREAST (174)			1		1	1	2	
GENITAL ORGANS (180-187)	4				2		2	
URINARY ORGANS (188-189)	1				2	1	2	1
LEUKEMIA (204-207)					2		1	
OTHER REMAINDER OF (140-209)	8		2		3		5	
DIABETES MELLITUS (250)	3		3		2		3	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	58		65	2	79	5	81	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	44		46		49	3	63	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	LEE'S SUMMIT		LIBERTY		MARSHALL		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)			1				3	
HYPERTENSIVE HEART (402,404)								
ISCHEMIC HEART (410-414)	43		43		44	3	57	
OTHER HEART DISEASE (420-429)	1		2		5		3	
HYPERTENSION (400,401,403)			1		1			
CEREBROVASCULAR DISEASE (430-438)	8		16		27	1	15	
ARTERIOSCLEROSIS (440)	4		2	2	1		3	
OTHER CIRCULATORY (441-448)	2				1	1		
INFLUENZA/PNEUMONIA (470-474,480-486)	2		2		2		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		3	1	4	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)			1				1	
NEPHRITIS AND NEPHROSIS (580-584)	1							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		3	1	5	1	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		1				10	
ALL OTHER DISEASES (RESIDUAL)	8		7		14		14	
ACCIDENTAL DEATHS (E800-E949)	7		9		4		5	
MOTOR VEHICLE (E810-E823)	4		6		3			
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)							1	
FALLS (E880-E887)	2						2	
FIRES (E890-E899)			2				1	
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)			1		1			
SUICIDE (E950-E959)	1		2		2		2	
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	160	24	169	22	359	12	256	31
ATTENDED BY M.D.	124	16	108	19	332	12	208	26
ATTENDED BY D.O.	36	8	61	3	27		47	5
ATTENDED BY MIDWIFE							1	
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		2		4	1	6	
ATTENDED BY M.D.	2				4	1	5	
ATTENDED BY D.O.			2				1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	118	17	235	20	243	3	251	22
UNDER ONE YEAR OF AGE	6		3		5		14	
NEONATAL DEATHS	6		2		3		10	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				1	
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2					
MALIGNANT NEOPLASMS (140-209)	19	4	26	4	59	1	38	2
DIGEST. ORGANS (150-159)	7		5	1	15		7	1
RESPIRATORY SYSTEM (160-163)	3	4	5		22		8	
BREAST (174)			6	1	1	1	2	
GENITAL ORGANS (180-187)	5		1		4		7	
URINARY ORGANS (188-189)	1		3	1	2		1	
LEUKEMIA (204-207)	1				4		2	
OTHER REMAINDER OF (140-209)	2		6	1	11		11	1
DIABETES MELLITUS (250)	3	1	4		8		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	67	8	145	10	118	2	131	10
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	48	4	90	4	86	2	92	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					3		1	
HYPERTENSIVE HEART (402,404)	1		1		1	1		
ISCHEMIC HEART (410-414)	45	4	84	4	78	1	87	6
OTHER HEART DISEASE (420-429)	2		5		4		4	
HYPERTENSION (400,401,403)			2		2			
CEREBROVASCULAR DISEASE (430-438)	15	3	40	6	24		34	4
ARTERIOSCLEROSIS (440)	3	1	8		4		3	
OTHER CIRCULATORY (441-448)	1		5		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		8		6		6	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		7	1	4		6	1
PEPTIC ULCER (531-533)		1	1		1			
CIRRHOSIS OF LIVER (571)	2	1	2		2		4	
NEPHRITIS AND NEPHROSIS (580-584)	1	1	1		1		2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		3		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4				3		11	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		6		3		12	2
ALL OTHER DISEASES (RESIDUAL)	8		13	2	16		16	1
ACCIDENTAL DEATHS (E800-E949)	1	1	13	2	14		12	3
MOTOR VEHICLE (E810-E823)	1		6		5		12	1
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)					2			
FALLS (E880-E887)		1	5		2			
FIRES (E890-E899)			1	1	1			2
DROWNING & SUBMERSIONS (E910)				1	3			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)					1			
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	2		3		4		4	
HOMICIDE (E960-E978)					1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1			1			1	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	399	2	136	34	203	14	282	6
ATTENDED BY M.D.	377	2	136	34	169	13	257	6
ATTENDED BY D.O.	22				32	1	25	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					2			
TOTAL FETAL DEATHS	8		3		2			
ATTENDED BY M.D.	8		3		2			
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	177		142	8	103		90	
UNDER ONE YEAR OF AGE	9		4	1	3		2	
NEONATAL DEATHS	8		3	1	2		2	
MATERNAL DEATHS					1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		1					
MALIGNANT NEOPLASMS (140-209)	42		38	1	16		19	
DIGEST. ORGANS (150-159)	11		12	1	6		1	
RESPIRATORY SYSTEM (160-163)	9		5				8	
BREAST (174)	6		5		2		2	
GENITAL ORGANS (180-187)	5		7				4	
URINARY ORGANS (188-189)			3		1			
LEUKEMIA (204-207)	3		1		3			
OTHER REMAINDER OF (140-209)	8		5		4		4	
DIABETES MELLITUS (250)	3		4		1		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	86		68	4	55		41	
DISEASES OF HEART (390-398, 402, 404, 410-429)	56		55	2	37		30	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	RAYTOWN		RICHMOND HIGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		3		1			
HYPERTENSIVE HEART (402,404)	1				1			
ISCHEMIC HEART (410-414)	51		50	1	32		27	
OTHER HEART DISEASE (420-429)	3		2	1	3		3	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	23		11	1	13		8	
ARTERIOSCLEROSIS (440)	3		2		5		2	
OTHER CIRCULATORY (441-448)	3			1			1	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		2		9			
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		2			
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	1		1				1	
NEPHRITIS AND NEPHROSIS (580-584)							1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			
CONGENITAL ANOMALIES (740-759)	2		2				2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		1	1	2		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		5	1	3		9	
ALL OTHER DISEASES (RESIDUAL)	11		9	1	2		5	
ACCIDENTAL DEATHS (E800-E949)	9		2		11		6	
MOTOR VEHICLE (E810-E823)	5		1		3		3	
OTHER TRANS. (E800-E807,E825-E845)					2			
POISONING (E850-E877)	1						1	
FALLS (E880-E887)			1		4		2	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)					2			
OTHER REMAINDER OF (E900-E949)	3							
SUICIDE (E950-E959)	3		5		1		3	
HOMICIDE (E960-E978)	2							
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		3					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	717	14	1,152	73	4,897	6,651	301	26
ATTENDED BY M.D.	683	14	1,145	72	4,819	6,639	280	26
ATTENDED BY D.O.	34		7	1	77	10	21	
ATTENDED BY MIDWIFE						1		
OTHERS OR UNSPECIFIED					1	1		
TOTAL FETAL DEATHS	10		16	3	58	120	4	
ATTENDED BY M.D.	9		16	3	51	118	3	
ATTENDED BY D.O.	1				1	1	1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					6	1		
TOTAL DEATHS	269	6	1,014	38	6,266	2,889	322	26
UNDER ONE YEAR OF AGE	13		24	6	103	206	9	1
NEONATAL DEATHS	9		19	6	80	159	7	
MATERNAL DEATHS			1		1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			3		15	16		
SYPHILIS AND ITS SEQUELAE (090-097)			2		1	3		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		6		15	19	2	
MALIGNANT NEOPLASMS (140-209)	44	1	197	7	1,079	472	42	4
DIGEST. ORGANS (150-159)	9		45	3	296	135	14	2
RESPIRATORY SYSTEM (160-163)	14		43	1	272	92	3	
BREAST (174)	2		16		87	45	4	2
GENITAL ORGANS (180-187)	6	1	21	2	144	77	10	
URINARY ORGANS (188-189)	1		7		54	21	3	
LEUKEMIA (204-207)	2		9		47	17		
OTHER REMAINDER OF (140-209)	10		46	1	179	85	8	
DIABETES MELLITUS (250)	2		18	2	173	79	8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	152	2	572	12	3,674	1,280	211	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	108	1	397	10	2,695	848	142	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		3		50	13	2	
HYPERTENSIVE HEART (402,404)			5		28	25	4	
ISCHEMIC HEART (410-414)	100	1	373	10	2,537	753	128	7
OTHER HEART DISEASE (420-429)	5		16		80	57	8	
HYPERTENSION (400,401,403)	1		4		21	33		
CEREBROVASCULAR DISEASE (430-438)	30	1	121	2	718	328	55	3
ARTERIOSCLEROSIS (440)	5		33		169	44	6	
OTHER CIRCULATORY (441-448)	8		17		71	27	8	1
INFLUENZA/PNEUMONIA (470-474,480-486)	10	1	20	1	171	108	8	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		25		82	27	6	
PEPTIC ULCER (531-533)			3	1	33	10	3	
CIRRHOSIS OF LIVER (571)	4		6		92	60	4	
NEPHRITIS AND NEPHROSIS (580-584)			3	1	23	40	3	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1		1			
CONGENITAL ANOMALIES (740-759)	5		4		33	18	3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	8		15	5	63	139	4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		48	3	42	11	1	
ALL OTHER DISEASES (RESIDUAL)	12	1	45	5	440	265	12	2
ACCIDENTAL DEATHS (E800-E949)	18		47		227	146	12	1
MOTOR VEHICLE (E810-E823)	10		25		85	50	3	
OTHER TRANS. (E800-E807,E825-E845)	1		1		5			
POISONING (E850-E877)			2		3	7	1	
FALLS (E880-E887)	2		6		84	27	3	
FIRES (E890-E899)	2		5		13	16		
DROWNING & SUBMERSIONS (E910)	1		2		8	9		
FIREARM MISSILES (E922)	1				2	11		
INDUSTRIAL (E916-E921,E923-E928)			4		5	6	1	1
OTHER REMAINDER OF (E900-E949)	1		2		22	20	4	
SUICIDE (E950-E959)	4		6		39	14	2	
HOMICIDE (E960-E978)	3		1	1	39	153		
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	1	2		24	29	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	219	67	2,151	70	305	289	171	18
ATTENDED BY M.D.	180	30	2,142	70	304	285	155	14
ATTENDED BY D.O.	38	13	9		1	3	16	4
ATTENDED BY MIDWIFE	1	24						
OTHERS OR UNSPECIFIED						1		
TOTAL FETAL DEATHS	1	1	17	1	3	7		
ATTENDED BY M.D.	1	1	17	1	3	7		
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	137	28	1,179	32	510	41	94	2
UNDER ONE YEAR OF AGE	2	2	39	1	4	6	2	
NEONATAL DEATHS	2		34		3	5	2	
MATERNAL DEATHS		1						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)		1	3			1		
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1	1	6		2			
MALIGNANT NEOPLASMS (140-209)	20	4	207	4	100	7	13	1
DIGEST. ORGANS (150-159)	2	1	52	1	30	4	2	
RESPIRATORY SYSTEM (160-163)	4	1	45	1	21	1	3	1
BREAST (174)	3		18	1	8	1		
GENITAL ORGANS (180-187)	4		22		12		2	
URINARY ORGANS (188-189)			10		3		1	
LEUKEMIA (204-207)	2		9		4		2	
OTHER REMAINDER OF (140-209)	5	2	51	1	22	1	3	
DIABETES MELLITUS (250)	2	1	16	1	16	4	1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	78	12	655	17	287	8	59	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	60	6	446	10	208	4	48	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WARRENSBURG	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		7		7			
HYPERTENSIVE HEART (402,404)			2		2		3	
ISCHEMIC HEART (410-414)	58	6	417	8	196	3	39	
OTHER HEART DISEASE (420-429)	1		20	2	3	1	6	
HYPERTENSION (400,401,403)			2	1	4			
CEREBROVASCULAR DISEASE (430-438)	18	6	161	5	60	1	6	
ARTERIOSCLEROSIS (440)			39		8	3	5	
OTHER CIRCULATORY (441-448)			7	1	7			
INFLUENZA/PNEUMONIA (470-474,480-486)	3	1	23	1	13	1	10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		21		5	2	2	
PEPTIC ULCER (531-533)			3	1	1			
CIRRHOSIS OF LIVER (571)	1	1	11		6	1		
NEPHRITIS AND NEPHROSIS (580-584)	1		3		4			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		1						
CONGENITAL ANOMALIES (740-759)	1		10					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1	2	22		2	5	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		38	3	16	2	1	
ALL OTHER DISEASES (RESIDUAL)	13	2	70	3	36	4	4	
ACCIDENTAL DEATHS (E800-E949)	9	2	64	1	14	2	2	1
MOTOR VEHICLE (E810-E823)	5		33		5	1	1	
OTHER TRANS. (E800-E807,E825-E845)			6					
POISONING (E850-E877)	2					1		
FALLS (E880-E887)	1		12		6			
FIRES (E890-E899)		2	4		1			1
DROWNING & SUBMERSIONS (E910)	1							
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)			3		1			
OTHER REMAINDER OF (E900-E949)			5	1	1		1	
SUICIDE (E950-E959)	2		17		5	1		
HOMICIDE (E960-E978)	2		2		2	3		
ALL OTHER EXTERNAL CAUSES (E980-E999)			8	1	1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

WEBSTER GROVES.

	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	256	45
ATTENDED BY M.D.	256	45
ATTENDED BY D.O.		
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED		
TOTAL FETAL DEATHS	2	
ATTENDED BY M.D.	1	
ATTENDED BY D.O.		
ATTENDED BY MIDWIFE		
OTHERS OR UNSPECIFIED	1	
TOTAL DEATHS	216	23
UNDER ONE YEAR OF AGE	2	1
NEONATAL DEATHS	2	
MATERNAL DEATHS		
CAUSE OF DEATH		
TUBERCULOSIS, ALL FORMS (010-019)		
SYPHILIS AND ITS SEQUELAE (090-097)		
OTHER INFECTIVE & PARASITIC DISEASES		
REMAINDER OF (000-136)		
MALIGNANT NEOPLASMS (140-209)	38	3
DIGEST. ORGANS (150-159)	9	2
RESPIRATORY SYSTEM (160-163)	5	
BREAST (174)	5	
GENITAL ORGANS (180-187)	3	1
URINARY ORGANS (188-189)	2	
LEUKEMIA (204-207)	1	
OTHER REMAINDER OF (140-209)	13	
DIABETES MELLITUS (250)	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	123	14
DISEASES OF HEART		
(390-398, 402, 404, 410-429)	76	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1971

WEBSTER GROVES.

	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC		
RHEUMATIC HEART DISEASE (390-398)	3	
HYPERTENSIVE HEART (402,404)	2	1
ISCHEMIC HEART (410-414)	69	8
OTHER HEART DISEASE (420-429)	2	
HYPERTENSION (400,401,403)		1
CEREBROVASCULAR DISEASE (430-438)	34	4
ARTERIOSCLEROSIS (440)	9	
OTHER CIRCULATORY (441-448)	4	
INFLUENZA/PNEUMONIA (470-474,480-486)	5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3	
PEPTIC ULCER (531-533)		
CIRRHOSIS OF LIVER (571)		
NEPHRITIS AND NEPHROSIS (580-584)		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)		
CONGENITAL ANOMALIES (740-759)	3	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	13	1
ALL OTHER DISEASES (RESIDUAL)	9	
ACCIDENTAL DEATHS (E800-E949)	14	3
MOTOR VEHICLE (E810-E823)	7	2
OTHER TRANS. (E800-E807,E825-E845)	1	
POISONING (E850-E877)		
FALLS (E880-E887)	3	1
FIRES (E890-E899)	1	
DROWNING & SUBMERSIONS (E910)		
FIREARM MISSILES (E922)		
INDUSTRIAL (E916-E921,E923-E928)	2	
OTHER REMAINDER OF (E900-E949)		
SUICIDE (E950-E959)	2	
HOMICIDE (E960-E978)	2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 17

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1971

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. GRAND TOTAL	1,925	1,007	68	60	146	84	489	133	402	150	412	165	167	123	240	292
10. WORK TOTAL	173	2	-	-	5	-	30	2	49	-	62	-	16	-	11	-
11. AGRICULTURE	62	2	-	-	4	-	7	2	9	-	22	-	11	-	9	-
12. MINING, QUARRYING, OIL/GAS WELL	13	-	-	-	-	-	-	-	6	-	7	-	-	-	-	-
13. CONSTRUCTION	32	-	-	-	-	-	8	-	10	-	13	-	1	-	-	-
14. MANUFACTURING	11	-	-	-	-	-	3	-	1	-	7	-	-	-	-	-
15. TRANS. AND PUBLIC UTILITIES	13	-	-	-	-	-	2	-	7	-	4	-	-	-	-	-
16. TRADE	4	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-
17. SERVICE	15	-	-	-	-	-	4	-	6	-	3	-	1	-	1	-
18. GOVERNMENT	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
19. OTHER AND UNSPECIFIED INDUS.	20	-	-	-	1	-	6	-	5	-	5	-	3	-	-	-
20. HOME TOTAL	357	329	46	33	29	23	39	12	42	34	68	42	43	37	90	148
21. POISONINGS (GAS EXCEPTED)	13	19	2	4	-	-	4	2	3	8	4	5	-	-	-	-
22. POISONINGS BY GAS AND VAPOR	14	5	2	-	2	1	2	-	5	2	2	1	-	-	1	1
23. FALLS	129	179	3	3	3	1	4	-	6	9	23	17	23	25	67	124
24. FIRES	97	75	17	12	7	8	5	5	11	10	22	15	18	10	17	15
25. DROWNING	7	14	2	5	2	3	2	-	1	1	-	2	-	-	-	3
26. SUFFOCATION, INGESTED OBJECTS	6	9	2	5	-	1	2	-	1	1	-	1	-	-	1	1
27. SUFFOCATION, MECHANICAL	16	5	10	3	1	1	3	1	1	-	1	-	-	-	-	-
28. FIREARMS	37	7	1	-	8	3	10	2	8	1	7	-	1	1	2	-
29. OTHER AND UNSPECIFIED ACC.	38	16	7	1	6	5	7	2	6	2	9	1	1	1	2	4
30. MOTOR VEHICLE TOTAL	1,007	475	18	19	70	45	353	108	237	93	200	101	72	64	57	45
31. INJURY TO PEDESTRIAN	119	58	6	8	22	13	18	3	21	7	26	8	11	10	15	9
32. INJURY TO PEDAL CYCLIST	12	4	-	-	9	2	3	2	-	-	-	-	-	-	-	-
33. INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANML-DRAWN VEHICLE	3	1	-	-	1	-	1	-	1	1	-	-	-	-	-	-
34. COLLISION WITH RAILROAD TRAIN	36	18	-	-	1	4	8	1	10	2	8	5	6	5	3	1
35. COLLISION WITH OTHER MOTOR V	419	260	6	7	22	14	123	58	103	61	101	60	34	37	30	23
36. COLLISION WITH FIXED OBJECT	238	77	4	1	3	10	109	26	65	14	45	15	7	6	5	5
37. NONCOLLISION	155	46	1	2	10	1	79	16	34	8	18	11	10	3	3	5
38. OTHER AND UNSPECIFIED ACC.	25	11	1	1	2	1	12	2	3	-	2	2	4	3	1	2

NOTE ALL AGES INCLUDES UNKNOWN AGE.
M = MALE F = FEMALE V = VEHICLE

TABLE 17 (CONT)


RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1971

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. PUBLIC NON-MOTOR VEHICLE TOTAL	388	200	4	8	42	16	67	10	74	23	82	22	36	22	82	99
51. RAILROAD NOT WITH MOTOR V	8	3	-	2	2	-	1	-	4	-	-	-	-	1	1	-
52. OTHER V NOT WITH MOTOR V	3	2	-	-	1	1	-	-	-	-	2	-	-	1	-	-
53. WATER TRANSPORT	3	5	-	-	-	-	-	1	2	2	1	-	-	1	-	1
54. AIR-TRANSPORT	19	6	-	-	-	-	1	-	11	4	7	1	-	1	-	-
55. FALLS	101	99	-	-	1	2	6	-	3	3	23	1	14	13	54	80
56. FIRES	14	3	-	1	-	-	-	-	4	-	4	-	1	-	5	2
57. DROWNING	112	15	-	1	28	6	37	5	22	-	13	3	7	-	4	-
58. FIREARMS	16	3	1	-	3	-	3	-	5	3	4	-	-	-	-	-
59. OTHER AND UNSPECIFIED ACC.	112	64	3	4	7	7	19	4	23	11	28	17	14	5	18	16
60. TYPE OF ACCIDENT UNKNOWN	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-

NOTE ALL AGES INCLUDES UNKNOWN AGE.
M = MALE F = FEMALE V = VEHICLE

MARRIAGES

GRAPH E.
MARRIAGE RATES 1949-1971
(per 1,000 population)



MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1960	35,368	8.2
1950	34,300	8.7	1961	34,640	7.9
1951	30,880	7.7	1962	35,192	8.0
1952	28,373	7.0	1963	37,667	8.5
1953	33,012	8.1	1964	38,802	8.6
1954	33,520	8.2	1965	39,882	8.8
1955	34,162	8.3	1966	42,597	9.4
1956	34,382	8.3	1967	44,055	9.6
1957	31,395	7.5	1968	48,155	10.5
1958	31,965	7.5	1969	50,411	10.9
1959	34,352	8.1	1970	50,224	10.7
			1971	51,048	10.8

SOURCE: Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates used for computing rates were: 1950, 1960 and 1970 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to 1969 as computed by the Division of Health of Missouri. Provisional estimate for July 1, 1971—see page iv.

TABLE 18

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1971

AGE OF GROOM	TOTAL	AGE OF BRIDE														
		15 AND UND.	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	51,048	769	1,902	3,163	5,681	6,190	5,441	4,649	4,022	2,933	2,118	1,595	1,118	903	830	722
15 AND UNDER	27	7	7	4	4		1		1	1						
16 YEARS	209	35	62	57	34	10	4	4		1		1	1			
17 YEARS	1,126	127	256	322	245	102	33	14	9	8	1	1	3	2	1	1
18 YEARS	2,649	171	419	642	789	393	132	46	22	13	5	3	2	3	1	
19 YEARS	3,940	129	396	655	1,134	1,036	344	127	60	21	13	9	6	2	1	3
20 YEARS	4,760	100	272	518	1,123	1,208	951	336	125	60	23	17	6	4	2	2
21 YEARS	4,961	49	173	332	815	1,025	1,041	893	324	123	61	39	18	16	13	8
22 YEARS	5,003	41	97	215	539	814	874	910	878	302	120	85	37	24	21	16
23 YEARS	4,321	34	77	147	370	530	700	682	759	558	198	93	37	26	29	21
24 YEARS	3,627	19	35	96	232	394	489	544	555	501	336	155	90	45	39	34
25 YEARS	2,550	14	26	53	132	190	281	327	377	349	288	197	98	55	34	33
26 YEARS	1,803	10	13	25	74	129	152	196	227	209	235	194	122	54	52	27
27 YEARS	1,493	8	19	26	52	86	129	145	158	173	168	150	114	72	63	36
28 YEARS	1,317	5	12	15	39	62	70	108	143	137	145	126	93	94	75	47
29 YEARS	1,109	7	7	12	25	57	57	70	97	123	114	96	87	74	59	67
30 YEARS	887	2	7	6	17	47	42	47	71	71	80	80	75	55	63	58
31 YEARS	728	2	2	6	14	23	27	37	38	64	55	63	54	52	46	46
32 YEARS	634	1	5	6	9	14	24	31	33	45	42	52	39	38	53	50
33 YEARS	559	3	1	7	9	7	16	25	22	19	42	37	41	40	43	45
34 YEARS	533		5	4	5	10	11	18	25	29	30	38	29	36	31	36
35-39 YEARS	2,033	2	4	7	11	26	46	47	58	78	94	98	90	120	115	106
40-44 YEARS	1,706		1	4	7	14	9	23	22	28	43	38	46	53	59	47
45-49 YEARS	1,368	1	2	1	1	6	1	10	12	6	15	17	18	21	18	23
50-54 YEARS	1,084	1	1		1	3	2	6	3	6	4	2	7	8	7	15
55-59 YEARS	806	1	1			1		1	1	2	2	3	3	3	5	1
60-64 YEARS	613		1						2	3	2	1	2	3		
65-69 YEARS	543			1		1				1	1			1		
70-74 YEARS	329										1			1		
75 YEARS AND OVER	310													1		
NOT STATED	20		1	2		2	5	2		2						

TABLE 18 (CONT)

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1971

AGE OF GROOM	AGE OF BRIDE														NOT STAT- ED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	582	537	416	404	335	1,554	1,345	1,164	864	672	480	368	175	96	20
15 AND UNDER		1							1						
16 YEARS															
17 YEARS															1
18 YEARS		1			1	1	2	1							2
19 YEARS				2	1										1
20 YEARS	4		2			3			1	1					2
21 YEARS	10	6		5		6		1	1						2
22 YEARS	8	3	5	6	2	1	4	1							
23 YEARS	16	8	5	5	5	14	4	2							1
24 YEARS	16	13	13	3	4	7	4	2	1						
25 YEARS	17	21	10	9	6	22	7	3							
26 YEARS	11	15	12	11	7	21	6				1				
27 YEARS	26	23	5	7	5	24	4								
28 YEARS	38	28	13	11	13	35	5	3							
29 YEARS	39	29	18	20	14	28	6	3							
30 YEARS	45	28	21	10	9	38	11	2	2						
31 YEARS	39	32	30	19	15	49	13	1			1				
32 YEARS	35	33	21	21	21	42	16	2	1						
33 YEARS	40	28	24	21	19	46	15	8	1						
34 YEARS	25	39	18	24	25	62	25	7	1						
35-39 YEARS	109	122	89	86	71	369	176	74	24	6	3	1		1	
40-44 YEARS	59	63	78	74	62	378	344	167	60	19	7		1		
45-49 YEARS	24	23	38	41	34	218	351	298	134	38	9	3	1	1	3
50-54 YEARS	16	11	7	19	13	107	203	280	234	91	25	8	3		1
55-59 YEARS	4	5	5	6	6	47	102	175	182	175	55	20			
60-64 YEARS	1	1	2	3	2	23	29	71	117	157	137	42	10	2	2
65-69 YEARS		2		1		8	13	42	66	113	131	125	30	7	
70-74 YEARS		1				1	4	14	22	41	74	91	61	17	1
75 YEARS						2	1	7	16	31	37	78	69	68	1
AND OVER															
NOT STATED		1				2									3

TABLE 19

REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS,
GROOM AND BRIDE , MISSOURI 1971

AGE	GROOM					BRIDE				
	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED
TOTAL	51,048	36,332	22	2,401	12,239	51,048	36,989	24	2,836	11,137
15 AND UNDER	27	24			3	769	762		3	4
16 YEARS	209	209				1,902	1,887			13
17 YEARS	1,126	1,124			1	3,163	3,114	2	3	43
18 YEARS	2,649	2,637			12	5,681	5,571	2	6	99
19 YEARS	3,940	3,907	1	1	31	6,190	5,958	4	8	220
20 YEARS	4,760	4,667	2	1	87	5,441	5,048	2	11	376
21 YEARS	4,961	4,756	1	4	200	4,649	4,164	2	24	455
22 YEARS	5,003	4,625		5	368	4,022	3,406	1	23	588
23 YEARS	4,321	3,839	1	6	475	2,933	2,232	1	34	661
24 YEARS	3,627	3,014	3	10	597	2,118	1,422		30	665
25 YEARS	2,550	1,943	1	14	590	1,595	939		26	629
26 YEARS	1,803	1,250	1	8	543	1,118	583	3	21	510
27 YEARS	1,493	891	1	19	581	903	384	2	17	499
28 YEARS	1,317	702	2	14	598	830	281		22	526
29 YEARS	1,109	542		13	553	722	223	3	25	470
30 YEARS	887	354		11	520	582	149		24	407
31 YEARS	728	261	1	15	451	537	130		42	365
32 YEARS	634	180		13	439	416	77		24	315
33 YEARS	559	165	1	22	371	404	75		32	295
34 YEARS	533	151	1	16	362	335	61		23	251
35-39 YEARS	2,033	414	3	89	1,524	1,554	197	1	161	1,185
40-44 YEARS	1,706	246		141	1,318	1,345	115		237	990
45-49 YEARS	1,368	168	2	204	986	1,164	81		346	736
50-54 YEARS	1,084	101		277	703	864	48		416	399
55-59 YEARS	806	66	1	317	419	672	31		409	228
60-64 YEARS	613	32		311	266	480	23		349	104
65-69 YEARS	543	25		370	148	368	15	1	281	67
70-74 YEARS	329	16		251	59	175	3		150	22
75 YEARS AND OVER	310	11		269	28	96	3		84	8
NOT STATED	20	12			6	20	7		5	7

TOTAL FOR GROOM AND BRIDE INCLUDES NOT STATED

TABLE 20

REPORTED MARRIAGES BY MARITAL STATUS,
MISSOURI 1971

GROOM	TOTAL	SINGLE	BRIDE			
			WIDOWED	DIVORCED	ANNULLED	NOT STATED
SINGLE	36,332	32,811	394	3,089	15	23
WIDOWED	2,401	243	1,340	815	1	2
DIVORCED	12,239	3,906	1,098	7,226	7	2
ANNULLED	22	15	2	4	1	
NOT STATED	54	14	2	3		35
TOTAL	51,048	36,989	2,836	11,137	24	62

TABLE 21

REPORTED MARRIAGES BY COLOR OF GROOM BY COLOR OF BRIDE, MISSOURI 1971

COLOR OF GROOM	TOTAL	COLOR OF BRIDE		
		WHITE	NONWHITE	NOT STATED
WHITE	46,294	46,182	100	12
NONWHITE	4,714	184	4,529	1
NOT STATED	40	9	1	30
TOTAL	51,048	46,375	4,630	43

TABLE 22

REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI 1971

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED MARRIAGES NUMBER	RATE	COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED MARRIAGES NUMBER	RATE
STATE TOTAL	4,748,588	51,048	10.8				
ADAIR	22,852	349	15.3	DOUGLAS	9,279	107	11.5
ANDREW	12,050	108	9.0	DUNKLIN	33,414	498	14.9
ATCHISON	9,292	196	21.1	FRANKLIN	56,594	616	10.9
AUDRAIN	25,415	312	12.3	GASCONADE	11,896	103	8.7
BARRY	19,764	217	11.0	GENTRY	8,043	83	10.3
BARTON	10,420	121	11.6	GREENE	156,694	1,958	12.5
BATES	15,499	160	10.3	GRUNDY	11,826	141	11.9
BENTON	9,848	77	7.8	HARRISON	10,180	139	13.7
BOLLINGER	8,838	75	8.5	HENRY	18,473	237	12.8
BOONE	84,459	924	10.9	HICKORY	4,505	36	8.0
BUCHANAN	87,001	1,012	11.6	HOLT	6,566	49	7.5
BUTLER	33,590	541	23.9	HOWARD	10,581	89	8.4
CALDWELL	8,354	52	6.2	HOWELL	23,807	281	11.8
CALLAWAY	26,292	191	7.3	IRON	9,740	129	13.2
CAMDEN	13,910	174	12.5	JACKSON	661,282	8,102	12.3
CAPE GIRARDEAU	50,388	618	12.3	JASPER	80,372	1,061	13.2
CARROLL	12,517	120	9.6	JEFFERSON	110,748	877	7.9
CARTER	3,894	48	12.3	JOHNSON	34,907	324	9.3
CASS	40,778	641	15.7	KNOX	5,639	44	7.8
CEDAR	9,497	69	7.3	LACLEDE	20,140	270	13.4
CHARITON	10,980	95	8.7	LAFAYETTE	26,912	276	10.3
CHRISTIAN	15,507	165	10.6	LAWRENCE	24,845	265	10.7
CLARK	8,264	275	33.3	LEWIS	11,043	84	7.6
CLAY	128,621	907	7.1	LINCOLN	18,501	199	10.8
CLINTON	12,623	93	7.4	LINN	15,039	131	8.7
COLE	47,054	546	11.6	LIVINGSTON	15,406	232	15.1
COOPER	14,735	129	8.8	MC DONALD	12,488	197	15.8
CRAWFORD	15,141	164	10.8	MACON	15,406	145	9.4
DADE	6,806	44	6.5	MADISON	8,620	97	11.3
DALLAS	10,179	128	12.6	MARIES	6,836	62	9.1
DAVIESS	8,367	79	9.4	MARION	28,131	524	18.6
DE KALB	7,338	70	9.5	MERCER	4,857	178	36.6
DENT	11,612	146	12.6	MILLER	15,228	179	11.8

MARRIAGE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.


TABLE 22 (CONT) REPORTED MARRIAGES BY COUNTY OF RECORDING WITH RATES, MISSOURI 1971

COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES		COUNTIES	TOTAL POPULATION	REPORTED MARRIAGES	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
MISSISSIPPI	16,356	256	15.7	ST. CHARLES	98,818	1,075	10.9
MONITEAU	10,815	106	9.8	ST. CLAIR	7,647	59	7.7
MONROE	9,483	66	7.0	ST. FRANCOIS	37,044	463	12.5
MONTGOMERY	11,039	74	6.7	STE. GENEVIEVE	13,018	122	9.4
MORGAN	10,058	91	9.0	ST. LOUIS CITY	613,835	7,472	12.2
NEW MADRID	22,850	221	9.7	ST. LOUIS COUNTY	985,459	7,575	7.7
NEWTON	33,365	352	10.5	SALINE	24,928	242	9.7
NODAWAY	22,614	253	11.2	SCHUYLER	4,653	172	37.0
OREGON	9,165	107	11.7	SCOTLAND	5,433	77	14.2
OSAGE	11,056	70	6.3	SCOTT	33,471	444	13.3
OZARK	6,201	58	9.4	SHANNON	7,232	74	10.2
PEMISCOT	25,536	331	13.0	SHELBY	7,849	58	7.4
PERRY	14,448	199	13.8	STODDARD	25,556	314	12.3
PETTIS	34,212	436	12.7	STONE	10,166	112	11.0
PHELPS	30,164	343	11.4	SULLIVAN	7,509	57	7.6
PIKE	17,047	216	12.7	TANEY	13,413	181	13.5
PLATTE	33,286	257	7.7	TEXAS	18,476	190	10.3
POLK	15,665	150	9.6	VERNON	19,022	199	10.5
PULASKI	55,033	541	9.8	WARREN	9,848	90	9.1
PUTNAM	5,841	128	21.9	WASHINGTON	15,255	199	13.0
RALLS	7,783	89	11.4	WAYNE	8,586	71	8.3
RANDOLPH	22,599	228	10.1	WEBSTER	15,829	151	9.5
RAY	17,857	208	11.6	WORTH	3,332	61	18.4
REYNOLDS	6,234	47	7.5	WRIGHT	13,690	128	9.3
RIPLEY	9,929	76	7.7				

MARRIAGE RATES ARE PER 1,000 POPULATION - SEE PAGE IV.

DIVORCES

GRAPH F.
DIVORCE RATES 1949-1971
(per 1,000 population)



DIVORCES

Year	Number	Rate	Year	Number	Rate
1949	12,912	3.3	1960	11,320	2.6
1950	12,177	3.1	1961	11,574	2.7
1951	12,131	3.0	1962	11,882	2.7
1952	12,943	3.2	1963	12,652	2.8
1953	12,342	3.0	1964	12,785	2.9
1954	11,705	2.9	1965	13,261	2.9
1955	11,351	2.8	1966	13,758	3.0
1956	10,993	2.6	1967	14,520	3.2
1957	10,861	2.6	1968	16,473	3.6
1958	10,747	2.5	1969	17,578	3.8
1959	11,695	2.8	1970	17,852	3.8
			1971	19,643	4.1

SOURCE: Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates used for computing rates were: 1950, 1960 and 1970 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to 1969 as computed by the Division of Health of Missouri. Provisional estimate for July 1, 1971—see page iv.

TABLE 23

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES.
HUSBAND BY WIFE, MISSOURI 1971

HUSBAND	TOTAL	WIFE						
		DIVORCES						
		NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
TOTAL	19,522	13,456	4,309	1,213	284	91	52	117
NONE	13,369	11,617	1,438	232	45	8	4	25
ONE	4,346	1,512	2,073	551	120	45	21	24
TWO	1,189	220	545	317	60	27	12	8
THREE	344	56	154	72	42	8	8	4
FOUR	95	7	51	21	9	2	4	1
FIVE OR MORE	49	5	21	13	5	1	3	1
NOT STATED	130	39	27	7	3			54
ANNULMENTS								
TOTAL	121	57	35	17	4	1	2	5
NONE	49	36	8	4				1
ONE	39	13	16	3	2	1	2	2
TWO	16	1	9	5	1			
THREE	5		1	3	1			
FOUR	1	1						
FIVE OR MORE								
NOT STATED	11	6	1	2				2

TABLE 24

REPORTED DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, MISSOURI 1971

DURATION OF MARRIAGE (IN YEARS)	TOTAL	DIVORCES	ANNULMENTS
TOTAL	19,643	19,522	121
UNDER 1 YEAR	584	534	50
1 YEAR	2,104	2,064	40
2 YEARS	2,240	2,224	16
3 YEARS	2,049	2,042	7
4 YEARS	1,627	1,625	2
5 YEARS	1,297	1,295	2
6 YEARS	1,126	1,126	
7 YEARS	920	919	1
8 YEARS	785	784	1
9 YEARS	630	630	
10 YEARS	581	581	
11 YEARS	546	546	
12 YEARS	507	507	
13 YEARS	394	394	
14 YEARS	411	410	1
15 YEARS	372	371	1
16 YEARS	312	312	
17 YEARS	289	289	
18 YEARS	261	261	
19 YEARS	261	261	
20-24 YEARS	1,135	1,135	
25-29 YEARS	671	671	
30-34 YEARS	297	297	
35-39 YEARS	118	118	
40 YEARS AND OVER	99	99	
NOT STATED	27	27	

TABLE 25

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1971

CHILDREN REPORTED	TOTAL	DIVORCES	ANNULMENTS
TOTAL	19,643	19,522	121
NO CHILDREN	8,646	8,529	117
ONE CHILD	4,906	4,903	3
TWO CHILDREN	3,303	3,303	
THREE CHILDREN	1,583	1,583	
FOUR CHILDREN	681	680	1
FIVE CHILDREN	301	301	
SIX CHILDREN	112	112	
SEVEN CHILDREN	54	54	
EIGHT CHILDREN	17	17	
NINE OR MORE CHILDREN	15	15	
NOT STATED	25	25	

TABLE 26

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT BY TO WHOM DECREE GRANTED
DECREE TO WHOM GRANTED

COMPLAINANT	DIVORCES					ANNULMENTS				
	TOTAL	HUSBAND	WIFE	SEPARATE MAINT. HUSBAND	WIFE NOT STATED	TOTAL	HUSBAND	WIFE	SEPARATE MAINT. HUSBAND	WIFE NOT STATED
TOTAL	19,522	4,176	15,298		48	121	33	88		
HUSBAND	4,904	3,998	887		19	32	32			
WIFE	14,562	163	14,371		28	89	1	88		
OTHER										
NOT STATED	56	15	40		1					

TABLE 27

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT BY DISPOSITION OF CHILDREN
DISPOSITION OF CHILDREN

COMPLAINANT	TOT.	DIVORCES							ANNULMENTS						
		HUS- BAND	WIFE	GUARD- IAN	CUST. JNT	NOT OTHER	STAT	NO CHILD	HUS- BAND	WIFE	GUARD- IAN	CUST. JNT	NOT OTHER	STAT	NO CHILD
TOTAL	19,522	747	9,773	2	227	44	113	8,616	121	4					117
HUSBAND	4,904	558	1,478		72	17	76	2,703	32	1					31
WIFE	14,562	184	8,268	2	154	27	37	5,890	89	3					86
OTHER															
NOT STATED	56	5	27		1			23							

TABLE 28

REPORTED DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI 1971

ALIMONY AND SETTLEMENT	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	19,643	19,522	121
NO ALIMONY OR SUPPORT	9,446	9,331	115
ALIMONY TO WIFE	1,104	1,103	1
ALIMONY TO HUSBAND	2	2	
PROPERTY SETTLEMENT	25	25	
SUPPORT TO CHILDREN	4,335	4,333	2
ALIMONY AND CHILD SUPPORT	4,589	4,588	1
ALIMONY OR SUPPORT TO OTHERS			
NOT STATED	142	140	2

TABLE 29

REPORTED DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE

LEGAL GROUNDS FOR DECREE	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	19,643	19,522	121
ADULTERY	102	102	
CRUELTY	162	162	
DESERTION	714	714	
DRUNKENNESS	65	65	
NON-SUPPORT	57	57	
BIGAMY	4	4	
CONVICTION OF CRIME	27	27	
GENERAL INDIGNITIES	18,303	18,303	
INSANITY			
ANNULMENTS	121		121
SOCIAL DISEASE			
NOT STATED	88	88	

TABLE 30

REPORTED DIVORCES AND ANNULMENTS BY COLOR, HUSBAND BY WIFE, MISSOURI 1971

HUSBAND	DIVORCES	TOTAL	WHITE	WIFE	
				NONWHITE	NOT STATED
TOTAL		19,522	16,902	2,206	414
WHITE		16,888	16,794	33	61
NONWHITE		2,196	29	2,156	11
NOT STATED		438	79	17	342
ANNULMENTS					
TOTAL		121	111	9	1
WHITE		108	108		
NONWHITE		10	1	9	
NOT STATED		3	2		1

TABLE 31

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI 1971

CONTESTANT	TOTAL	DIVORCES	ANNULMENTS
TOTAL	19,643	19,522	121
HUSBAND	861	861	
WIFE	561	559	2
NO CONTEST	18,144	18,025	119
NOT STATED	77	77	

TABLE 32 REPORTED DIVORCES AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES, MISSOURI 1971

COUNTIES	TOTAL POPULATION	REPORTED DIVORCES AND ANNULMENTS		COUNTIES	TOTAL POPULATION	REPORTED DIVORCES AND ANNULMENTS	
	(ALL AGES)	NUMBER	RATE		(ALL AGES)	NUMBER	RATE
STATE TOTAL	4,748,588	19,643	4.1				
ADAIR	22,852	101	4.4	DE KALB	7,338	9	1.2
ANDREW	12,050	29	2.4	DENT	11,612	76	6.5
ATCHISON	9,292	24	2.6	DOUGLAS	9,279	24	2.6
AUDRAIN	25,415	93	3.7	DUNKLIN	33,414	142	4.2
BARRY	19,764	73	3.7	FRANKLIN	56,594	198	3.5
BARTON	10,420	41	3.9	GASCONADE	11,896	30	2.5
BATES	15,499	65	4.2	GENTRY	8,043	19	2.4
BENTON	9,848	30	3.0	GREENE	156,694	1,039	6.6
BOLLINGER	8,838	25	2.8	GRUNDY	11,826	34	2.9
BOONE	84,459	333	3.9	HARRISON	10,180	21	2.1
BUCHANAN	87,001	518	6.0	HENRY	18,473	92	5.0
BUTLER	33,590	205	6.1	HICKORY	4,505	13	2.9
CALDWELL	8,354	21	2.5	HOLT	6,566	11	1.7
CALLAWAY	26,292	91	3.5	HOWARD	10,581	27	2.6
CAMDEN	13,910	46	3.3	HOWELL	23,807	31	1.3
CAPE GIRARDEAU	50,388	173	3.4	IRON	9,740	34	3.5
CARROLL	12,517	38	3.0	JACKSON	661,282	3,957	6.0
CARTER	3,894	8	2.1	JASPER	80,372	549	6.8
CASS	40,778	176	4.3	JEFFERSON	110,748	275	2.5
CEDAR	9,497	23	2.4	JOHNSON	34,907	108	3.1
CHARITON	10,980	26	2.4	KNOX	5,639	11	2.0
CHRISTIAN	15,507	63	4.1	LACLEDE	20,140	78	3.9
CLARK	8,264	33	4.0	LAFAYETTE	26,912	116	4.3
CLAY	128,621	554	4.3	LAWRENCE	24,845	94	3.8
CLINTON	12,623	35	2.8	LEWIS	11,043	34	3.1
COLE	47,054	152	3.2	LINCOLN	18,501	50	2.7
COOPER	14,735	29	2.0	LINN	15,039	62	4.1
CRAWFORD	15,141	51	3.4	LIVINGSTON	15,406	62	4.0
DADE	6,806	8	1.2	MC DONALD	12,488	48	3.8
DALLAS	10,179	36	3.5	MACON	15,406	58	3.8
DAVISS	8,367	22	2.6	MADISON	8,620	36	4.2

DIVORCE RATES ARE PER 1,000 POPULATION - SEE PAGE IV

TABLE 32 (CONT) REPORTED DIVORCES AND ANNULMENTS BY COUNTY OF RECORDING WITH RATES, MISSOURI 1971

COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS		COUNTIES	TOTAL POPULATION (ALL AGES)	REPORTED DIVORCES AND ANNULMENTS	
		NUMBER	RATE			NUMBER	RATE
MARIES	6,836	5	0.7	REYNOLDS	6,234	-	-
MARION	28,131	112	4.0	RIPLEY	9,929	11	1.1
MERCER	4,857	3	0.6	ST. CHARLES	98,818	403	4.1
MILLER	15,228	44	2.9	ST. CLAIR	7,647	42	5.5
MISSISSIPPI	16,356	89	5.4	ST. FRANCOIS	37,044	202	5.5
MONITEAU	10,815	21	1.9	STE. GENEVIEVE	13,018	15	1.2
MONROE	9,483	24	2.5	ST. LOUIS CITY	613,835	2,418	3.9
MONTGOMERY	11,039	40	3.6	ST. LOUIS COUNTY	985,459	3,401	3.5
MORGAN	10,058	31	3.1	SALINE	24,928	107	4.3
NEW MADRID	22,850	124	5.4	SCHUYLER	4,653	17	3.7
NEWTON	33,365	135	4.0	SCOTLAND	5,433	11	2.0
NODAWAY	22,614	57	2.5	SCOTT	33,471	174	5.2
OREGON	9,165	9	1.0	SHANNON	7,232	19	2.6
OSAGE	11,056	10	0.9	SHELBY	7,849	8	1.0
OZARK	6,201	10	1.6	STODDARD	25,556	94	3.7
PEMISCOT	25,536	148	5.8	STONE	10,166	40	3.9
PERRY	14,448	20	1.4	SULLIVAN	7,509	29	3.9
PETTIS	34,212	169	4.9	TANEY	13,413	69	5.1
PHELPS	30,164	122	4.0	TEXAS	18,476	67	3.6
PIKE	17,047	63	3.7	VERNON	19,022	89	4.7
PLATTE	33,286	151	4.5	WARREN	9,848	23	2.3
POLK	15,665	53	3.4	WASHINGTON	15,255	29	1.9
PULASKI	55,033	119	2.2	WAYNE	8,586	21	2.4
PUTNAM	5,841	15	2.6	WEBSTER	15,829	47	3.0
RALLS	7,783	18	2.3	WORTH	3,332	3	0.9
RANDOLPH	22,599	97	4.3	WRIGHT	13,690	78	5.7
RAY	17,857	77	4.3				

DIVORCE RATES ARE PER 1,000 POPULATION - SEE PAGE IV

